

## Invitation to Bid

# Ref. no. 17810/00161

Date: 13 May 2010

### Subject: ItB for Integrated Solution for Server Cluster and Storage /Parliament Project/ UNDP Moldova

Dear Sir/Madam,

- 1. We hereby solicit your bid for the supply of *Servers, Storage System and Supporting Hardware and Software* as per the Schedule of Requirements (Annex V) and Technical Specifications (Annex VI).
- 2. To enable you to submit a bid, please find enclosed:
  - Annex I. Instructions to Bidders
  - Annex II. Bid Data Sheet
  - Annex III. General Terms and Conditions
  - Annex IV. Special Conditions
  - Annex V. Schedule of Requirements
  - Annex VI. Technical Specifications
  - Annex VII. Bid Submission Form
  - Annex VIII, Price Schedule
- 3. Interested Bidders may obtain further information or clarifications at the following address:

Contact Person:	Sergiu Galitchi, Project Officer
Name of Project:	"Support to Parliamentary Development in Moldova"
E-Mail:	sergiu.galitchi@undp.org

UNDP Moldova will organise on its premises a pre-bidding conference on **25 May 2010 at 10:00**. Representatives of all interested applicants are invited to attend. To confirm participation, please, send a message to <u>sergiu.galitchi@undp.org</u> by COB on **24 May 2010**.

4. Bids must be delivered to UNDP Moldova office on or before **11:00 (Moldova local time)** on **14** June **2010**. Late bids shall be rejected.

Bids can be submitted either in hard copy or electronically. a) Documents/bids in hard copy need to be addressed to:

#### UNDP Moldova, 131, 31 August 1989 Street, MD-2012 Chisinau, Republic of Moldova Attention: Registry Office/Procurement

- b) Bids sent electronically need to be addressed to the following e-mail address: tenders-Moldova@undp.org
- Bids will be opened in the presence of Bidders' Representatives, who chose to attend at 131, 31 August 1989 Street, MD-2012 Chisinau, Moldova, on 14 June 2010 at 12:00 (Moldova local time).
- 6. This letter is not to be construed in any way as an offer to contract with your firm.

Sincerely. Ulle

Matilda Dimovska Deputy Resident Representative

## INSTRUCTIONS TO BIDDERS

#### A. Introduction

- 1. General: The Purchaser invites Sealed Bids for the supply of goods to the UN system.
- 2. Eligible Bidders: Bidders should not be associated, or have been associated in the past, directly or indirectly, with a firm or any of its affiliates which have been engaged by the Purchaser to provide consulting services for the preparation of the design specifications, and other documents to be used for the procurement of goods to be purchased under this Invitation to Bids.
- 3. Cost of Bid: The Bidder shall bear all costs associated with the preparation and submission of the Bid, and the procuring UN entity will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the solicitation.

#### **B. Solicitation Documents**

- 4. Examination of Solicitation Documents: The Bidder is expected to examine all corresponding instructions, forms, terms and specifications contained in the Solicitation Documents. Failure to comply with these documents will be at the Bidder's risk and may affect the evaluation of the Bid.
- 5. Clarification of Solicitation Documents: A prospective Bidder requiring any clarification of the Solicitation Documents may notify the procuring entity in writing. The response will be made in writing to any request for clarification of the Solicitation Documents that it receives <u>earlier than 10</u> <u>days</u> prior to the Deadline for the Submission of Bids. Written copies of the response (including an explanation of the query but without identifying the source of inquiry) will be sent to all prospective Bidders that received the Solicitation Documents.
- 6. Amendments of Solicitation Documents: <u>No later than 10 days</u> prior to the Deadline for Submission of Bids, the procuring entity may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective Bidder, amend the Solicitation Documents. All prospective Bidders that have received the Solicitation Documents will be notified in writing of any amendments. In order to afford prospective Bidders reasonable time in which to take the amendments into account in preparing their offers, the procuring entity may, at its discretion, extend the Deadline for the Submission of Bids.
- C. Preparation of Bids
- Language of the Bid: <u>The Bid prepared by the Bidder and all correspondence and documents</u> <u>relating to the Bid</u> exchanged by the Bidder and the procuring entity shall be written in the language indicated on the Bid Data Sheet.
- 8. Documents Comprising the Bid:

The Bid must comprise the following documents:

- (a) a Bid Submission form;
- (b) a Price Schedule completed in accordance with the Annexes V, VI and VIII and clause 11 of Instructions to Bidders;
- (c) documentary evidence established in accordance with clause 9 of Instructions to Bidders that the Bidder is eligible to and is qualified to perform the contract if its Bid is accepted;
- (d) documentary evidence established in accordance with clause 10 of Instructions to Bidders that the goods and ancillary services to be supplied by the Bidder are eligible goods and services and conform to the Bidding Documents.
- 9. Documents Establishing Bidder's Eligibility and Qualifications:

The Bidder shall furnish evidence of its status as qualified Supplier. The documentary evidence of the Bidder's qualifications to perform the contract if its Bid is accepted shall be established to the Purchaser's satisfaction:

- (a) that, in the case of a Bidder offering to supply goods under the contract which the Bidder did not manufacture or otherwise produce, the Bidder has been duly authorised by the goods' manufacturer or producer to supply the goods in the country of final destination;
- (b) that the Bidder has the financial, technical, and production capability necessary to perform the contract.

## 10. Documents Establishing Goods' Conformity to Bidding Documents:

The Bidder shall also furnish as part of its Bid, documents establishing the conformity to the Bidding Documents of all goods and related services which the Bidder proposes to supply under the contract.

The documentary evidence of conformity to the Bidding Documents may be in the form of literature, drawings, and data, and shall consist of:

- (a) A detailed description of the essential technical and performance characteristics of the goods;
- (b) A list giving full particulars, including available sources and current prices of spare parts, special tools, etc, necessary for the proper and continuing functioning of the goods for a period to be specified in the Bid Data Sheet, following commencement of the use of the goods.
- 11. Bid Currencies/Bid Prices: All prices shall be quoted in US dollars or any other convertible currency. The Bidder shall indicate on the appropriate Price Schedule the unit prices (where applicable) and total Bid Price of the goods it proposes to supply under the contract.
- 12. Period of Validity of Bids: Bids shall remain <u>valid for 120 days</u> after the date of Bid Submission prescribed by the procuring UN entity pursuant to clause 16 of Instructions to Bidders. A Bid valid for a shorter period may be rejected as non-responsive pursuant to clause 20 of Instructions to Bidders. In exceptional circumstances, the procuring UN entity may solicit the Bidder's consent to an extension of the period of validity. The request and the responses thereto shall be made in writing. Bidders granting the request will not be required nor permitted to modify their Bids.

## 13. Bid Security - NOT REQUIRED

- (a) The Bidder shall furnish as part of its Bid a Bid Security to the Purchaser in the amount of 2% of the Offer Value.
- (b) The Bid Security is to protect the Purchaser against the risk of the Bidder's conduct which would warrant the security's forfeiture, pursuant to Clause 13(g) below.
- (c) The Bid Security shall be denominated in the currency of the Purchase Order or in a freely convertible currency and shall be in one of the following forms:
  - i. bank guarantee or irrevocable letter of credit, issued by a reputable bank located in the purchaser's country or abroad, and in the form provided in these Solicitation Documents, or,
    ii. cashier's cheque, or certified cheque.
- (d) Any Bid not secured in accordance with Clauses 13 a) and 13 c) above will be rejected by the Purchaser as non-responsive pursuant to clause 20 of Instructions to Bidders.
- (e) Unsuccessful Bidder Bid Security will be discharged or returned as promptly as possible, but not later than thirty (30) days after the expiration of the period of Bid Validity prescribed by the Purchaser pursuant to clause 12 of Instructions to Bidders.
- (f) The successful Bidder's Bid Security will be discharged or returned upon the Bidder signing the Purchase Order, pursuant to clause 26 of Instructions to Bidders, and furnishing the Performance Security, pursuant to clause 27 of Instructions to Bidders.
- (g) The Bid Security may be forfeited:
  - 1) If a Bidder withdraws its offer during the period of the Bid Validity specified by the Bidder on the Bid Submission Form, or,
  - 2) In the case of a successful Bidder, if the Bidder fails:
    - i. to sign the Purchase Order in accordance with Clause 26 of Instructions to Bidders, or,
    - ii. to furnish Performance Security in accordance with Clause 27 of Instructions to Bidders.

#### D. Submission of Bids

- 14. Format and Signing of Bid: The Bidder shall prepare <u>two copies</u> of the Bid, clearly marking each "<u>Original Bid</u>" and "<u>Copy of Bid</u>" as appropriate. In the event of any discrepancy between them, the original shall govern. The two copies of the Bid shall be typed or written in indelible ink and shall be signed by the Bidder or a person or persons duly authorised to bind the Bidder to the contract. A Bid shall contain no interlineations, erasures, or overwriting except, as necessary to correct errors made by the Bidder, in which case such corrections shall be initialed by the person or persons signing the bid.
- 15. Sealing and Marking of Bids:

15.1 The Bidder shall seal the original and each copy of the Bid in separate envelopes, duly marking the envelopes as "<u>ORIGINAL" and "COPY"</u>. The envelopes shall then be sealed in an outer envelope. 15.2 The inner and outer envelopes shall:

(a) be addressed to the Purchaser at the address given in section I of these Solicitation Documents; and

(b) make reference to the subject: "ItB for Integrated Solution for Server Cluster and Storage /Parliament Project/ UNDP Moldova", and a statement: "DO NOT OPEN BEFORE 12:00 hours on 14 June 2010".

15.3 The inner and outer envelopes shall also indicate the name and address of the Bidder to enable the Bid to be returned unopened in case it is declared "late".

15.4 If the outer envelope is not sealed and marked as required by clause 15.2 of Instructions to Bidders, the Purchaser will assume no responsibility for the Bid's misplacement or premature opening.

#### 16. Deadline for Submission of Bids/Late Bids:

16.1 Bids *must be delivered to the office on or before* the date and time specified in section I of these Solicitation Documents.

16.2 The Purchaser may, at its discretion, extend this deadline for the submission of the bids by amending the Bidding Documents in accordance with clause 6 of Instructions to Bidders, in which case all rights and obligations of the Purchaser and Bidders previously subject to the deadline will thereafter be subject to the deadline as extended.

16.3 Any Bid received by the Purchaser after the Deadline for Submission of Bids <u>will be rejected</u> <u>and returned unopened</u> to the Bidder.

17. Modification and Withdrawal of Bids: The Bidder may withdraw its Bid after submission, provided that *written notice of the withdrawal is received* by the procuring UN entity prior to the deadline for submission. No Bid may be modified after passing of the Deadline for Submission of Bids. No Bid may be withdrawn in the interval between the Deadline for Submission of Bids and the expiration of the Period of Bid Validity.

#### E. Opening and Evaluation of Bids

#### 18. Opening of Bids:

18.1 The Purchaser will open all Bids in the presence of Bidders' Representatives who choose to attend, at the time, on the date, and at the place specified in section I of this Solicitation Document. The Bidders' Representatives who are present shall sign a register evidencing their attendance. 18.2 The bidders' names, Bid Modifications or withdrawals, bid Prices, discounts, and the presence or absence of requisite Bid Security and such other details as the purchaser, at its discretion, may consider appropriate, will be announced at the opening. No Bid shall be rejected at Bid Opening, except for Late Bids, *which shall be returned unopened* to the Bidder pursuant to clause 20 of Instructions to Bidders.

18.3 Bids (and modifications sent pursuant to clause 17 of Instructions to Bidders) that are not opened and read out at Bid Opening <u>shall not be considered further for evaluation</u>, irrespective of the circumstances. Withdrawn Bids will be returned unopened to the Bidders. 18.4 The Purchaser will prepare minutes of the Bid Opening.

19. Clarification of Bids: To assist in the examination, evaluation and comparison of Bids the procuring UN entity may at its discretion ask the Bidder for clarification of its Bid. The request for clarification and the response shall be in writing and no change in price or substance of the Bid shall be sought, offered or permitted.

#### 20. Preliminary Examination:

20.1 Prior to the detailed evaluation, the Purchaser will determine the substantial responsiveness of each Bid to the Invitation to Bid (ITB). A substantially responsive Bid is one which conforms to all the terms and conditions of the ITB without material deviations.

20.2 The Purchaser will <u>examine the bids to determine whether they are complete</u>, whether any computational errors have been made, whether the documents have been properly signed, and whether the bids are generally in order.

20.3 Arithmetical errors will be rectified on the following basis: If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, <u>the unit price shall prevail and the total price shall be corrected</u>. If the Bidder does not accept the correction of errors, its Bid will be rejected. If there is a discrepancy between words and figures the <u>amount in words will prevail</u>.

20.4 A Bid determined as not substantially responsive *will be rejected* by the Purchaser and may not subsequently be made responsive by the Bidder by correction of the non-conformity.

- 21. Conversion to Single Currency: To facilitate evaluation and comparison, the Purchaser <u>will convert</u> all Bid Prices expressed in the amounts in various currencies in which the Bid Prices are payable <u>to</u> <u>US dollars at the official UN exchange rate</u> on the last day for Submission of Bids.
- 22. Evaluation of Bids: Determination of compliance with the Solicitation Documents is based on the content of the Bid itself without recourse to extrinsic evidence.

Eval	Evaluation Criteria					
1.	Compliance with pricing conditions set in the ITB.					
2.	Compliance of offered equipment with the technical specifications.					
3.	Proof that offered goods are in compliance with compulsory requirements (norms and					
	standards) for such type of equipment.					
4.	Compliance with Special and General Conditions specified by these Solicitation Documents.					
5.	Compliance with start-up, delivery or installation deadlines set by the procuring entity. (delivery					
	time not to exceed 6 calendar weeks)					
6.	Demonstrated ability to comply with critical provisions such as execution of the Purchase Order					
	by honouring the tax-free status of the UN.					
7.	Demonstrated ability to honour important responsibilities and liabilities allocated to Supplier in					
	this ITB regarding warranty, post-warranty and/or after-sales service conditions (including the					
	service network).					
8.	Proof of a local after-sales service capacity and appropriateness of service network.					
9.	Proof of previous experience with projects of similar nature.					

## F. Award of Contract

- 23. Award Criteria: The procuring UN entity will issue the Purchase Order to the *lowest priced* <u>technically qualified Bidder</u>. The Purchaser reserves the right to accept or reject any Bid, to annul the solicitation process and reject all Bids at any time prior to award of purchase order, without thereby incurring any liability to the affected Bidder(s) or any obligation to provide information on the grounds for the purchaser's action.
- 24. Purchaser's Right to Vary Requirements at Time of Award: The Purchaser reserves the right at the time of making the award of contract <u>to increase or decrease by up to 15 % the quantity of goods</u> specified in the Schedule of Requirements without any change in unit price or other terms and conditions.
- 25. Notification of Award: Prior to the expiration of the period of Bid Validity, the Purchaser will send the successful Bidder the Purchase Order. The Purchase Order may only be accepted by the Supplier's signing and returning an acknowledgement copy of it or by timely delivery of the goods in accordance with the terms of this purchase order, as herein specified. Acceptance of this Purchase Order shall effect a contract between the parties under which the rights and obligations of the parties shall be governed solely by the terms and conditions of this purchase order.
- 26. Signing of the Purchase Order: Within <u>30 days</u> of receipt of the Purchase Order the successful Bidder shall sign, date and return it to the purchaser.

## **BID DATA SHEET**

The following specific data for the goods to be procured shall <u>complement</u>, <u>supplement</u>, <u>or amend the</u> <u>provisions in the Instruction to Bidders</u>. Whenever there is a conflict, the provisions herein shall prevail over those in the Instructions to Bidders.

Relevant clause(s) of Instruction to Bidders	Specific data complementing, supplementing, or amending instructions to Bidders				
Language of the Bid	🛛 English 🗌 Frenc	h 🗌 Sp	oanish 🗌	Other:	
	The prices quoted shall I	pe as per foll	owing INCOT	ERMS 2000 and place:	
Bid Price	🗆 FOB 🛛 FCA	🗆 CF	т 🛛	DDU	
	Place: Chisinau, Reput	lic of Moldo	ova		
Documents Establishing Bidder's Eligibility & Qualifications	Required Dot required				
Bid Validity Period	🛛 120 days	🗌 Ot	her:		
Bid Security	Required		ot required		
Preliminary Examination – completeness of bid	Partial bids permitter	d	🛛 Partial I	bids not permitted	
Purchaser's Right to Vary Requirements at Time of Award	15 percent, increase or decrease remain unchanged	Conditio	on waived	Condition applies but change limit to percent	
Bid Submission	Bids can be submitted either in hard copy or electronically. Bids sent electronically need to be addressed to the following e- mail address: <u>tenders-Moldova@undp.org</u> with the same mark. Bids submitted by fax will be rejected. Late bids will not be accepted.				
Requests for additional information	working days before th	Request for additional information must be received at least 10 (ten) working days before the Deadline for Submission of bids. Bidders are encouraged to raise gueries as early as possible.			

## **General Terms and Conditions**

#### 1. ACCEPTANCE OF THE PURCHASE ORDER

This Purchase Order may only be accepted by the Supplier's signing and returning an acknowledgement copy of it or by timely delivery of the goods in accordance with the terms of this Purchase Order, as herein specified. Acceptance of this Purchase Order shall effect a contract between the Parties under which the rights and obligations of the Parties shall be governed solely by the terms and conditions of this Purchase Order, including these General Conditions. No additional or inconsistent provisions proposed by the Supplier shall bind UNDP unless agreed to in writing by a duly authorized official of UNDP.

## 2. PAYMENT

- 2.1.1 UNDP shall, on fulfilment of the Delivery Terms, unless otherwise provided in this Purchase Order, make payment within 30 days of receipt of the Supplier's invoice for the goods and copies of the shipping documents specified in this Purchase Order.
- 2.1.2 Payment against the invoice referred to above will reflect any discount shown under the payment terms of this Purchase Order, provided payment is made within the period required by such payment terms.
- 2.1.3 Unless authorized by UNDP, the Supplier shall submit one invoice in respect of this Purchase Order, and such invoice must indicate the Purchase Order's identification number.
- 2.1.4 The prices shown in this Purchase Order may not be increased except by express written agreement of UNDP.

#### 3. TAX EXEMPTION

3.1. Section 7 of the Convention on the Privileges and Immunities of the United Nations provides, inter alia, that the United Nations, including its subsidiary organs, is exempt from all direct taxes, except charges for utilities services, and is exempt from customs duties and charges of a similar nature in respect of articles imported or exported for its official use. In the event any governmental authority refuses to recognize UNDP's exemption from such taxes, duties or charges, the Supplier shall immediately consult with UNDP to determine a mutually acceptable procedure.

3.2. Accordingly, the Supplier authorizes UNDP to deduct from the Supplier's invoice any amount representing such taxes, duties or charges, unless the Supplier has consulted with UNDP before the payment thereof and UNDP has, in each instance, specifically authorized the Supplier to pay such taxes, duties or charges under protest. In that event, the Supplier shall provide UNDP with written evidence that payment of such taxes, duties or charges has been made and appropriately authorized.

#### 4. RISK OF LOSS

Risk of loss, damage to or destruction of the goods shall be governed in accordance with DDU Incoterms 2000, unless otherwise agreed upon by the Parties on the front side of this Purchase Order.

#### 5. EXPORT LICENCES

Notwithstanding any INCOTERM 2000 used in this Purchase Order, the Supplier shall obtain any export licences required for the goods.

## 6. FITNESS OF GOODS/PACKAGING

The Supplier warrants that the goods, including packaging, conform to the specifications for the goods ordered under this Purchase Order and are fit for the purposes for which such goods are ordinarily used and for purposes expressly made known to the Supplier by UNDP, and are free from defects in workmanship and materials. The Supplier also warrants that the goods are contained or packaged adequately to protect the goods.

## 7. INSPECTION

7.1. UNDP shall have a reasonable time after delivery of the goods to inspect them and to reject and refuse acceptance of goods not conforming to this Purchase Order; payment for goods pursuant to this Purchase Order shall not be deemed an acceptance of the goods.

7.2. Inspection prior to shipment does not relieve the Supplier from any of its contractual obligations.

#### 8. INTELLECTUAL PROPERTY INFRINGEMENT

The Supplier warrants that the use or supply by UNDP of the goods sold under this Purchase Order does not infringe any patent, design, trade-name or trade-mark. In addition, the Supplier shall, pursuant to this warranty, indemnify, defend and hold UNDP and the United Nations harmless from any actions or claims brought against UNDP or the United Nations pertaining to the alleged infringement of a patent, design, trade-name or trade-mark arising in connection with the goods sold under this Purchase Order.

#### 9. RIGHTS OF UNDP

In case of failure by the Supplier to fulfil its obligations under the terms and conditions of this Purchase Order, including but not limited to failure to obtain necessary export licences, or to make delivery of all or part of the goods by the agreed delivery date or dates, UNDP may, after giving the Supplier reasonable notice to perform and without prejudice to any other rights or remedies, exercise one or more of the following rights:

- a) Procure all or part of the goods from other sources, in which event UNDP may hold the Supplier responsible for any excess cost occasioned thereby.
- b) Refuse to accept delivery of all or part of the goods.
- c) Cancel this Purchase Order without any liability for termination charges or any other liability of any kind of UNDP.

#### 10. LATE DELIVERY

Without limiting any other rights or obligations of the parties hereunder, if the Supplier will be unable to deliver the goods by the delivery date(s) stipulated in this Purchase Order, the Supplier shall (i) immediately consult with UNDP to determine the most expeditious means for delivering the goods and (ii) use an expedited means of delivery, at the Supplier's cost (unless the delay is due to <u>Force Majeure</u>), if reasonably so requested by UNDP.

#### 11. ASSIGNMENT AND INSOLVENCY

- 11.1 The Supplier shall not, except after obtaining the written consent of UNDP, assign, transfer, pledge or make other disposition of this Purchase Order, or any part thereof, or any of the Supplier's rights or obligations under this Purchase Order.
- 11.2 Should the Supplier become insolvent or should control of the Supplier change by virtue of insolvency, UNDP may, without prejudice to any other rights or remedies, immediately terminate this Purchase Order by giving the Supplier written notice of termination.

#### 12. USE OF UNDP OR UNITED NATIONS NAME OR EMBLEM

The Supplier shall not use the name, emblem or official seal of UNDP or the United Nations for any purpose.

#### 13. PROHIBITION ON ADVERTISING

The Supplier shall not advertise or otherwise make public that it is furnishing goods or services to UNDP without specific permission of UNDP in each instance.

#### 14. CHILD LABOUR

The Supplier represents and warrants that neither it nor any of its affiliates is engaged in any practice inconsistent with the rights set forth in the Convention on the Rights of the Child, including Article 32 thereof, which, inter alia, requires that a child shall be protected from performing any work that is likely to be hazardous or to interfere with the child's education, or to be harmful to the child's health or physical, mental, spiritual, moral or social development.

Any breach of this representation and warranty shall entitle UNDP to terminate this Purchase Order immediately upon notice to the Supplier, without any liability for termination charges or any other liability of any kind of UNDP.

## 15. MINES

The Supplier represents and warrants that neither it nor any of its affiliates is actively and directly engaged in patent activities, development, assembly, production, trade or manufacture of mines or in such activities in respect of components primarily utilized in the manufacture of Mines. The term "Mines" means those devices defined in Article 2, Paragraphs 1, 4 and 5 of Protocol II annexed to the Convention on Prohibitions and Restrictions on the Use of Certain Conventional Weapons Which May Be Deemed to Be Excessively Injurious or to Have Indiscriminate Effects of 1980.

Any breach of this representation and warranty shall entitle UNDP to terminate this Purchase Order immediately upon notice to the Supplier, without any liability for termination charges or any other liability of any kind of UNDP.

#### 16. SETTLEMENT OF DISPUTES

#### 16.1 Amicable Settlement

The Parties shall use their best efforts to settle amicably any dispute, controversy or claim arising out of, or relating to this Purchase Order or the breach, termination or invalidity thereof. Where the Parties wish to seek such an amicable settlement through conciliation, the conciliation shall take place in accordance with the UNCITRAL Conciliation Rules then obtaining, or according to such other procedure as may be agreed between the Parties.

#### 16.2 Arbitration

Unless, any such dispute, controversy or claim between the Parties arising out of or relating to this Purchase Order or the breach, termination or invalidity thereof is settled amicably under the preceding paragraph of this Section within sixty (60) days after receipt by one Party of the other Party's request for such amicable settlement, such dispute, controversy or claim shall be referred by either Party to arbitration in accordance with the UNCITRAL Arbitration Rules then obtaining, including its provisions on applicable law. The arbitral tribunal shall have no authority to award punitive damages. The Parties shall be bound by any arbitration award rendered as a result of such arbitration as the final adjudication of any such controversy, claim or dispute.

#### 17. PRIVILEGES AND IMMUNITIES

Nothing in or related to these General Terms and Conditions or this Purchase Order shall be deemed a waiver of any of the privileges and immunities of the United Nations, including its subsidiary organs.

## **Special Conditions**

The following Special Conditions shall complement, supplement, or amend the General Conditions. Whenever there is a conflict, the provisions herein shall prevail over those in the General Conditions.

	Warranty	//Guarantee			
⊠ Applies	Does not apply	If, within 12 months after the goods have been put into service, any defects are discovered or arise in the normal course of usage, the Supplier shall remedy the defect either by replacement or by repair. (Please, see Schedule of Requirements, Annex V, for exceptions)			
	Liquidate	ed damages			
⊠ Applies	Does not apply	If the Supplier fails to supply the specified goods within the time period(s) stipulated by the purchase order, the Purchaser shall, without prejudice to its other remedies under the contract, deduct from the Purchase Order price, as liquidated damages, a sum equivalent to 0.5 percent of the delivered price of the delayed goods for each week of delay until actual delivery, up to a maximum deduction of 10 percent of the delayed goods Purchase Order price. Once the maximum is reached, the Purchaser may consider termination of the Purchase Order			
	Performa	ince security			
☐ Applies	⊠ Does not apply	<ul> <li>a) Within 30 days of receipt of the Purchase Order from the purchaser, the successful Bidder shall furnish a Performance Security to the Purchaser in the amount of 10% of the Purchase Order Value.</li> <li>b) The Performance Security shall be valid until a date 30 days from the date of Issue of a Satisfactory Certificate of Inspection and Testing by the procuring UN entity.</li> <li>c) The proceeds of the Performance Security shall be payable to the Purchaser as compensation for any loss resulting from the Supplier's failure to complete its obligations under the contract.</li> <li>d) The Performance Security shall be denominated in the currency of the Purchase Order and shall be in one of the following form of a bank guarantee or irrevocable letter of credit, issued by a reputable bank located in the purchaser's country or abroad in the form provided in these Solicitation Documents.</li> <li>e) The Security will be returned to the Supplier within 30 days of completion of the Purchase order, including any warranty obligation.</li> </ul>			
	Compliance with any other condition (s) required?				
Applies (See Annex V Schedule of Requirements)					

#### SCHEDULE OF REQUIREMENTS

*Scope:* UNDP Moldova is inviting bids for the supply of an Integrated Solution for Server Cluster and Storage (one single LOT, consisting of twelve items), as per Technical Specifications presented in Annex VI. Unless indicated otherwise, all parameters in the Technical Specifications indicate the minimum requirements. Offered equipment that does not comply with the minimum requirements shall be disqualified.

*Delivery period:* UNDP Moldova is looking for a maximum delivery (including installation and commissioning) time of *6 calendar weeks* after contract signing.

Delivery terms: DDU Chisinau, Moldova (INCOTERMS 2000)

*Warranty:* The full warranty shall include maintenance, troubleshooting and repair including provision of spare parts. The contractor (bidder) must provide evidence of local authorized technical support services availability for the offered equipment. In case of repair, a competent service person either from the contractor (bidder) or from the local authorized company has to show up at the location of the equipment and provide the detailed state report and troubleshooting/repair schedule within the next business day after the contractor (bidder) or contracted local authorized company was informed about the need of repair. Preference shall be given to Next Business Day Onsite services.

Warranty period for items III, VI, VII, X and XI, listed in Annex VI Technical Specifications, shall be minimum 12 months and for items I, II, IV, V, VIII and IX – 36 months, respectively.

*After-sales service:* Proposed solution shall have official manufacturers' warranty for all Hardware and Software components with an authorized local service centre.

*Execution capacity:* The Bidder should propose all Hardware and Software features and services necessary for the successful start-up of the system on-site. System shall be assembled, OS installed and a test system start-up performed on-site by the Offeror.

#### Supplier Qualifications:

<u>Profile of the company:</u> offerors shall give a brief description of the company including copy of company registration documents;

Details of years in business: a minimum of three years experience in supply of equipment is required;

Local Dealer/Representative/Company: offerors shall provide the name of the entity in Chisinau, Moldova for installation and system start-up services, warranty/guarantee repair, maintenance, etc;

<u>Financial capacity of company</u>: Offerors shall provide copy of the company's <u>financial balance sheet</u> for the last fiscal year, in order to prove its financial health and provide reasonable assurance whether it can pay off its financial obligations. Based on provided documents, the quick ratio (ratio between the company's liquid assets and its current liabilities) shall be calculated in order to evaluate the financial health of the Offeror. A quick ratio lower than 1 shall be grounds to disqualify the Offeror.

*Packaging:* Please refer to Annex III General Terms and Conditions (clause 6) for the minimum packaging requirements.

*Certificate(s) of Conformity:* Provision of copies of the documents, confirming that goods are in compliance with compulsory requirements (norms and standards) for such type of equipment - certificate(s)/record(s) of conformity, issued or acknowledged by relevant regulatory entity/body.

Reselling of goods: Bidders shall confirm their authorization to resell proposed products.

*Payment terms:* Goods purchased will be paid <u>through bank transfer to given account</u>, within 30 days <u>upon delivery and submission of supply invoice</u>.

Please, note that all UNDP purchases are customs duties and tax exempted.

## **TECHNICAL SPECIFIATIONS**

#### A. General Hardware (HW) and Software (SW) Requirements for server cluster and storage:

New HW infrastructure solution should have the following architecture:

- Standard and upgradeable easy to add and expand new processing, storage, I/O, etc. capacities
- High-available and redundant for the major components; cluster-ready
- Support multi-platform solutions based on Windows, Linux
- Support open industry standards for connectivity (8/4Gbps Fibre Channel, Gigabit and 10Gbps Ethernet)
- Support for virtualization solutions from Microsoft and VMWare.

Electric Current Characteristics: Nominal Voltage, V: 220

Frequency, Hz: 50

Plug: type F ("Schuko")

#### B. Specific HW and SW Requirements

<b>I</b> тем #	ITEM DESCRIPTION	REQUIRED SPECIFICATION	Qτγ			
1	MAIN SERVER		2			
	Form Factor:	Rack mount; 4U; Sliding rails and cable management arm				
	CPU:	Four similar to Intel Xeon Six-Core Processor E7540 2.GHz				
	RAM:	32GB (8x4GB) PC3-8500 DDR3 1066MHz RDIMM RAM; Advanced ECC; 64 memory slots max.				
	HDD:	Two 146GB 2.5"Hot-Swap 10K 6Gbps SAS; Eight disk bays				
	Internal RAID:	RAID 0, 1				
	PCI Slots	Four available PCI Express slots, incl. one x16				
	Ports:	At least one front and one internal USB ports				
	Host Bus Adapters:	Two 8Gbps Single-Port FC HBA Adapters				
	LAN:	Four Gigabit Ethernet ports; load balancing and failover				
	Optical drive:	DVD-RW				
	Systems Management:	Full Remote Management (graphical console over LAN) Integrated Systems Management Processor;				
	Systems Management SW included           High Availability         Redundant hot-swap power supplies, fans					
	High AvailabilityRedundant hot-swap power supplies, fansFeatures:Predicted Failure Analysis for critical components: HDD,					
	reatures:					
	Security	power supplies, fans, memory, processor)				
	Security:	Trusted Platform Module (TPM) 1.2 Chip				
	Supported OS: Warranty :	Windows, Linux, VMware Three years onsite				
	STORAGE SYSTEM	Three years onsite	1			
	Form-factor:	Deal mountable				
		Rack-mountable				
	Controller Type:	Dual-active Hot-Swap RAID controllers				
	Cache	2GB; battery-backed; data dedicated				
	RAID Levels Supported	0, 1, 10, 3, 5, 6				
	Host Interface:	Four 8Gbps FC				
	Max. Capacity:	At least 100 HDDs				
	Drives installed:	Six 2TB 7.2K SATA hot-swap disks in RAID-6 Nine 450GB 4Gbps 15K FC hot-swap disks in RAID-5 plus one hot-spare disk				
	Availability Features	Switched backplane architecture Load balancing and Path failover feature to be included Redundant Power Supplies				
		Cache destaging to flash drive				
	Partitioning	Min 4 storage partitions installed				
	Advanced Copy Features	Support for optional synchronous and asynchronous remote copy and instant local copy				
	OS Support	Support for Windows Server to be included; optional support for Linux, VMware, UNIX				
	Storage Management	Storage Management SW to be included				
	Warranty:	Three years onsite				

<b>I</b> тем #	ITEM DESCRIPTION	REQUIRED SPECIFICATION	Qτγ	
III.	SAN SWITCHES		2	
	Form Factor:	Rack mount		
	Total number of ports:	Twenty four		
	Enabled ports:	Eight ports; Eight 8Gbps SFPs;		
		Support for 4Gbps speed		
	Management:	Web management tools		
	FC Cables:	Eight 5m LC-LC FC cables		
	Warranty:	One year onsite		
IV.	BACKUP SERVER		1	
1 V.	Form Factor:	Back mounty 111, Sliding rails and cable management arm		
	CPU:	Rack mount; 1U; Sliding rails and cable management arm One similar to Intel Xeon Quad-Core Processor E5506		
	CPU:			
		2.13GHz, expandable to two processors		
	RAM:	12GB (3x4GB) DDR3 1333MHz RDIMM RAM; Advanced		
		ECC; Eighteen memory slots max.		
	HDD:	Two 300GB 2.5"Hot-Swap 10K 6Gbps SAS; Eight disk		
		bays		
	Internal RAID:	RAID 0, 1		
	PCI Slots	One available PCI Express slot		
	Ports:	At least one front and one internal USB ports		
	Host Bus Adapters:	8Gbps Dual-Port FC HBA Adapter		
	LAN:	Two independent Gigabit Ethernet ports with load		
		balancing and failover		
	Optical drive:	DVD-RW		
	Systems Management:	Full Remote Management (graphical console over LAN)		
		Integrated Systems Management Processor;		
		Systems Management SW included		
	High Availability Features	Redundant hot-swap power supplies, fans		
		Predicted Failure Analysis for critical components: HDD,		
		power supplies, fans, memory, processor)		
	Security:	Trusted Platform Module (TPM) 1.2 Chip		
	Supported OS:	Windows, Linux, VMware		
	Warranty :	Three years onsite		
۷.	BACKUP DEVICE		1	
	Form Factor:	Rack mount		
	Device Type:	LTO Tape Library		
	Host Interface:	8Gbps Fibre Channel		
	Number of Drives:	Two LTO-5		
	Max. Number of Tape	Four		
	Drives:	1 001		
	Max. Tape Cartridge	Forty eight		
		ronty eight		
	Capacity:			
	High Availability Features	Path failover		
	Encryption	Support for optional transparent LTO encryption		
	Power Supplies	Dual redundant		
	Media:	Twenty five LTO-5 data cartridges, labeled;		
		Two cleaning cartridges		
	OS Support	Native device driver support for Windows Server, Red Hat		
		Linux and UNIX		
	Storage Management	Bar-code reader		
		Web-based remote management		
	Warranty:	Three years on-site		
VI.	BACKUP SW		1	
<b>VI</b> .	Architecture:	To run on a backup server (Item IV), operating system:		
	AICHILECIULE.	Windows 2008 Server Standard		
		Backup device: LTO Library (Item V)		
		Backup source systems: 8 Virtual (MS Hyper-V) Windows		
		2008 Servers Enterprise		
		2x SQL Servers, 1x Exchange Server, 1x Sharepoint		
		Services		
		running on two physical servers (Item I);		
	Functionality:	Backup and recovery management Disk-to-tape, disk-to-disk, disk-to-disk-to-tape backups		

<b>I</b> тем #	ITEM DESCRIPTION	REQUIRED SPECIFICATION	Qτγ
		Integration with MS SQL Server, Exchange Server and	
		Sharepoint Services for online backup	
		Support for incremental backups	
		Policies-based archiving	
		Data retention tools	
		Optional automatic tools for planning the disaster	
		recovery	
	Security:	Online data encryption between client and Server	
		Integration with LTO tape built-in encryption Data shredding functionality	
	SW Maintenance:	One year	
VII.	ETHERNET SWITCHES		2
	Form Factor:	Rack mount	
	Powers Supplies	Dual redundant	
	Ports:	Forty eight Ethernet 1Gb RJ45 ports, including 4 dual- purpose (RJ45 or SFP), optional two 10Gb Ethernet ports	
	Switch fabric:	136Gbps	
	Forward rate:	101Mpps	
	Management:	Web Management GUI; CLI, SNMP up to v3; RMON	
	Functionality:	IEEE 802.1d (STP), 802.1w (RSTP), 802.1s (MSTP)	
	r unotionality:	Single Spanning Tree Protocol (SSTP), PVST/PVST+, and	
		Topology Groups	
		IEEE 802.1q (VLAN tagging)	
		IEEE 802.1p (Class of Service Prioritization)	
		IEEE 802.1ad (Link Aggregation Control Protocol)	
		IEEE 802.1x (Port Security)	
		IGMPv1/v2/v3, PIM-SM & MLDv1/v2 snooping	
		Policy controlled MAC-based VLANs	
		MAC Learning Disable	
		Port-based Access Control Lists	
		BPDU Guard, Root Guard	
		MAC-Layer Filtering	
		Port Mirroring	
		Uni-Directional Link Detection (UDLD)	
		Auto MDI/MDIX	
		Dynamic Voice VLAN Assignment	
		Jumbo Frames up to 10,240 bytes	
		IGMP Snooping	
		Port Loop Detection	
		Routed Interfaces	
		IPv4 Static Routes	
		DHCP and Bootp Relay QoS Queue Management using Weighted Round Robin	
		(WRR), Strict Priority (SP)	
		Inbound rate limiting per port	
		ACL-based inbound rate limiting and traffic policies	
		Outbound rate limiting per port and per queue	
		Broadcast, multicast and unknown unicast rate limiting	
	Optional features:	Support for optional Class 3 (15.4W) Power over Ethernet	
		(PoE) for 48 ports,	
		Upgradable to RIP v1/v2, OSPF v2,	
	Warranty:	One year onsite	
VIII.	RACK INFRASTRUCTURE		1
	Rack:	Industry standard (EIA 310) 19" 42U Rack; Depth min. 1000mm;	
		Perforated front and rear doors	
		Min. 6 side compartments;	
		Room for cable management	
	Console:	1U 17" TFT Rack Console;	
		Keyboard with pointing device	
	Console Switch:	8 host ports; 8 sets of cables	
		Two PDUs: input C19, output 7x C13 each	

<b>I</b> тем #	I TEM DESCRIPTION	REQUIRED SPECIFICATION	Qty		
	Warranty:	Three years onsite			
IX.	UPS		2		
	Form Factor:	Rack mount			
	Capacity:	4500W/5000VA			
	Functionality:	Hot-swappable batteries;			
		Support for optional additional batteries; Ethernet			
		network management card;			
		Temperature sensor			
	Management SW:	To be included			
	Power outlets:	Two C19, eight C13			
	Warranty:	Three years onsite			
Х.	INTRUSION PREVENTION	N .			
	System				
	Form Factor:	Rack mount			
	Number of ports:	6 x 1Gb Ethernet			
	High Availability:	Yes! Two appliance should be included			
	Features:	IPS			
		Stateful firewall,			
		Ipsec and WEB VPN,			
		Antivirus, spyware detection			
		Antispam filtering			
		Web content filtering			
	Performance:	Max. Firewall + IPS throughput – 450Mbps			
	Warranty:	One year hardware, software and signature updates			
XI.	ENDPOINT SECURITY		1		
	SOLUTION				
	Clients number	300			
	Features:	Intruder Prevention,			
		Personal firewall,			
		Antivirus, spyware detection,			
		Application control,			
		Automatic updates,			
		Centralized Management System Support for Windows XP, Vista, Windows 7			
	Warranty:	One year software and signature updates			
XII.	SOFTWARE LICENSES	One year software and signature updates			
<b>A</b> 11.	SOFTWARE LICENSES	Microsoft Windows Server Enterprise 2008 R2 Eng., Open	2		
		License, with media-kit	~		
		Microsoft Windows Server Standard 2008 R2 Eng., Open	1		
		License, with media-kit	•		
		Microsoft Windows Server CAL 2008, Open License	295		
		Microsoft SQL Server Standard Eng., License+Software	275		
		Assurance Pk, 1 Processor (per CPU license), Open	<u> </u>		
		License, with media-kit			
		Microsoft Exchange Server 2010 Standard, Open License,	1		
		with media-kit			
		Microsoft Exchange 2010 Standard CAL	295		
		I Mile osort Exchange 2010 Standard CAL	275		

#### BID/PROPOSAL SUBMISSION FORM

## To: UNDP Moldova,

## 131, 31 August 1989 Street, MD-2012 Chisinau, Republic of Moldova

Attention: Registry Office/Procurement

Dear Sir / Madam,

Having examined the Bidding Documents, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to supply and deliver "Integrated Solution for Server Cluster and Storage /Parliament Project/ UNDP Moldova" in conformity with the said bidding documents for the sum of [total bid amount in words and figures] as may be ascertained in accordance with the Price Schedule attached herewith and made part of this Bid.

We undertake, if our Bid is accepted, to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements.

We agree to abide by this Bid for a period of **120** days from the date fixed for opening of Bids in the Invitation to Bid, and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

We understand that you are not bound to accept any Bid you may receive.

Dated this . . . . . day of . . . . . [year].

Signature

[*in the capacity of*]

Duly authorised to sign the Bid for and on behalf of .....

#### Annex VIII

#### PRICE SCHEDULE

- 1. The Price Schedule must provide a detailed cost breakdown for each item.
- 2. Technical descriptions for each proposed item must provide sufficient detail to allow the Purchaser to determine compliance of Bid with specifications as per Schedule of Requirements and Technical Specifications of this ITB.
- 3. All prices quoted shall be in US Dollars and shall be exclusive of all direct taxes, since the United Nations, including its subsidiary organs, is exempt from taxes. Other currencies shall be converted into USD at the UN Operational exchange rate on the day of competition deadline.
- 4. The format shown on the following pages should be used in preparing the Price Schedule. The format uses a specific structure which may or may not be applicable but are indicated to serve as examples.

Name of Bidder .....

<b>I</b> тем #	ITEM DESCRIPTION	REQUIRED SPECIFICATION	UNIT PRICE*	QUANTITY REQUIRED	TOTAL PRICE PER ITEM
I	MAIN SERVER			2	
	Form Factor:	Rack mount; 4U; Sliding rails and cable management arm	OFFERED SPECIFICATION		
	CPU:	Four Intel Xeon Six-Core Processor E7540 2.GHz	Please, include detailed	specification o	f offered equipment here.
	RAM:	32GB (8x4GB) PC3-8500 DDR3 1066MHz RDIMM RAM; Advanced ECC; 64 memory slots max.			
	HDD:	Two 146GB 2.5"Hot-Swap 10K 6Gbps SAS; Eight disk bays			
	Internal RAID:	RAID 0, 1	7		
	PCI Slots	Four available PCI Express slots, incl. one x16	7		
	Ports:	At least one front and one internal USB ports	7		
	Host Bus Adapters:	Two 8Gbps Single-Port FC HBA Adapters			
	LAN:	Four Gigabit Ethernet ports; load balancing and failover			
	Optical drive:	DVD-RW			
	Systems Management:	Full Remote Management (graphical console over LAN)			
		Integrated Systems Management Processor; Systems Management SW included			

<b>I</b> тем #	ITEM DESCRIPTION	REQUIRED SPECIFICATION	UNIT PRICE*	QUANTITY REQUIRED	TOTAL PRICE PER ITEM
	High Availability Features:	Redundant hot-swap power supplies, fans			
	····g·································	Predicted Failure Analysis for critical components:			
		HDD, power supplies, fans, memory, processor)			
	Security:	Trusted Platform Module (TPM) 1.2 Chip			
	Supported OS:	Windows, Linux, VMware			
	Warranty :	Three years onsite			
Total	Price, Item I				
11	STORAGE SYSTEM			1	
	Form-factor:	Rack-mountable	Of	FERED SPECIFICA	TION
	Controller Type:	Dual-active Hot-Swap RAID controllers	Please, include detailed	specification o	f offered equipment here.
	Cache	2GB; battery-backed; data dedicated		•	
	RAID Levels Supported	0, 1, 10, 3, 5, 6			
	Host Interface:	Four 8Gbps FC			
	Max. Capacity:	At least 100 HDDs			
	Drives installed:	Six 2TB 7.2K SATA hot-swap disks in RAID-6			
		Nine 450GB 4Gbps 15K FC hot-swap disks in RAID-			
		5 plus one hot-spare disk			
	Availability Features	Switched backplane architecture			
		Load balancing and Path failover feature to be			
		included			
		Redundant Power Supplies			
		Cache destaging to flash drive			
	Partitioning	Min 4 storage partitions installed			
	Advanced Copy Features	Support for optional synchronous and asynchronous			
		remote copy and instant local copy			
	OS Support	Support for Windows Server to be included; optional			
		support for Linux, VMware, UNIX			
	Storage Management	Storage Management SW to be included			
	Warranty:	Three years onsite			
Total	Price, Item II				
111.	SAN SWITCHES			2	
	Form Factor:	Rack mount		FFERED SPECIFICA	
	Total number of ports:	Twenty four	Please, include detailed	specification o	f offered equipment here.
	Enabled ports:	Eight ports; Eight 8Gbps SFPs;			
		Support for 4Gbps speed			
	Management:	Web management tools			

<b>I</b> тем #	ITEM DESCRIPTION	REQUIRED SPECIFICATION	UNIT PRICE*	QUANTITY REQUIRED	TOTAL PRICE PER ITEM	
	FC Cables:	Eight 5m LC-LC FC cables				
	Warranty:	One year onsite	7			
Total	Price, Item III					
IV.	BACKUP SERVER			1		
	Form Factor:	Rack mount; 1U; Sliding rails and cable management arm	OFFERED SPECIFICATION			
	CPU:	One Intel Xeon Quad-Core Processor E5506 2.13GHz, expandable to two processors	Please, include detailed	l specification c	of offered equipment here.	
	RAM:	12GB (3x4GB) DDR3 1333MHz RDIMM RAM; Advanced ECC; Eighteen memory slots max.				
	HDD:	Two 300GB 2.5"Hot-Swap 10K 6Gbps SAS; Eight disk bays				
	Internal RAID:	RAID 0, 1	7			
	PCI Slots	One available PCI Express slot	7			
	Ports:	At least one front and one internal USB ports	7			
	Host Bus Adapters:	8Gbps Dual-Port FC HBA Adapter	7			
	LAN:	Two independent Gigabit Ethernet ports with load balancing and failover	-			
	Optical drive:	DVD-RW	1			
	Systems Management:	Full Remote Management (graphical console over LAN)	-			
		Integrated Systems Management Processor; Systems Management SW included				
	High Availability Features:	Redundant hot-swap power supplies, fans Predicted Failure Analysis for critical components: HDD, power supplies, fans, memory, processor)				
	Security:	Trusted Platform Module (TPM) 1.2 Chip	1			
	Supported OS:	Windows, Linux, VMware	1			
	Warranty :	Three years onsite	1			
Total	Price, Item IV					
V.	BACKUP DEVICE			1		
	Form Factor:	Rack mount	0	FFERED SPECIFICA	TION	
	Device Type:	LTO Tape Library			of offered equipment here.	
	Host Interface:	8Gbps Fibre Channel	1	•		
	Number of Drives:	Two LTO-5	1			
	Max. Number of Tape	Four	1			

<b>I</b> тем #	ITEM DESCRIPTION	REQUIRED SPECIFICATION	UNIT PRICE*	QUANTITY REQUIRED	TOTAL PRICE PER ITEM
	Drives:				
	Max. Tape Cartridge	Forty eight			
	Capacity:				
	High Availability Features:	Path failover			
	Encryption	Support for optional transparent LTO encryption			
	Power Supplies	Dual redundant			
	Media:	Twenty five LTO-5 data cartridges, labeled;			
		Two cleaning cartridges			
	OS Support	Native device driver support for Windows Server, Red Hat Linux and UNIX			
	Storage Management	Bar-code reader			
		Web-based remote management			
	Warranty:	Three years on-site			
Total	Price, Item V	· · · · · · · · · · · · · · · · · · ·			
VI.	BACKUP SW			1	
	Architecture:	To run on a backup server (Item IV), operating	0	FFERED SPECIFICA	TION
		system: Windows 2008 Server Standard			
		Backup device: LTO Library (Item V)			
		Backup source systems: 8 Virtual (MS Hyper-V)			
		Windows 2008 Servers Enterprise			
		2x SQL Servers, 1x Exchange Server, 1x Sharepoint			
		Services			
	E contra contra	running on two physical servers (Item I);			
	Functionality:	Backup and recovery management	Please, include detailed	specification o	f offered equipment here.
		Disk-to-tape, disk-to-disk, disk-to-disk-to-tape			
		backups			
		Integration with MS SQL Server, Exchange Server and Sharepoint Services for online backup			
		Support for incremental backups			
		Policies-based archiving			
		Data retention tools			
		Optional automatic tools for planning the disaster			
		recovery			
	Security:	Online data encryption between client and	4		
		Server			
		Integration with LTO tape built-in encryption			
		Data shredding functionality			
		Data shi cualing functionality	1		

ITEM DESCRIPTION	REQUIRED SPECIFICATION	UNIT PRICE*	QUANTITY REQUIRED	TOTAL PRICE PER ITEM	
SW Maintenance:	One year				
Price, I tem VI					
ETHERNET SWITCHES			2		
Form Factor:	Rack mount	0	OFFERED SPECIFICATION		
Powers Supplies	Dual redundant	Please, include detailed	l specification o	f offered equipment here.	
Ports:	Forty eight Ethernet 1Gb R45 ports, including 4 dual-purpose (RJ45 or SFP), optional two 10Gb Ethernet ports				
Switch fabric:					
Forward rate:					
Management:					
Functionality:	IEEE 802.1d (STP), 802.1w (RSTP), 802.1s (MSTP) Single Spanning Tree Protocol (SSTP), PVST/PVST+, and Topology Groups IEEE 802.1q (VLAN tagging) IEEE 802.1p (Class of Service Prioritization) IEEE 802.1ad (Link Aggregation Control Protocol) IEEE 802.1x (Port Security) IGMPv1/v2/v3, PIM-SM & MLDv1/v2 snooping Policy controlled MAC-based VLANs MAC Learning Disable Port-based Access Control Lists BPDU Guard, Root Guard MAC-Layer Filtering Port Mirroring Uni-Directional Link Detection (UDLD) Auto MDI/MDIX Dynamic Voice VLAN Assignment Jumbo Frames up to 10,240 bytes IGMP Snooping Port Loop Detection Routed Interfaces IPv4 Static Routes DHCP and Bootp Relay QoS Queue Management using Weighted Round				
	SW Maintenance: Price, Item VI ETHERNET SWITCHES Form Factor: Powers Supplies Ports: Switch fabric: Forward rate: Management:	SW Maintenance:       One year         Price, Item VI       ETHERNET SWITCHES         Form Factor:       Rack mount         Powers Supplies       Dual redundant         Ports:       Forty eight Ethernet 1Gb R45 ports, including 4 dual-purpose (RJ45 or SFP), optional two 10Gb Ethernet ports         Switch fabric:       136Gbps         Forward rate:       101Mpps         Management:       Web Management GUI; CLI, SNMP up to v3; RMON         Functionality:       IEEE 802.1d (STP), 802.1w (RSTP), 802.1s (MSTP)         Single Spanning Tree Protocol (SSTP), PVST/PVST+, and Topology Groups         IEEE 802.1g (Class of Service Prioritization)         IEEE 802.1g (ULAN tagging)         IEEE 802.1g (ULAN tagging) </td <td>SW Maintenance:       One year         Price, Item VI       ETHERNET SWITCHES         ETHERNET SWITCHES       Rack mount         Powers Supplies       Dual redundant         Ports:       Forty eight Ethernet 1Gb R45 ports, including 4 dual-purpose (RJ45 or SFP), optional two 10Gb Ethernet ports         Switch fabric:       136Gbps         Forward rate:       101Mpps         Management:       Web Management GUI; CLI, SNMP up to v3; RMON         Functionality:       IEEE 802.1d (STP), 802.1s (MSTP)         Single Spanning Tree Protocol (SSTP), PVST/PVST+, and Topology Groups       IEEE 802.1g (VLAN tagging)         IEEE 802.1g (Class of Service Prioritization)       IEEE 802.1g (Cort Security)         IGMPv1/v2/v3, PIM-SM &amp; MLDv1/v2 snooping       Policy controlled MAC-based VLANs         MAC-Layer Filtering       Port Mirroring         Uni-Directional Link Detection (UDLD)       Auto MDI/MDIX         Dynamic Voice VLAN Assignment       Jumbo Frames up to 10,240 bytes         IGMP Snooping       Port Loop Detection         Routed Interfaces       IPv4 Static Routes         DHCP and Bootp Relay       QoS Ouceue Management using Weighted Round</td> <td>SW Maintenance:         One year           Price, Item VI         Price, Item Vi           ETHERNET SWITCHES         2           Form Factor:         Rack mount         OFFERED SPECIFICA           Powers Supplies         Dual redundant         Please, include detailed specification of transport           Ports:         Forty eight Ethernet 1Gb R45 ports, including 4 dual-purpose (RI45 or SFP), optional two 10Gb Ethernet ports         Please, include detailed specification of transport (RI45 ports), provide a specification of transport (RI45 ports), provide (RI45 ports), provide (RI45 ports), provide a specification of transport (RI45 ports), provide (RI45 ports), provid</td>	SW Maintenance:       One year         Price, Item VI       ETHERNET SWITCHES         ETHERNET SWITCHES       Rack mount         Powers Supplies       Dual redundant         Ports:       Forty eight Ethernet 1Gb R45 ports, including 4 dual-purpose (RJ45 or SFP), optional two 10Gb Ethernet ports         Switch fabric:       136Gbps         Forward rate:       101Mpps         Management:       Web Management GUI; CLI, SNMP up to v3; RMON         Functionality:       IEEE 802.1d (STP), 802.1s (MSTP)         Single Spanning Tree Protocol (SSTP), PVST/PVST+, and Topology Groups       IEEE 802.1g (VLAN tagging)         IEEE 802.1g (Class of Service Prioritization)       IEEE 802.1g (Cort Security)         IGMPv1/v2/v3, PIM-SM & MLDv1/v2 snooping       Policy controlled MAC-based VLANs         MAC-Layer Filtering       Port Mirroring         Uni-Directional Link Detection (UDLD)       Auto MDI/MDIX         Dynamic Voice VLAN Assignment       Jumbo Frames up to 10,240 bytes         IGMP Snooping       Port Loop Detection         Routed Interfaces       IPv4 Static Routes         DHCP and Bootp Relay       QoS Ouceue Management using Weighted Round	SW Maintenance:         One year           Price, Item VI         Price, Item Vi           ETHERNET SWITCHES         2           Form Factor:         Rack mount         OFFERED SPECIFICA           Powers Supplies         Dual redundant         Please, include detailed specification of transport           Ports:         Forty eight Ethernet 1Gb R45 ports, including 4 dual-purpose (RI45 or SFP), optional two 10Gb Ethernet ports         Please, include detailed specification of transport (RI45 ports), provide a specification of transport (RI45 ports), provide (RI45 ports), provide (RI45 ports), provide a specification of transport (RI45 ports), provide (RI45 ports), provid	

#	ITEM DESCRIPTION	REQUIRED SPECIFICATION	UNIT PRICE*	QUANTITY REQUIRED	TOTAL PRICE PER ITEM
		ACL-based inbound rate limiting and traffic policies Outbound rate limiting per port and per queue Broadcast, multicast and unknown unicast rate limiting			
	Optional features:	Support for optional Class 3 (15.4W) Power over Ethernet (PoE) for 48 ports, Upgradable to RIP v1/v2, OSPF v2,			
	Warranty:	One year onsite			
Total	Price, Item VII				
VIII.	RACK INFRASTRUCTURE			1	
	Rack:	Industry standard (EIA 310) 19" 42U Rack; Depth min. 1000mm; Perforated front and rear doors Min. 6 side compartments; Room for cable management	Or	FERED SPECIFICA	TION
	Console:	1U 17" TFT Rack Console; Keyboard with pointing device	Please, include detailed specification of offered equipment here.		
	Console Switch:	8 host ports; 8 sets of cables			
	PDU:	Two PDUs: input C19, output 7x C13 each			
	Warranty:	Three years onsite			
Total	Price, Item VIII				
Total	Price, Item VIII			2	
		Rack mount	Or	2 FFERED SPECIFICA	
	UPS	Rack mount 4500W/5000VA		FERED SPECIFICA	NTION of offered equipment here.
	UPS Form Factor:	4500W/5000VA Hot-swappable batteries; Support for optional additional batteries; Ethernet network management card;		FERED SPECIFICA	
	UPS Form Factor: Capacity: Functionality:	4500W/5000VA Hot-swappable batteries; Support for optional additional batteries; Ethernet		FERED SPECIFICA	
	UPS Form Factor: Capacity:	4500W/5000VA Hot-swappable batteries; Support for optional additional batteries; Ethernet network management card; Temperature sensor To be included		FERED SPECIFICA	
	UPS Form Factor: Capacity: Functionality: Management SW:	4500W/5000VA Hot-swappable batteries; Support for optional additional batteries; Ethernet network management card; Temperature sensor		FERED SPECIFICA	
IX.	UPS Form Factor: Capacity: Functionality: Management SW: Power outlets:	4500W/5000VA Hot-swappable batteries; Support for optional additional batteries; Ethernet network management card; Temperature sensor To be included Two C19, eight C13		FERED SPECIFICA	
IX.	UPS Form Factor: Capacity: Functionality: Management SW: Power outlets: Warranty:	4500W/5000VA Hot-swappable batteries; Support for optional additional batteries; Ethernet network management card; Temperature sensor To be included Two C19, eight C13		FERED SPECIFICA	

<b>I</b> тем #	ITEM DESCRIPTION	REQUIRED SPECIFICATION	UNIT PRICE*	QUANTITY REQUIRED	TOTAL PRICE PER ITEM	
	Number of ports:	6 x 1Gb Ethernet	Please, include detailed	specification of	of offered equipment here.	
	High Availability:	Yes! Two appliance should be included				
	Features:	IPS				
		Stateful firewall,				
		Ipsec and WEB VPN,				
		Antivirus, spyware detection				
		Antispam filtering				
		Web content filtering				
	Performance:	Max. Firewall + IPS throughput – 450Mbps				
	Warranty:	One year hardware, software and signature updates				
Total	Price, Item X					
XI.	ENDPOINT SECURITY			1		
	SOLUTION					
	Clients number	300	Of	OFFERED SPECIFICATION		
	Features:	Intruder Prevention,	Please, include detailed specification of offered equipment here.			
		Personal firewall,		-		
		Antivirus, spyware detection,				
		Application control,				
		Automatic updates,				
		Centralized Management System				
		Support for Windows XP, Vista, Windows 7				
	Warranty:	One year software and signature updates				
Total	Price I tem XI					
XII.	SOFTWARE LICENSES					
		Microsoft Windows Server Enterprise 2008 R2 Eng.,		2		
		Open License, with media-kit				
		Microsoft Windows Server Standard 2008 R2 Eng.,		1		
		Open License, with media-kit				
		Microsoft Windows Server CAL 2008, Open License		295		
		Microsoft SQL Server Standard Eng.,		2		
		License+Software Assurance Pk, 1 Processor (per				
		CPU license), Open License, with media-kit				
		Microsoft Exchange Server 2010 Standard, Open		1		
		License, with media-kit				
		Microsoft Exchange 2010 Standard CAL		295		

<b>I</b> тем #	ITEM DESCRIPTION	REQUIRED SPECIFICATION	UNIT PRICE*	QUANTITY REQUIRED	TOTAL PRICE PER ITEM
Total	·				
GRAN	ID TOTAL				

- \*Unit price should be based on Incoterms used i.e. DDU Chisinau, Moldova
  Note: In case of discrepancy between unit price and total, the unit price shall prevail.

Signature of Bidder .....