INVITATION TO BID

Crime Scene Investigation Kits
Support to Justice Sector Reform
Republic of Moldova



March 2015

Section 1. Letter of Invitation

Chisinau, Republic of Moldova 05 March 2015

Ref. no.: ITB15/00956

Subject: Procurement of crime scene investigation kits

Dear Sir / Madam:

The United Nations Development Programme (UNDP) hereby invites you to submit a Bid to this Invitation to Bid (ITB) for the above-referenced subject.

This ITB includes the following documents:

Section 1 – This Letter of Invitation

Section 2 – Instructions to Bidders (including Data Sheet)

Section 3 – Schedule of Requirements and Technical Specifications

Section 4 – Bid Submission Form

Section 5 - Documents Establishing the Eligibility and Qualifications of the Bidder

Section 6 - Technical Bid Form

Section 7 – Price Schedule Form

Section 8 – Form for Bid Security

Section 9 – Form for Performance Security [not required]

Section 10 – Form for Advanced Payment Guarantee [not required]

Section 11 – General Terms and Conditions of Contract to be signed

Your offer, comprising of a Technical Bid and Price Schedule should be submitted in accordance with Section 2.

You are kindly requested to submit an acknowledgment letter to UNDP to the following address:

United Nations Development Programme in Moldova

131, 31 August 1989 Street, MD-2012 Chisinau, Republic of Moldova

Email: <u>sc.md@undp.org</u>
Attention: Procurement Unit

The letter should be received by UNDP no later than Close of Business, 20 March 2015. The same letter should advise whether your company intends to submit a Bid. If that is not the case, UNDP would appreciate your indicating the reason, for our records.

If you have received this ITB through a direct invitation by UNDP, transferring this invitation to another firm requires notifying UNDP accordingly.

Should you require any clarification, kindly communicate with the contact person identified in the attached Data Sheet as the focal point for queries on this ITB.

UNDP looks forward to receiving your Bid and thanks you in advance for your interest in UNDP procurement opportunities.

Yours sincerely,

Narine Sahakyan,

Deputy Resident Representative

Section 2: Instruction to Bidders

Definitions

- a) "Bid" refers to the Bidder's response to the Invitation to Bid, including the Bid Submission Form, Technical Bid and Price Schedule and all other documentation attached thereto as required by the ITB.
- b) "Bidder" refers to any legal entity that may submit, or has submitted, a Bid for the supply of goods and provision of related services requested by UNDP.
- c) "Contract" refers to the legal instrument that will be signed by and between the UNDP and the successful Bidder, all the attached documents thereto, including the General Terms and Conditions (GTC) and the Appendices.
- d) "Country" refers to the country indicated in the Data Sheet.
- e) "Data Sheet" refers to such part of the Instructions to Bidders used to reflect conditions of the tendering process that are specific for the requirements of the ITB.
- f) "Day" refers to calendar day.
- g) "Goods" refer to any tangible product, commodity, article, material, wares, equipment, assets or merchandise that UNDP requires under this ITB.
- h) "Government" refers to the Government of the country where the goods and related services provided/rendered specified under the Contract will be delivered or undertaken.
- i) "Instructions to Bidders" refers to the complete set of documents which provides Bidders with all information needed and procedures to be followed in the course of preparing their Bid
- j) "ITB" refers to the Invitation to Bid consisting of instructions and references prepared by UNDP for purposes of selecting the best supplier or service provider to fulfil the requirement indicated in the Schedule of Requirements and Technical Specifications.
- k) "LOI" (Section 1 of the ITB) refers to the Letter of Invitation sent by UNDP to Bidders.
- I) "Material Deviation" refers to any contents or characteristics of the bid that is significantly different from an essential aspect or requirement of the ITB, and (i) substantially alters the scope and quality of the requirements; (ii) limits the rights of UNDP and/or the obligations of the offeror; and (iii) adversely impacts the fairness and principles of the procurement process, such as those that compromise the competitive position of other offerors.
- m) "Schedule of Requirements and Technical Specifications" refers to the document included in this ITB as Section 3 which lists the goods required by UNDP, their specifications, the related services, activities, tasks to be performed, and other information pertinent to UNDP's receipt and acceptance of the goods.
- n) "Services" refers to the entire scope of tasks related or ancillary to the completion or delivery of the goods required by UNDP under the ITB.
- o) "Supplemental Information to the ITB" refers to a written communication issued by UNDP to prospective Bidders containing clarifications, responses to queries received from prospective Bidders, or changes to be made in the ITB, at any time after the release of the ITB but before the deadline for the submission of Bid.

A. GENERAL

- 1. UNDP hereby solicits Bids as a response to this Invitation to Bid (ITB). Bidders must strictly adhere to all the requirements of this ITB. No changes, substitutions or other alterations to the rules and provisions stipulated in this ITB may be made or assumed unless it is instructed or approved in writing by UNDP in the form of Supplemental Information to the ITB.
- 2. Submission of a Bid shall be deemed as an acknowledgement by the Bidder that all obligations stipulated by this ITB will be met and, unless specified otherwise, the Bidder has read, understood and agreed to all the instructions in this ITB.
- **3.** Any Bid submitted will be regarded as an offer by the Bidder and does not constitute or imply the acceptance of any Bid by UNDP. UNDP is under no obligation to award a contract to any Bidder as a result of this ITB.
- **4.** UNDP implements a policy of zero tolerance on proscribed practices, including fraud, corruption, collusion, unethical practices, and obstruction. UNDP is committed to preventing, identifying and addressing all acts of fraud and corrupt practices against UNDP as well as third parties involved in UNDP activities. (See

http://www.undp.org/about/transparencydocs/UNDP Anti Fraud Policy English FINAL june 2011. pdf and

http://www.undp.org/content/undp/en/home/operations/procurement/procurement protest/ for full description of the policies).

- 5. In responding to this ITB, UNDP requires all Bidders to conduct themselves in a professional, objective and impartial manner, and they must at all times hold UNDP's interests paramount. Bidders must strictly avoid conflicts with other assignments or their own interests, and act without consideration for future work. All Bidders found to have a conflict of interest shall be disqualified. Without limitation on the generality of the above, Bidders, and any of their affiliates, shall be considered to have a conflict of interest with one or more parties in this solicitation process, if they:
 - Are, or have been associated in the past, with a firm or any of its affiliates which have been engaged UNDP to provide services for the preparation of the design, Schedule of Requirements and Technical Specifications, cost analysis/estimation, and other documents to be used for the procurement of the goods and related services in this selection process;
 - Were involved in the preparation and/or design of the programme/project related to the goods and related services requested under this ITB; or
 - Are found to be in conflict for any other reason, as may be established by, or at the discretion of, UNDP.

In the event of any uncertainty in the interpretation of what is potentially a conflict of interest, Bidders must disclose the condition to UNDP and seek UNDP's confirmation on whether or not such conflict exists.

- **6.** Similarly, the following must be disclosed in the Bid:
 - 6.1 Bidders who are owners, part-owners, officers, directors, controlling shareholders, or key personnel who are family of UNDP staff involved in the procurement functions and/or the Government of the country or any Implementing Partner receiving the goods and related services under this ITB; and
 - 6.2 Others that could potentially lead to actual or perceived conflict of interest, collusion or unfair competition practices.

Failure of such disclosure may result in the rejection of the Bid.

7. The eligibility of Bidders that are wholly or partly owned by the Government shall be subject to UNDP's further evaluation and review of various factors such as being registered as an independent entity, the

extent of Government ownership/share, receipt of subsidies, mandate, access to information in relation to this ITB, and others that may lead to undue advantage against other Bidders, and the eventual rejection of the Bid.

8. All Bidders must adhere to the UNDP Supplier Code of Conduct, which may be found at this link: http://web.ng.undp.org/procurement/undp-supplier-code-of-conduct.pdf.

B. CONTENTS OF BID

9. Sections of Bid

Bidders are required to complete, sign and submit the following documents:

- 9.1 Bid Submission Cover Letter Form (see ITB Section 4);
- 9.2 Documents Establishing the Eligibility and Qualifications of the Bidder (see ITB Section 5);
- 9.3 Technical Bid (see prescribed form in ITB Section 6);
- 9.4 Price Schedule (see prescribed form in ITB Section 7);
- 9.5 Bid Security, if applicable (if required and as stated in the DS nos. 9-11, see prescribed Form in ITB Section 8);
- 9.6 Any attachments and/or appendices to the Bid (including all those specified under the **Data Sheet**).

10. Clarification of Bid

- 10.1 Bidders may request clarification of any of the ITB documents no later than the number of days indicated in the **Data Sheet** (DS no. 16) prior to the Bid submission date. Any request for clarification must be sent in writing via courier or through electronic means to the UNDP address indicated in the **Data Sheet** (DS no. 17). UNDP will respond in writing, transmitted by electronic means and will transmit copies of the response (including an explanation of the query but without identifying the source of inquiry) to all Bidders who have provided confirmation of their intention to submit a Bid.
- 10.2 UNDP shall endeavor to provide such responses to clarifications in an expeditious manner, but any delay in such response shall not cause an obligation on the part of UNDP to extend the submission date of the Bid, unless UNDP deems that such an extension is justified and necessary.

11. Amendment of Bid

- 11.1 At any time prior to the deadline for submission of Bid, UNDP may for any reason, such as in response to a clarification requested by a Bidder, modify the ITB in the form of a Supplemental Information to the ITB. All prospective Bidders will be notified in writing of all changes/amendments and additional instructions through Supplemental Information to the ITB and through the method specified in the **Data Sheet** (DS No. 18).
- 11.2 In order to afford prospective Bidders reasonable time to consider the amendments in preparing their Bid, UNDP may, at its discretion, extend the deadline for submission of Bid, if the nature of the amendment to the ITB justifies such an extension.

C. PREPARATION OF BID

12. Cost

The Bidder shall bear any and all costs related to the preparation and/or submission of the Bid, regardless of whether its Bid was selected or not. UNDP shall in no case be responsible or liable for those costs, regardless of the conduct or outcome of the procurement process.

13. Language

The Bid, as well as any and all related correspondence exchanged by the Bidder and UNDP, shall be written in the language (s) specified in the **Data Sheet** (DS No. 4). Any printed literature furnished by the Bidder written in a language other than the language indicated in the **Data Sheet**, must be accompanied by a translation in the preferred language indicated in the **Data Sheet**. For purposes of interpretation of the Bid, and in the event of discrepancy or inconsistency in meaning, the version translated into the preferred language shall govern. Upon conclusion of a contract, the language of the contract shall govern the relationship between the contractor and UNDP.

14. Bid Submission Form

The Bidder shall submit the Bid Submission Form using the form provided in Section 4 of this ITB.

15. Technical Bid Format and Content

Unless otherwise stated in the **Data Sheet** (DS no. 28), the Bidder shall structure the Technical Bid as follows:

- 15.1 Expertise of Firm/Organization this section should provide details regarding management structure of the organization, organizational capability/resources, and experience of organization/firm, the list of projects/contracts (both completed and on-going, both domestic and international) which are related or similar in nature to the requirements of the ITB, manufacturing capacity of plant if Bidder is a manufacturer, authorization from the manufacturer of the goods if Bidder is not a manufacturer, and proof of financial stability and adequacy of resources to complete the delivery of goods and provision of related services required by the ITB (see ITB Clause 18 and DS No. 26 for further details). The same shall apply to any other entity participating in the ITB as a Joint Venture or Consortium.
- Technical Specifications and Implementation Plan this section should demonstrate the Bidder's response to the Schedule of Requirements and Technical Specifications by identifying the specific components proposed; how each of the requirements shall be met point by point; providing a detailed specification and description of the goods required, plans and drawings where needed; the essential performance characteristics, identifying the works/portions of the work that will be subcontracted; a list of the major subcontractors, and demonstrating how the bid meets or exceeds the requirements, while ensuring appropriateness of the bid to the local conditions and the rest of the project operating environment during the entire life of the goods provided. Details of technical bid must be laid out and supported by an Implementation Timetable, including Transportation and Delivery Schedule where needed, that is within the duration of the contract as specified in the **Data Sheet** (DS noS. 29 and 30).

Bidders must be fully aware that the goods and related services that UNDP require may be transferred, immediately or eventually, by UNDP to the Government partners, or to an entity nominated by the latter, in accordance with UNDP's policies and procedures. All bidders are therefore required to submit the following in their bids:

- a) A statement of whether any import or export licences are required in respect of the goods to be purchased or services to be rendered, including any restrictions in the country of origin, use or dual use nature of the goods or services, including any disposition to end users;
- b) Confirmation that the Bidder has obtained license of this nature in the past, and have an expectation of obtaining all the necessary licenses, should their bid be rendered the most responsive; and
- c) Complete documentation, information and declaration of any goods classified or may be classified as "Dangerous Goods".
- 15.3 Management Structure and Key Personnel This section should include the comprehensive curriculum vitae (CVs) of key personnel that will be assigned to support the implementation of the technical bid, clearly defining their roles and responsibilities. CVs should establish

competence and demonstrate qualifications in areas relevant to the requirements of this ITB.

In complying with this section, the Bidder assures and confirms to UNDP that the personnel being nominated are available to fulfil the demands of the Contract during its stated full term. If any of the key personnel later becomes unavailable, except for unavoidable reasons such as death or medical incapacity, among other possibilities, UNDP reserves the right to render the Bid non-responsive. Any deliberate substitution of personnel arising from unavoidable reasons, including delay in the implementation of the project of programme through no fault of the Bidder, shall be made only with UNDP's acceptance of the justification for substitution, and UNDP's approval of the qualification of the replacement who shall be either of equal or superior credentials as the one being replaced.

- 15.4 Where the **Data Sheet** requires the submission of the Bid Security, the Bid Security shall be included along with the Technical Bid. The Bid Security may be forfeited by UNDP, and reject the Bid, in the event of any or any combination of the following conditions:
 - a) If the Bidder withdraws its offer during the period of the Bid Validity specified in the **Data Sheet** (DS no. 11), or;
 - b) If the Bid Security amount is found to be less than what is required by UNDP as indicated in the **Data Sheet** (DS no. 9), or;
 - c) In the case the successful Bidder fails:
 - i. to sign the Contract after UNDP has awarded it;
 - ii. to comply with UNDP's variation of requirement, as per ITB Clause 35; or
 - iii. to furnish Performance Security, insurances, or other documents that UNDP may require as a condition to rendering effective the contract that may be awarded to the Bidder.

16. Price Schedule

The Price Schedule shall be prepared using the attached standard form (Section 7). It shall list all major cost components associated with the goods and related services, and the detailed breakdown of such costs. All goods and services described in the Technical Bid must be priced separately on a one-to-one correspondence. Any output and activities described in the Technical Bid but not priced in the Price Schedule, shall be assumed to be included in the prices of the items or activities, as well as in the final total price of the bid.

17. Currencies

All prices shall be quoted in the currency indicated in the **Data Sheet** (DS no. 15). However, where Bids are quoted in different currencies, for the purposes of comparison of all Bid:

- 17.1 UNDP will convert the currency quoted in the Bid into the UNDP preferred currency, in accordance with the prevailing UN operational rate of exchange on the last day of submission of Bid; and
- 17.2 In the event that the Bid found to be the most responsive to the ITB requirement is quoted in another currency different from the preferred currency as per **Data Sheet** (DS no. 15), then UNDP shall reserve the right to award the contract in the currency of UNDP's preference, using the conversion method specified above.

18. Documents Establishing the Eligibility and Qualifications of the Bidder

18.1 The Bidder shall furnish documentary evidence of its status as an eligible and qualified vendor, using the forms provided under Section 5, Bidder Information Forms. In order to award a contract to a Bidder, its qualifications must be documented to UNDP's satisfactions. These include, but are not limited to the following:

- a) That, in the case of a Bidder offering to supply goods under the Contract which the Bidder did not manufacture or otherwise produce, the Bidder has been duly authorized by the goods' manufacturer or producer to supply the goods in the country of final destination;
- b) That the Bidder has the financial, technical, and production capability necessary to perform the Contract; and
- c) That, to the best of the Bidder's knowledge, it is not included in the UN 1267 List or the UN Ineligibility List, nor in any and all of UNDP's list of suspended and removed vendors.
- 18.2 Bids submitted by two (2) or more Bidders shall all be rejected by UNDP if they are found to have <u>any</u> of the following:
 - a) they have at least one controlling partner, director or shareholder in common; or
 - b) any one of them receive or have received any direct or indirect subsidy from the other/s; or
 - c) they have the same legal representative for purposes of this ITB; or
 - d) they have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about, or influence on the Bid of, another Bidder regarding this ITB process;
 - e) they are subcontractors to each other's bid, or a subcontractor to one bid also submits another Bid under its name as lead Bidder; or
 - f) an expert proposed to be in the bid of one Bidder participates in more than one Bid received for this ITB process. This condition does not apply to subcontractors being included in more than one Bid.

19. Joint Venture, Consortium or Association

If the Bidder is a group of legal entities that will form or have formed a joint venture, consortium or association at the time of the submission of the Bid, they shall confirm in their Bid that: (i) they have designated one party to act as a lead entity, duly vested with authority to legally bind the members of the joint venture jointly and severally, and this shall be duly evidenced by a duly notarized Agreement among the legal entities, which shall be submitted along with the Bid; and (ii) if they are awarded the contract, the contract shall be entered into, by and between UNDP and the designated lead entity, who shall be acting for and on behalf of all entities that comprise the joint venture.

After the bid has been submitted to UNDP, the lead entity identified to represent the joint venture shall not be altered without the prior written consent of UNDP. Furthermore, neither the lead entity nor the member entities of the joint venture can:

- a) Submit another Bid, either in its own capacity; nor
- b) As a lead entity or a member entity for another joint venture submitting another Bid.

The description of the organization of the joint venture/consortium/association must clearly define the expected role of each of the entity in the joint venture in delivering the requirements of the ITB, both in the bid and in the Joint Venture Agreement. All entities that comprise the joint venture shall be subject to the eligibility and qualification assessment by UNDP.

Where a joint venture is presenting its track record and experience in a similar undertaking as those required in the ITB, it should present such information in the following manner:

- a) Those that were undertaken together by the joint venture; and
- b) Those that were undertaken by the individual entities of the joint venture expected to be involved in the performance of the services defined in the ITB.

Previous contracts completed by individual experts working privately but who are permanently or were temporarily associated with any of the member firms cannot be claimed as the experience of the joint venture or those of its members, but should only be claimed by the individual experts themselves in their presentation of their individual credentials.

If the Bid of a joint venture is determined by UNDP as the most responsive Bid that offers the best value

for money, UNDP shall award the contract to the joint venture, in the name of its designated lead entity, who shall sign the contract for and on behalf of all the member entities.

20. Alternative Bid

Unless otherwise specified in the **Data Sheet** (DS nos. 5 and 6), alternative bid shall not be considered. Where the conditions for its acceptance are met, or justifications are clearly established, UNDP reserves the right to award a contract based on an alternative bid.

21. Validity Period

- 21.1 Bid shall remain valid for the period specified in the **Data Sheet** (DS no. 8), commencing on the submission deadline date also indicated in the **Data Sheet** (DS no. 21). A Bid valid for a shorter period shall be immediately rejected by UNDP and rendered non-responsive.
- 21.2 In exceptional circumstances, prior to the expiration of the Bid validity period, UNDP may request Bidders to extend the period of validity of their Bid. The request and the responses shall be made in writing, and shall be considered integral to the Bid.

22. Bidder's Conference

When appropriate, a Bidder's conference will be conducted at the date, time and location specified in the **Data Sheet** (DS no. 7). All Bidders are encouraged to attend. Non-attendance, however, shall <u>not</u> result in disqualification of an interested Bidder. Minutes of the Bidder's conference will be either posted on the UNDP website, or disseminated to the individual firms who have registered or expressed interest with the contract, whether or not they attended the conference. No verbal statement made during the conference shall modify the terms and conditions of the ITB unless such statement is specifically written in the Minutes of the Conference, or issued/posted as an amendment in the form of a Supplemental Information to the ITB.

D. SUBMISSION AND OPENING OF BID

23. Submission

- 23.1 The Technical Bid and the Price Schedule **must** be submitted together and sealed together in one and the same envelope, delivered either personally, by courier, or by electronic method of transmission. If submission will not be done by electronic means, the Technical Bid and Price Schedule must be sealed together in an envelope whose external side must:
 - a) Bear the name of the Bidder;
 - b) Be addressed to UNDP as specified in the **Data Sheet** (DS no.20); and
 - c) Bear a warning not to open before the time and date for Bid opening as specified in the **Data Sheet** (DS no. 24).

If the envelope is not sealed nor labeled as required, the Bidder shall assume the responsibility for the misplacement or premature opening of Bid due to improper sealing and labeling by the Bidder.

- 23.2 Bidders must submit their Bid in the manner specified in the **Data Sheet** (DS nos. 22 and 23). When the Bid is expected to be in transit for more than 24 hours, the Bidder must ensure that sufficient lead time has been provided in order to comply with UNDP's deadline for submission. UNDP shall indicate for its record that the official date and time of receiving the Bid is the <u>actual</u> date and time when the said Bid has physically arrived at the UNDP premises indicated in the **Data Sheet** (DS no. 20).
- 23.3 Bidders submitting Bid by mail or by hand shall enclose the original and each copy of the Bid, in separate sealed envelopes, duly marking each of the envelopes as "Original Bid" and the

others as "Copy of Bid". The two envelopes, consisting of original and copies, shall then be sealed in an outer envelope. The number of copies required shall be as specified in the **Data Sheet** (DS no. 19). In the event of any discrepancy between the contents of the "Original Bid" and the "Copy of Bid", the contents of the original shall govern. The original version of the Bid shall be signed or initialed by the Bidder or person(s) duly authorized to commit the Bidder on every page. The authorization shall be communicated through a document evidencing such authorization issued by the highest official of the firm, or a Power of Attorney, accompanying the Bid.

23.4 Bidders must be aware that the mere act of submission of a Bid, in and of itself, implies that the Bidder accepts the General Contract Terms and Conditions of UNDP as attached hereto as Section 11.

24. Deadline for Submission of Bid and Late Bids

Bid must be received by UNDP at the address and no later than the date and time specified in the **Data Sheet** (DS no. 20 and 21).

UNDP shall not consider any Bid that arrives after the deadline for submission of Bid. Any Bid received by UNDP after the deadline for submission of Bid shall be declared late, rejected, and returned unopened to the Bidder.

25. Withdrawal, Substitution, and Modification of Bid

- 25.1 Bidders are expected to have sole responsibility for taking steps to carefully examine in detail the full consistency of its Bid to the requirements of the ITB, keeping in mind that material deficiencies in providing information requested by UNDP, or lack clarity in the description of goods and related services to be provided, may result in the rejection of the Bid. The Bidder shall assume any responsibility regarding erroneous interpretations or conclusions made by the Bidder in the course of understanding the ITB out of the set of information furnished by UNDP.
- A Bidder may withdraw, substitute or modify its Bid after it has been submitted by sending a written notice in accordance with ITB Clause 23, duly signed by an authorized representative, and shall include a copy of the authorization (or a Power of Attorney). The corresponding substitution or modification of the Bid must accompany the respective written notice. All notices must be received by UNDP prior to the deadline for submission and submitted in accordance with ITB Clause 23 (except that withdrawal notices do not require copies). The respective envelopes shall be clearly marked "WITHDRAWAL," "SUBSTITUTION," or MODIFICATION".
- 25.3 Bid requested to be withdrawn shall be returned unopened to the Bidders.
- 25.4 No Bid may be withdrawn, substituted, or modified in the interval between the deadline for submission of Bid and the expiration of the period of Bid validity specified by the Bidder on the Bid Submission Form or any extension thereof.

26. Bid Opening

UNDP will open the Bid in the presence of an ad-hoc committee formed by UNDP of at least two (2) members. If electronic submission is permitted, any specific electronic Bid opening procedures shall be as specified in the **Data Sheet** (DS no. 23).

The Bidders' names, modifications, withdrawals, the condition of the envelope labels/seals, the number of folders/files and all other such other details as UNDP may consider appropriate, will be announced at the opening. No Bid shall be rejected at the opening stage, except for late submission, for which the Bid shall be returned unopened to the Bidder.

27. Confidentiality

Information relating to the examination, evaluation, and comparison of Bid, and the recommendation of contract award, shall not be disclosed to Bidders or any other persons not officially concerned with such process, even after publication of the contract award.

Any effort by a Bidder to influence UNDP in the examination, evaluation and comparison of the Bid or contract award decisions may, at UNDP's decision, result in the rejection of its Bid.

In the event that a Bidder is unsuccessful, the Bidder may seek a meeting with UNDP for a debriefing. The purpose of the debriefing is discussing the strengths and weaknesses of the Bidder's submission, in order to assist the Bidder in improving the bid presented to UNDP. The content of other bid and how they compare to the Bidder's submission shall not be discussed.

E. EVALUATION OF BID

28. Preliminary Examination of Bid

UNDP shall examine the Bid to determine whether they are complete with respect to minimum documentary requirements, whether the documents have been properly signed, whether or not the Bidder is in the UN Security Council 1267/1989 Committee's list of terrorists and terrorist financiers, and in UNDP's list of suspended and removed vendors, and whether the Bid are generally in order, among other indicators that may be used at this stage. UNDP may reject any Bid at this stage.

29. Evaluation of Bid

- 29.1 UNDP shall examine the Bid to confirm that all terms and conditions under the UNDP General Terms and Conditions and Special Conditions have been accepted by the Bidder without any deviation or reservation.
- The evaluation team shall review and evaluate the Bids on the basis of their responsiveness to the Schedule of Requirements and Technical Specifications and other documentation provided, applying the procedure indicated in the **Data Sheet** (DS No. 25). Absolutely no changes may be made by UNDP in the criteria after all Bids have been received.
- 29.3 UNDP reserves the right to undertake a post-qualification exercise, aimed at determining, to its satisfaction the validity of the information provided by the Bidder. Such post-qualification shall be fully documented and, among those that may be listed in the **Data Sheet** (DS No.33), may include, but need not be limited to, all or any combination of the following:
 - a) Verification of accuracy, correctness and authenticity of the information provided by the bidder on the legal, technical and financial documents submitted;
 - b) Validation of extent of compliance to the ITB requirements and evaluation criteria based on what has so far been found by the evaluation team;
 - c) Inquiry and reference checking with Government entities with jurisdiction on the bidder, or any other entity that may have done business with the bidder;
 - d) Inquiry and reference checking with other previous clients on the quality of performance on on-going or previous contracts completed;
 - e) Physical inspection of the bidder's plant, factory, branches or other places where business transpires, with or without notice to the bidder;
 - f) Testing and sampling of completed goods similar to the requirements of UNDP, where available: and
 - g) Other means that UNDP may deem appropriate, at any stage within the selection process, prior to awarding the contract.

To assist in the examination, evaluation and comparison of bids, UNDP may, at its discretion, ask any Bidder to clarify its Bid.

UNDP's request for clarification and the Bidder's response shall be in writing. Notwithstanding the written communication, no change in the prices or substance of the Bid shall be sought, offered, or permitted, except to provide clarification, and confirm the correction of any arithmetic errors discovered by UNDP in the evaluation of the Bid, in accordance with ITB Clause 35.

Any unsolicited clarification submitted by a Bidder in respect to its Bid, which is not a response to a request by UNDP, shall not be considered during the review and evaluation of the Bid.

31. Responsiveness of Bid

UNDP's determination of a Bid's responsiveness will be based on the contents of the Bid itself.

A substantially responsive Bid is one that conforms to all the terms, conditions, and specifications of the ITB without material deviation, reservation, or omission.

If a Bid is not substantially responsive, it shall be rejected by UNDP and may not subsequently be made responsive by the Bidder by correction of the material deviation, reservation, or omission.

32. Nonconformities, Reparable Errors and Omissions

- Provided that a Bid is substantially responsive, UNDP may waive any non-conformities or omissions in the Bid that, in the opinion of UNDP, do not constitute a material deviation.
- Provided that a Bid is substantially responsive, UNDP may request the Bidder to submit the necessary information or documentation, within a reasonable period of time, to rectify nonmaterial nonconformities or omissions in the Bid related to documentation requirements. Such omission shall not be related to any aspect of the price of the Bid. Failure of the Bidder to comply with the request may result in the rejection of its Bid.
- 32.3 Provided that the Bid is substantially responsive, UNDP shall correct arithmetical errors as follows:
 - a) if there is a discrepancy between the unit price and the line item total that is obtained by multiplying the unit price by the quantity, the unit price shall prevail and the line item total shall be corrected, unless in the opinion of UNDP there is an obvious misplacement of the decimal point in the unit price, in which case the line item total as quoted shall govern and the unit price shall be corrected;
 - b) if there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
 - c) if there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to the above.

If the Bidder does not accept the correction of errors made by UNDP, its Bid shall be rejected.

F. AWARD OF CONTRACT

33. Right to Accept, Reject, or Render Non-Responsive Any or All Bid

33.1 UNDP reserves the right to accept or reject any Bid, to render any or all of the Bids as non-responsive, and to reject all Bids at any time prior to award of contract, without incurring any liability, or obligation to inform the affected Bidder(s) of the grounds for UNDP's action. Furthermore, UNDP is not obligated to award the contract to the lowest price offer.

33.2 UNDP shall also verify, and immediately reject their respective Bid, if the Bidders are found to appear in the UN's Consolidated List of Individuals and Entities with Association to Terrorist Organizations, in the List of Vendors Suspended or Removed from the UN Secretariat Procurement Division Vendor Roster, the UN Ineligibility List, and other such lists that as may be established or recognized by UNDP policy on Vendor Sanctions. (See http://www.undp.org/content/undp/en/home/operations/procurement/procurement protest/).

34. Award Criteria

Prior to expiration of the period of Bid validity, UNDP shall award the contract to the qualified and eligible Bidder that is found to be responsive to the requirements of the Schedule of Requirements and Technical Specification, and has offered the lowest price (See DS No. 32).

35. Right to Vary Requirements at the Time of Award

At the time of award of Contract, UNDP reserves the right to vary the quantity of the goods and/or related services, by up to a maximum twenty five per cent (25%) of the total offer, without any change in the unit price or other terms and conditions.

36. Contract Signature

Within fifteen (15) days from the date of receipt of the Contract, the successful Bidder shall sign and date the Contract and return it to UNDP.

Failure of the successful Bidder to comply with the requirement of ITB Section F.3 and this provision shall constitute sufficient grounds for the annulment of the award, and forfeiture of the Bid Security if any, and on which event, UNDP may award the Contract to the Bidder with the second highest rated Bid, or call for new Bid.

37. Performance Security

A performance security, if required, shall be provided in the amount and form provided in Section 9 and by the deadline indicated in the **Data Sheet** (DS no. 14), as applicable. Where a Performance Security will be required, the submission of the said document, and the confirmation of its acceptance by UNDP, shall be a condition for the effectivity of the Contract that will be signed by and between the successful Bidder and UNDP.

38. Bank Guarantee for Advanced Payment

Except when the interests of UNDP so require, it is the UNDP's preference to make no advanced payment(s) on contracts (i.e., payments without having received any outputs). In the event that the Bidder requires an advanced payment upon contract signature, and if such request is duly accepted by UNDP, and the said advanced payment exceeds 20% of the total Bid price, or exceed the amount of USD 30,000, UNDP shall require the Bidder to submit a Bank Guarantee in the same amount as the advanced payment. A bank guarantee for advanced payment shall be furnished in the form provided in Section 10.

39. Vendor Protest

UNDP's vendor protest procedure provides an opportunity for appeal to those persons or firms not awarded a purchase order or contract through a competitive procurement process. In the event that a Bidder believes that it was not treated fairly, the following link provides further details regarding UNDP vendor protest procedures: http://www.undp.org/procurement/protest.shtml.

Instructions to Bidders

DATA SHEET

The following data for the supply of goods and related services shall complement / supplement the provisions in the Instruction to Bidders. In the case of a conflict between the Instruction to Bidders and the Data Sheet, the provisions in the Data Sheet shall prevail.

DS No.	Cross Ref. to Instruct ions	Data	Specific Instructions / Requirements	
1		Project Title:	Support to Justice Sector Reform in Moldova	
2		Title of Goods/Services/Work Required:	Crime scene investigation kits	
3		Country:	Republic of Moldova	
4	C.13	Language of the Bid:	☑ English ☐ French ☐ Others:	
5	C.20	Conditions for Submitting Bid for Parts or sub-parts of the Total Requirements	☐ Allowed ☑ Not allowed	
6	C.20	Conditions for Submitting Alternative Bid	⊠ Shall not be considered	
7	C.22	A pre-Bid conference will be held on:	Time: 11:00 (Moldova local time) Date: 16 March 2015 Venue: UN House Conference Room, 131, 31 August 1989 Street, MD-2012 Chisinau, Moldova. Interested parties can attend the pre-bid conference either in person or through a skype video-conference. Interested parties are requested to inform the UNDP focal point about the way they intend to attend the pre-bid conference and to provide a skype contact, in case the participation is on-line. The UNDP focal point for the arrangement is: Alexandru Cocirta, Project Manager Telephone: +373 (0) 22 245079 Facsimile: +373 (0) 22 245079 E-mail: alexandru.cocirta@undp.org	
8	C.21.1	Period of Bid Validity commencing on the submission date	☐ 60 days☑ 90 days☐ 120 days	
9	B.9.5 C.15.4 b)	Bid Security	⊠ Required Amount: 2% of the total price of the bid	

10	B.9.5	Acceptable forms of Bid	□ Bank Guarantee (See Section 8 for template)	
		Security	Bid Security shall be submitted in original. A certified copy of Bid Security can be attached to the bid, if the bid is submitted in electronic form by email. In this case the original Bid Security must reach the UNDP Moldova office not later than working days from the deadline for submission of bids. Failur to comply with this requirement may be grounds for disqualification of the bid.	
11	B.9.5 C.15.4 a)	Validity of Bid Security	120 days from the last day of Bid submission. Bid Security of unsuccessful Bidders shall be returned.	
12		Advanced Payment upon signing of contract	⊠ Not allowed	
13		Liquidated Damages	 ✓ Will be imposed under the following conditions: Percentage of contract price per day of delay: 0.15% Max. no. of days of delay: 60 After which UNDP may terminate the contract. 	
14	F.37	Performance Security	⊠ Not Required	
15	C.17 C.17.2	Preferred Currency of Bid and Method for Currency conversion	 ☑ United States Dollars (US\$) Reference date for determining UN Operational Exchange Rate: 3 April 2015 	
16	B.10.1	Deadline for submitting requests for clarifications/ questions	10 days before the submission date.	
17	B.10.1	Contact Details for submitting clarifications/questions ¹	Focal Person in UNDP: Alexandru Cocirta, Project Manager Address: UNDP Moldova, 131, 31 August 1989 Street, MD- 2012 Chisinau, Republic of Moldova E-mail address dedicated for this purpose: alexandru.cocirta@undp.org	
18	B.11.1	Manner of Disseminating Supplemental Information to the ITB and responses/clarifications to queries	☑ Direct communication to prospective Bidders by email or fax, and Posting on the website http://www.undp.md/tenders/index.shtml	
19	D.23.3	No. of copies of Bid that must be submitted	Original: 1 Copies: 1	
20	D.23.1 b) D.23.2 D.24	Bid submission address	UNDP Moldova 131, 31 August 1989 Street MD-2012 Chisinau Republic of Moldova Attention: Registry Office/Procurement	

¹ This contact person and address is officially designated by UNDP. If inquiries are sent to other person/s or address/es, even if they are UNDP staff, UNDP shall have no obligation to respond nor can UNDP confirm that the query was officially received.

21	C.21.1 D.24	Deadline of Bid Submission	Date and Time: 3 April 2015, 12:00 (Moldova local time)
22	D.23.2	Manner of Submitting Bid	☑ Courier/Hand Delivery☑ Electronic submission of Bid
23	D.23.2 D.26	Conditions and Procedures for electronic submission and opening, if allowed	 ☑ Official Address for e-submission: tenders-Moldova@undp.org ☑ Format: PDF files only, password protected ☑ Password must not be provided to UNDP until the date and time of Bid Opening as indicated in No. 24 ☑ Max. File Size per transmission: 5 MB ☑ Max. No. of transmission: 5 (five) ☑ No. of copies to be transmitted: 1 (one) ☑ Mandatory subject of email: "ITB15/00956: Crime scene investigation kits" ☑ Time Zone to be Recognized: Moldova (GMT+2:00)
24	D.23.1 c)	Date, time and venue for opening of Bid	Date and Time: 3 April 2015, 14:00 (Moldova local time) Venue: UN House Conference Room, 131, 31 August 1989 Street, MD-2012 Chisinau, Moldova
25		Evaluation method to be used in selecting the most responsive Bid	 Non-Discretionary "Pass/Fail" Criteria on the Technical Requirements; and Lowest price offer of technically qualified/responsive Bids
26	C.15.1	Required Documents that must be Submitted to Establish Qualification of Bidders (In "Certified True Copy" form only)	 ☑ Company Profile, which should not exceed fifteen (15) pages, including printed brochures and product catalogues relevant to the goods/services being procured; ☑ Certificate of Registration of the business, including Articles of Incorporation, or equivalent document if Bidder is not a corporation; ☑ Trade name registration papers, if applicable; ☑ Official Letter of Appointment as local representative, if Bidder is submitting a Bid on behalf of an entity located outside the country; ☑ Certification or authorization to act as Agent on behalf of the Manufacturer, or Power of Attorney, if bidder is not a manufacturer; ☑ Quality Certificate (e.g., ISO, etc.) and/or other similar certificates, accreditations, awards and citations received by the Bidder, if any; ☑ Environmental Compliance Certificates, Accreditations, Markings/Labels, and other evidences of the Bidder's practices which contributes to the ecological sustainability and reduction of adverse environmental impact (e.g., use of non-toxic substances, recycled raw materials, energy-efficient equipment, reduced carbon emission, etc.), either in its business practices or in the goods it manufactures; ☑ Patent Registration Certificates, if any of technologies submitted in the Bid is patented by the Bidder; ☑ Latest Audited Financial Statement (Income Statement and Balance Sheet) including Auditor's Report for the past two (2) fiscal years. UNDP will check the financial accounts to

			compute the quick ratio (QR). Quick ratio tests the company's financial strength and liquidity by calculating a company's liquid assets in proportion to its liabilities. If QR is less than 1: UNDP shall verify financial capacity of the Bidder and has the authority to seek references from concerned parties & banks on the Bidder' financial standing. UNDP has the right to reject any bid if submitted by a Bidder whom investigation leads to a result that it is not financially capable and/or had serious financial problems; Statement of Satisfactory Performance from the Top 3 Clients in terms of Contract Value the past three (3) years. UNDP reserves the right to ask for more satisfactory reports if deemed necessary and or to conduct meetings with clients to acquire further details on the performance of the company; All information regarding any past and current litigation during the last five (5) years, in which the bidder is involved, indicating the parties concerned, the subject of the litigation, the amounts involved, and the final resolution if already concluded; A statement whether any import or export licenses are required in respect of the goods to be purchased including any restrictions on the country of origin, use/dual use nature of goods or services, including and disposition to end users (where applicable); Confirmation that licenses of this nature have been obtained in the past and an expectation of obtaining all the necessary licenses should the quotation be selected (where applicable).
27		Other documents that may be Submitted to Establish Eligibility	N/A
28	C.15	Structure of the Technical Bid and List of Documents to be Submitted	 ☑ Bid Submission Form (Section 4); ☑ Duly filled-in Sections 5-7; ☑ Technical responsiveness table; ☑ Documents listed under Data Sheet point 26 above; ☑ List and value of major contracts of similar nature and size successfully completed and/or ongoing in the past three (3) years, including contact details of clients, who could be contacted for reference purposes; ☑ Description of after-sales service capacity and warranty arrangements, including name and address of authorized service centre and bidder's approach in ensuring repairs/replacements during the requested warranty period (for the items specified in sub-section V of Section 3a); ☑ Delivery schedule for the supply of goods; ☑ Quality Inspection and Testing Certificates for the goods to be supplied; ☑ List of recommended replacement parts and scheduled maintenance services (where applicable).
29	C.15.2	Latest Expected date for commencement of Contract	4 May 2015

30	C.15.2	Maximum Expected duration of contract	60 calendar days
31		UNDP will award the contract to:	☑ One Bidder only
32	F.34	Criteria for the Award and Evaluation of Bid	Award Criteria Non-discretionary "Pass" or "Fail" rating on the detailed contents of the Schedule of Requirements and Technical Specifications Compliance on the following qualification requirements: Bid Evaluation Criteria Full compliance of Bid to the Technical Requirements; Full compliance of offered goods to the Technical Specifications and required quality standards; Minimum of three (3) years of experience in similar contracts; Minimum annual turnover of 1 Million US Dollars for the past two (2) years; Proven experience in supplying goods and services of similar nature and size/value; Availability of Quality Inspection and Testing Certificates for the goods to be supplied; Acceptability of the Delivery Schedule; Acceptability of after-sales service capacity and bidder's approach for warranty arrangements; Warranty on parts and services for a minimum period of two (2) years.
33	E.29	Post qualification Actions	 ☑ Verification of accuracy, correctness and authenticity of the information provided by the bidder on the legal, technical and financial documents submitted ☑ Validation of extent of compliance to the ITB requirements and evaluation criteria based on what has so far been found by the evaluation team ☑ Inquiry and reference checking with other previous clients on the quality of performance on ongoing or previous contracts completed
34		Conditions for Determining Contract Effectivity	⊠ Contract signature
35		Other Information Related to the ITB	Further information, instructions and/or amendments to the solicitation documents shall be published at the UNDP Moldova tenders website: http://www.undp.md/tenders/index.shtml

Section 3a: Schedule of Requirements and Technical Specifications

I. Background Information

The Ministry of Internal Affairs is the largest investigation authority within the criminal justice system. Therefore, a number of institutional and structural reforms are foreseen within the justice sector reform to strengthen the Ministry of Internal Affairs` performance in the framework of criminal investigation activity (Priority Area 2.3 from the Justice Sector Reform Strategy – Strengthening the individual and institutional professional capacities to investigate crimes) by implementing and using modern criminal investigation techniques and instruments, amending the legislation in line with international standards and best practices, providing appropriate training for the involved professional groups, carrying out criminal investigations in the framework of multidisciplinary task force groups, strengthening the capacities of forensic centres.

One of the Project's goal is to strengthen the capacities of criminal investigators/crime scene technicians in the area of proper crime scene management and evidence collection, along with providing the Moldova Forensic Unit with essential equipment for the crime scene investigation and securing the evidence for further laboratory analysis. The action will aim at enhancing the operational capacities of the Forensic Unit of the General Police Inspectorate to investigate, collect and secure crime scene evidence by endowing it with crime scene investigation kits and tools for the police teams responsible for processing routine crime scenes, customized to the needs of the beneficiary institution.

II. Scope of Contract

The scope of contract includes the provision of crime scene investigation kits and equipment for the Forensic Unit of the General Police Inspectorate. Detailed technical specifications of required goods and composition of kits are described below.

III. Deliverables

The contractor shall supply the quantity of crime scene kits and equipment described below in the "Description/Specifications of goods". All parameters in the Technical Specifications indicate the minimum or allowable range of functional requirements.

IV. Delivery and Shipping

UNDP Moldova is looking for a maximum delivery time of 60 calendar days. Offerors shall submit a detailed delivery schedule as part of their offer, indicating the major milestones in the execution of contract. Delivery Terms: DAP Chisinau, Moldova (INCOTERMS 2010)

V. Warranty and Maintenance

Offerors shall propose minimum two (2) years of warranty for the offered goods and shall describe their after-sales service capacity and approach/conditions for warranty and post-warranty repairs/replacements, including name and address of authorized service centre.

The warranty shall also include maintenance, troubleshooting and repair of the equipment and kits specified under the following items from Section VII (Description/Specification of goods) below:

- Item 5 (Micro-Particle Evidence Kit), position 4 portable vacuum cleaner;
- Item 6 (Crime Light Kit);
- Item 7 (Electrostatic Dust Print Lifter Kit);
- Item 11 (Portable Cyanoacrylate Fuming System);
- Item 12 (Digital Measuring Wheel);
- Item 13 (Metal Detection Set);
- Item 15 (Stereomicroscope);

- Item 16 (Laser Rangefinder);
- Item 17 (Cyanoacrylate Fuming Chamber).

VI. Payment terms

Goods purchased will be paid through bank transfer to the bank account of the contracted offeror, within 30 days upon delivery of goods and submission of supply invoice. Please note that all purchases shall be exclusive of all taxes, since the United Nations, including its subsidiary organs, is exempted from taxes.

VII. Description/Specifications of goods

	Minimum requirements/specifications		
General	A. The crime scene kits described below shall correspond to t	the applicable	standards of
	business/industry and comply with safety and environment requirement		
	B. The crime scene kit cases shall be of the same type and comply with t		quirements:
	- ABS	•	•
	- Black colour		
	- Anticorrosive hinges		
	- Two latches		
	- Folding front handle		
	- Dimensions (LxWxH): 45 cm x 36 cm x sufficient to contain all o	of the items	
	- Support at least 10 kg;		
	- Padding: foam insert or elastic straps		
	C. Warranty period – minimum two (2) years		
Item 1	CRIME SCENE MARKING KIT	Quantity	8 pcs
1.	Case (as required above in Section General B)	1 pcs	
2.	Fiberglass reel tape	1 pcs	
	- Yellow fiberglass;		
	- Length - min. 30 m;		
	- Width - 1.5-2 cm;		
	- Black millimetre and centimetre markings;		
	- Flexible, resistant to moisture, inelastic, non-electrically		
	conductive, resistant to physical actions of twisting, bending		
	and breaking;		
	- Versatile end hook		
	- Rewind crank		
3.	Metal measuring tape	1 pcs	
	- Anticorrosive finish;		
	- Yellow colour;		
	- Length – 5 m;		
	- Width – 1.5-2 cm;		
	- Black millimetre and centimetre markings;		
	- Flexible, resistant to moisture, inelastic, non-electrically		
	conductive, resistant to physical actions of twisting, bending		
	and breaking;		
	- Versatile end hook		
	- Locking mechanism		
4.	Wooden folding ruler	1 pcs	
	- Alternative black/white metric marking		
	- Length – 5 m;		
	- Thickness – 2.5-4.5 mm		
	- Width – 1.5-2 cm		
	- Joints with stops		
5.	Laser rangefinder:	1 pcs	
	- Laser beam, class II		
	- Optical device to follow laser beam on long distances		
	- Measuring range: 0.05 m up to 200 m		
	- Accuracy: +/- 2 mm		
	- Backlit display		
	- Tripod mounting possibility		
•			

	M-4	 	
	- Metric units		
	- Possibility to memorize the last 10 measurements		
	- Continuous measurements function		
	- Metrological certification		
6.	A-Frame evidence marking tents:	1 set	
	- Letters: A to G		
	- Numbers: 1 to 20		
	- Yellow colour with black printing		
	- Square or rectangular shape of sides		
	- Dimensions: 7-10 cm		
	- Carrying case/bag		
7.	Evidence marking flags:	1 set	
	- Metallic pole		
	- Height: 30 cm		
	- Colour: red (10 pcs), yellow (10 pcs), green (10 pcs)		
	- Carrying case/bag		
8.	Photo evidence tape:	3 pcs	
	- Adhesive tape		
	- Width: 10-15 mm		
	- Length: 3 m with 0-30 cm repeat		
	- Metric (millimetres and centimetres) black marking on white		
	matte finish		
9.	Photo evidence scales:	2 pcs	
	- Metric (centimetres and millimetres) marking		
	- White background with black marking		
	- Plastic, matt finish		
	- Length – 15 cm		
10.	Reflective chalk (white, red, yellow)	1 pcs of	
	, , , , , , , , , , , , , , , , , , , ,	each colour	
11.	Permanent markers and water-based markers (red, black, blue)	1 pcs of	
		each type	
		and colour	
12.	Clutch/mechanical pencil with red, black, blue leads (1 set of leads of	1 pcs	
	each colour)		
13.	Fluorescent pencils for forensic marking (red)	3 pcs	
14.	Stickers (roll of min 50 pcs):	1 roll of each	
	- Red and green	colour	
	- Width – 10 cm		
	- Length – 1.5 cm		
Item 2	UNIVERSAL FORENSIC KIT	Quantity	8 pcs
1.	Case (as required above in Section General B)	1 pcs	
2.	Fingerprint ink pad:	1 pcs	
	- Plastic case		
	- Snap lock (or similar) lid		
	- Minimum active surface – 12 cm x 6 cm		
3.	Fingerprint ink roller	1 pcs	
	- Made of rubber		
	- Width: 5-7 cm		
	- Handle bracket		
4.	Black fingerprint ink (min 100 ml)	1 pcs	
5.	Ink cleaning solution (min 100 ml)	1 pcs	
6.	Gelatin lifters for fingerprints (size 5 x 10 cm):	30 pcs of	
	- Black	each colour	
	- White		
	- Transparent		
7.	Gelatin lifters for fingerprints (size 13 x 18 cm):	30 pcs of	
''	- Black	each colour	
1	, Dideit		
]			
	- White		
8.		1 pcs of	

		<u>, </u>
	- Coin Box/Galvanic Replacement Powder – 30 ml	each colour
	- Silk Black Replacement Powder – 30 ml	
	- Indestructible White Replacement Powder – 30 ml	
	- Silver/Red Replacement Powder – 30 ml	
	- Silver/Grey Replacement Powder – 30 ml	
	- Storage box	
9.	Latent print powders:	1 container
	- Colour: yellow fluorescent, black and silver	of 200 g for
	- Application by powdering or by using special brushes	each colour
	- Fluorescent powder to be visible under UV light	
	- Operating temperature range: -10° C/ +45°C	
	- Storage box	
10.	Magnetic latent print powders:	1 container
	- Black	of 100 ml for
	- Double contrast	each colour
	- Fluorescent orange	
	- Fluorescent green	
	- Fluorescent red	
	- Storage box	
11.	Antistatic spray brush:	1 set
	- Transparent plastic container	
	- Detachable Marabou feather (1 white and 1 black) brush	
	head	
	- Detachable rubber squeeze bulb	
	- Length of active part of brush – at least 8 cm	
	- Protective container and cap	
12.	Standard fiberglass brush:	2 pcs
12.		2 pcs
	- Length of active part of brush – at least 5 cm	
13.	- Protective container and cap	1 ncc
13.	Magnetic powder applicator with protective container	1 pcs
14.	Squirrel or Camel hair brush (type 1)	2 pcs
	- Uncut hair	
	- Semicircle	
	- Wooden handle – 14 cm long	
	- Length of active part of brush – at least 3 cm	
	- Protective container and cap	
15.	Squirrel or Camel hair brush (type 2)	2 pcs
	- Uncut hair	
	- Semicircle	
	- Wooden handle – 19 cm long	
	 Length of active part of brush – at least 3 cm 	
	- Protective container and cap	
16.	Digital caliper:	1 pcs
	- Stainless steel	
	- Length – 20 cm	
17.	Stainless steel scissors:	1 pcs
	- Rounded tips	
	- Length – 12-16 cm	
18.	Metallic mirror:	1 pcs
	- Rectangular shape	
	- Dimensions: 7-9 cm x 6-8 cm	
19.	Silicone casting kit:	1 set
	- Liquid silicone rubber – 1 tube of min 150 g	
	- 1 vial of catalyst – quantity sufficient for the liquid silicone	
	rubber quantity	
	- Plastic spatula – 1 pcs	
	- Silicone compound to be of light colour, waterproof and able	
	to return to original shape after deformation	
	- Silicone compound hardens within 10 minutes	
20.	Silicone rubber spray (1 tube of min 150 ml)	1 pcs
		· · · · · · · · · · · · · · · · · · ·

21.	Modelling clay (monochrome bars, at least 30 g/bar)	3 pcs	
22.	Round magnet with handle (diameter: 22-25 mm)	1 pcs	
23.	Flat tip tweezers (type 1)	1 pcs	
	- Stainless steel		
	- Length – 11-13 cm		
24.	Flat tip tweezers (type 2)	1 pcs	
	- Stainless steel	'	
	- Length – 23-26 cm		
25.	Sharp tip tweezers:	1 pcs	
	- Stainless steel		
	- Length – 8-10 cm		
26.	Surgical scalpel handle (plastic)	1 pcs	
27.	Disposable sterile scalpel blades (packed separately), compatible with	10 pcs	
	the surgical scalpel handle	•	
28.	Metal measuring tape:	1 pcs	
	- Anticorrosive finish		
	- Yellow colour		
	- Length – 5 m		
	- Width – 1.5-2 cm		
	- Black millimetre and centimetre markings		
	- Versatile end hook		
	- Locking mechanism		
29.	Thin sterile surgical gloves (size M)	5 pairs	
30.	Thick rubber gloves	1 pair	
31.	Zip-lock plastic bags:	5 pcs	
	- Dimensions: 17-20 cm x 47-50 cm		
32.	Sterile plastic bags:	5 pcs	
	- Dimensions: 13-16 cm x 40-45 cm		
33.	Transparent evidence collection plastic tubes with cap:	5 pcs	
	- Diameter: 1 cm		
	- Length: 15-18 cm		
34.	Stickers with figures 0 to 9 (6 pcs per A4 sheet, one sheet for each	10 sheets	
35.	figure) Stickers with printed arrows:	4 sheets	
33.	- Black marking on white background	4 SHEELS	
	- Length: 30-40 mm		
	- Width: 10-20 mm		
36.	Universal plier:	1 pcs	
50.	- Anticorrosive finish	i pcs	
	- Insulated handles		
37.	Fixing spray:	1 pcs	
37.	- 1 tube of 100 ml	, pes	
	- Colourless		
	- Operation temperature range: -10° C/ +40°C		
	- Drying/hardening time: up to 5 min		
38.	Plastic mixing container/bowl, diameter at the top 12-14 cm	1 pcs	
39.	Permanent red marker	1 pcs	
40.	Flashlight:	1 pcs	
	- UV LED technology	•	
	- Wave length: 395 nm (+/- 5 nm)		
	- Dimensions: diameter – up to 4 cm, length – up to 16 cm		
	- Rechargeable battery		
	- Battery life (fully charged): at least 2 hours		
	- Battery charger		
	- Body: metal or highly resistant plastic		
41.	Magnifying glass:	1 pcs	
	- Diameter: 75 mm	'	
	- 3.5 x magnification		
42.	Universal multi-tool with standard sheath (similar to <i>Leatherman</i>	1 pcs	
	Wave Multi-tool)		

43.Phillips screwdriver (length 15-17 cm)1 pc44.Flat-head screwdriver (length 18-20 cm)1 pc45.Voltage tester screwdriver (min 250 V AC)1 pc	CS C
45. Voltage tester screwdriver (min 250 V AC) 1 pc	-د
1.4	
46. Glass cutter 1 pc	ES .
47. Reflective chalk (white, red, yellow) 1 pcs	of
each co	olour
Item 3 LATENT PRINT FIELD KIT Quan	tity 8 pcs
1. Case (as required above in Section General B) 1 pc	CS C
2. Fingerprint latent powders:	et
- Colour	
• black – 500 ml;	
• grey – 300 ml;	
• white – 300 ml;	
• red – 300 ml;	
 dual purpose white – 300 ml; 	
dual purpose black – 300 ml;	
• coin box/galvanic – 300 ml;	
light adhesive-side powder – 300 ml;	
dark adhesive-side powder – 300 ml;	
• yellow fluorescent – 300 ml;	
• green fluorescent – 300 ml;	
• red fluorescent – 300 ml;	
• pink fluorescent – 300 ml	
- Application by powdering or by using special brushes	
- Fluorescent powder to be visible under UV light	
- Operating temperature range: -10° C/ +45°C	
- Storage box	
3. Fingerprints magnetic powders: 1 se	et
- Colour:	
midnight black – 150 ml	
indestructible white – 150 ml	
• red – 150 ml	
dual-colour, Silver/Black – 150 ml	
dual-colour, Silver/Grey – 150 ml	
dual-colour, Silver/Red – 150 ml	
yellow fluorescent – 150 ml	
• green fluorescent – 150 ml	
• red fluorescent – 150 ml	
- Storage box	
4. Antistatic spray brush:	et
- Transparent plastic container	
- Detachable Marabou feathers (1 white and 1 black) brush	
head	
- Detachable rubber squeeze bulb	
- Length of active part of brush – at least 8 cm	
- Protective container and cap	
5. Marabou feather brush: 3 pc	is .
- Unshorn	
- Semicircle	
- Wooden handle – 14-19 cm long	
- Length of active part of brush – at least 3-4 cm	
- Protective container and cap	
6. Squirrel or Camel hair brush 3 pc	is
- Uncut hair	
- Semicircle	
- Wooden handle – 14-19 cm long	
- Length of active part of brush – at least 3-4 cm	
- Protective container and cap	
7. Standard fiberglass brush: 4 pc	is

	- Length of active part of brush – at least 5 cm		
	- Protective container and cap		
8.	Magnetic powder applicator with protective container	2 pcs	
9.	Small Particle Reagents for:	1 container	
	- Light-coloured surfaces – 500 ml	for each	
	- Dark-coloured surfaces – 500 ml	colour	
	Each container shall be provided with a dispenser spray head		
10.	Gelatin lifters for fingerprints (size 5 x 10 cm):	30 pcs of	
	- Black	each colour	
	- White		
	- Transparent		
11.	Gelatin lifters for fingerprints (size 13 x 18 cm):	30 pcs of	
	- Black	each colour	
	- White		
	- Transparent		
12.	Fingerprint lifters (size 10 x 15 cm)	20 pcs of	
	- Black	each colour	
	- White		
	- Transparent		
13.	Fingerprint lifters (size 5 x 10 cm)	50 pcs of	
	- Black	each colour	
	- White		
	- Transparent		
14.	Photo evidence tape:	2 pcs	
14.	- Adhesive tape	2 μc3	
	- Width: 10-15 mm		
	- Width: 10-13 mm - Length: 20 m with 0-30 cm repeat		
	 Metric (millimetres and centimetres) black marking on white matte finish 		
15.		1 000	
15.	Fingerprint ink pad:	1 pcs	
	- Plastic case		
	- Snap lock (or similar) lid		
1.0	- Minimum active surface – 12 cm x 6 cm	1	
16.	Fingerprint ink roller:	1 pcs	
	- Made of rubber		
	- Width: 5-7 cm		
	- Handle bracket		
17.	Black fingerprint ink (min 100 ml)	1 pcs	
18.	Ink cleaning solution (min 100 ml)	1 pcs	
19.	HEMIDENT reactive (for identification of blood stains)	2 sets	
20.	Stainless steel scissors (length 15-18 cm)	1 pcs	
21.	Flat tip tweezers (type 1):	1 pcs	
	- Stainless steel		
	- Length – 11-13 cm		
22.	Flat tip tweezers (type 2):	1 pcs	
	- stainless steel		
	- Length – 23-26 cm		
23.	Sharp tip tweezers:	1 pcs	
1	- Stainless steel		
	- Length – 8-10 cm		
24.	Glass cutter	1 pcs	
25.	Magnifying glass:	1 pcs	
	- Diameter – 75 mm	. [
1	- 3.5 x magnification		
26.	Metal measuring tape:	1 pcs	
20.	- Anticorrosive finish	, pcs	
	- Yellow colour		
	- Length: 3 m		
	- Length: 3 m - Width: 1.5-2 cm		
	- Black millimetre and centimetre markings		

- Locking mechanism - Metrological certification 1 pcs Metrological certification 1 pcs 1 pcs		Venetile and beat	T T	
2.7. Hand ink cleaning solution (250 ml) 1 pcs 28. Flashlight: 1 pcs 28. Flashlight: 1 pcs Wave length: 395 nm (+/- 5 nm) 1 pcs Dimensions: diameter – up to 4 cm, length – up to 16 cm Rechargeable battery Battery (life (fully charged): at least 2 hours Battery charger Battery charger Body: metal or highly resistant plastic 29. Transparent lifting tape: 1 pcs for each dimension Length: min 9 m each dimension 30. Ninhydrin spay (min 100 ml) 1 pcs 31. 1,8 Diazafluoren 9 One (PCP) solution (120 ml) 1 pcs 32. Gentan violet (25 g) 1 pcs 1. Case (as required above in Section General B) 1 pcs 2. MiKROSIL Kit (brown and white) 1 pcs for each colour 3. Dental gypsum: 1 bag 4. White powder 1 kg bag 9 Operating temperature range: -10° C/ +45° C 1 pcs for each colour 4. Rubber mixing container/bowl: 1 pcs 5. Adjustable casting frame: 1 pcs 6. Mays ray (500 ml): 1 pcs 6. Size 1 (WxL): 18-20 cm x 30-35 cm (extendable up to 45-50 cm		- Versatile end hook		
27. Hand ink cleaning solution (250 ml) 1 pcs 28. Flashlight:				
28. Flashlight:				
W LED technology - Wave length: 395 nm (+/- 5 nm) - Dimensions: diameter – up to 4 cm, length – up to 16 cm - Rechargeable battery - Battery life (fully charged): at least 2 hours - Battery therager - Body: metal or highly resistant plastic - Transparent lifting tape:				
- Wave length: 395 nm (+/-5 nm) - Dimensions: diameter - up to 4 cm, length - up to 16 cm - Rechargeable battery - Battery Larger -	28.	_	1 pcs	
- Dimensions: diameter – up to 4 cm, length – up to 16 cm - Rechargeable battery - Battery life (fully charged): at least 2 hours - Battery charger - Body: metal or highly resistant plastic 29. Transparent lifting tape: - Length: min 9 m - Width: min 3.5 cm, 5.5 cm, 10 cm 30. Ninhydrin spray (min 100 ml) - 1, pcs - 1, 1, 8 Diazafluoren 9 One (DFO) solution (120 ml) - 1, pcs - 1, 2 Case (as required above in Section General B) - 1, Case (as required above in Section General B) - 1, Case (as required above in Section General B) - 2, MIKROSIL Kit (brown and white) - 2, MIKROSIL Kit (brown and white) - 3. Dental gypsum: - 1, White powder - 1, kg bag - 0, perating temperature range: -10° C/ +45° C - Hardens within 30 min - 4. Rubber mixing container/bowl: - Diameter at the top 12-14 cm - Resistant to chemicals and petroleum based oils - Made of lightweight metal or highly resistant plastic - Height of frame: 2-6 cm - Rectangular shape with a possibility for extension on the long side - Size 1 (WXL): 30-35 cm x 45-50 (extendable up to 45-50 cm) - Size 2 (WXL): 30-35 cm x 45-50 (extendable up to 60-65 cm) - Operating temperature range: -15° C O'C - Tixing spray (500 ml): - Colourless - Operating temperature range: -10° C/ +40°C - Dying/hardening time: up to 5 min - Operating temperature range: -10° C/ +40°C - Dying/hardening time: up to 5 min - Pasting temperature range: -10° C/ +40°C - Dying/hardening time: up to 5 min - Length: 13-16 cm				
- Rechargeable battery - Battery life (fully charged): at least 2 hours - Battery charger - Body: metal or highly resistant plastic 29. Transparent lifting tape: - Length: min 9 m - Width: min 3.5 cm, 5.5 cm, 10 cm dimension 30. Ninhydrin spray (min 100 ml) 1 pcs - Battery Life (25 g) 1 pcs - Rechargeafluoren 9 One (DFO) solution (120 ml) 1 pcs - Recharged above in Section General B) 1 pcs 1. Case (as required above in Section General B) 1 pcs - Wilk powder - Ikg bag - Operating temperature range: -10° C / +45°C - Hardens within 30 min 4. Rubber mixing container/bowl: - Diameter at the top 12-14 cm - Resistant to chemicals and petroleum based oils - Height of frame: 2-6 cm - Rechargular shape with a possibility for extension on the long side - Size 1 (Wst.): 18-20 cm x 30-35 cm (extendable up to 45-50 cm) - Size 2 (Wst.): 30-35 cm x 45-50 (extendable up to 60-65 cm) 6. Wax spray (500 ml): - Dying/hardening time: up to 5 min - Operating temperature range: -10° C / +40°C - Dying/hardening time: up to 5 min - Operating temperature range: -10° C / +40°C - Dying/hardening time: up to 5 min - Operating temperature range: -10° C / +40°C - Dying/hardening time: up to 5 min - Operating temperature range: -10° C / +40°C - Dying/hardening time: up to 5 min - Operating temperature range: -10° C / +40°C - Dying/hardening time: up to 5 min - Operating temperature range: -10° C / +40°C - Dying/hardening time: up to 5 min - Operating temperature range: -10° C / +40°C - Dying/hardening time: up to 5 min - Length: 13-16 cm - Length: 13-16		<u> </u>		
- Battery Life (fully charged): at least 2 hours - Battery charger - Body: metal or highly resistant plastic 29. Transparent lifting tape: - Length: min 9 m - Width: min 3.5 cm, 5.5 cm, 10 cm 30. Ninhydrin spray (min 100 ml) - 1 pcs - 1,8 Diazafluoren 9 One (DFO) solution (120 ml) - 1,8 Diazafluoren 9 One (DFO) solution (120 ml) - 1 pcs - 1,8 Diazafluoren 9 One (DFO) solution (120 ml) - 1 pcs - 2. MIKROSIL Kit (brown and white) - 1 pcs for each colour - 1 pcs - 2. MIKROSIL Kit (brown and white) - 1 pcs for each colour - 1 pcs for each colour - 1 pcs - 1 pcs - 1 pcs - 2 pcy prating temperature range: -10° C/ +45° C - Hardens within 30 min - Wihite powder - 1 kig bag - Operating temperature range: -10° C/ +45° C - Hardens within 30 min - Resistant to chemicals and petroleum based oils - Adjustable casting frame: - Made of lightweight metal or highly resistant plastic - Height of frame: 2-6 cm - Rectangular shape with a possibility for extension on the long side - Size I (WxL): 18-20 cm x 30-35 cm (extendable up to 45-50 cm) - Size 2 (WxL): 30-35 cm x 45-50 (extendable up to 60-65 cm) 6. Wax spray (500 ml): - Dyring/hardening time: up to 5 min - Operating temperature range: -15° C/ 0° C - Fixing spray (500 ml): - Colourless - Operation temperature range: -10° C/ +40° C - Dyring/hardening time: up to 5 min - Operating temperature range: -10° C/ +40° C - Dyring/hardening time: up to 5 min - Operating temperature range: -10° C/ +40° C - Dyring/hardening time: up to 5 min - Operating temperature range: -10° C/ +40° C - Dyring/hardening time: up to 5 min - Operating temperature range: -10° C/ +40° C - Dyring/hardening time: up to 5 min - 1 pcs - 1				
- Battery charger - Body: metal or highly resistant plastic 29. Transparent lifting tape: - Length: min 9 m - Width: min 3.5 cm, 5.5 cm, 10 cm 30. Ninhydrin spray (min 100 ml) - 1 pcs 31. 1.8 Diazafluoren 9 One (DFO) solution (120 ml) - 1 pcs 32. Gentian violet (25 g) - 1 pcs 32. Item 4 TRACE EVIDENCE KIT - Quantity - Race (as required above in Section General B) - 1 pcs for each colour - 1. Case (as required above in Section General B) - 1 pcs for each colour - 1 lbag - 1 pcs for each colour - 1 lbag - 1 pcs for each colour - 1 lbag - 1 pcs for each colour - 1 lbag - 1 pcs for each colour - 1 lbag - Operating temperature range: -10° C/ +45°C - Hardens within 30 min - Rubber mixing container/bowl: - Diameter at the top 12-14 cm - Resistant to chemicals and petroleum based oils - Adjustable casting frame: - Made of lightweight metal or highly resistant plastic - Height of frame: 2-6 cm - Rectangular shape with a possibility for extension on the long side - Size 1 (Wxxl.): 18-20 cm x 30-35 cm (extendable up to 45-50 cm) - Size 2 (Wxxl.): 30-35 cm x 45-50 (extendable up to 45-50 cm) - Size 2 (Wxxl.): 30-35 cm x 45-50 (extendable up to 60-65 cm) - Colourless - Operation temperature range: -15° C/ 0°C - Drying/hardening time: up to 5 min - Operation temperature range: -15° C/ 0°C - Drying/hardening time: up to 5 min - Departion temperature range: -15° C/ +40°C - Drying/hardening time: up to 5 min - Length of active part of brush: 3-5 cm - Length of active part of brush: 3-5 cm - Length of active part of brush: 3-5 cm - Length of active part of brush: 3-5 cm - 1 pcs - 1 pc				
Body: metal or highly resistant plastic 1 pcs for each		, , , ,		
29. Transparent lifting tape:				
- Length: min 9 m		- Body: metal or highly resistant plastic		
Width: min 3.5 cm, 5.5 cm, 10 cm	29.	Transparent lifting tape:		
30. Ninhydrin spray (min 100 ml) 1 pcs 31. 1, B. Diazafluoren 9 One (DFO) solution (120 ml) 1 pcs 32. Gentian violet (25 g) 1 pcs		- Length: min 9 m	each	
31. 1,8 Diazafluoren 9 One (DFO) solution (120 ml) 1 pcs		- Width: min 3.5 cm, 5.5 cm, 10 cm	dimension	
31. 1,8 Diazafluoren 9 One (DFO) solution (120 ml) 1 pcs	30.	Ninhydrin spray (min 100 ml)	1 pcs	
Take	31.		· · · · · · · · · · · · · · · · · · ·	
Item 4 TRACE EVIDENCE KIT Quantity 8 pcs 1. Case (as required above in Section General B) 1 pcs 2. MIKROSIL Kit (brown and white) 1 pcs for each colour 3. Dental gypsum: 1 kg bag Operating temperature range: -10° C/ +45°C Hardens within 30 min 1 pcs 4. Rubber mixing container/bowl: Diameter at the top 12-14 cm Resistant to chemicals and petroleum based oils 1 set 5. Adjustable casting frame: Made of lightweight metal or highly resistant plastic Height of frame: 2-6 cm Rectangular shape with a possibility for extension on the long side Size 1 (Wxl.): 18-20 cm x 30-35 cm (extendable up to 45-50 cm) Size 2 (Wxl.): 30-35 cm x 45-50 (extendable up to 60-65 cm) 1 pcs 6. Wax spray (500 ml): Drying/hardening time: up to 5 min Operating temperature range: -15° C/ 0°C 1 pcs 7. Fixing spray (500 ml): Colourless Operating temperature range: -10° C/ +40°C Drying/hardening time: up to 5 min 1 pcs 8. Talcum powder (300 g/bag) 2 bags 1 pcs	32.		1 pcs	
1. Case (as required above in Section General B) 2. MIKROSIL Kit (brown and white) 3. Dental gypsum: - White powder - 1kg bag - Operating temperature range: -10° C/ +45° C - Hardens within 30 min 4. Rubber mixing container/bowl: - Diameter at the top 12-14 cm - Resistant to chemicals and petroleum based oils 5. Adjustable casting frame: - Made of lightweight metal or highly resistant plastic - Height of frame: 2-6 cm - Rectangular shape with a possibility for extension on the long side - Size 1 (WxL): 18-20 cm x 30-35 cm (extendable up to 45-50 cm) - Size 2 (WxL): 30-35 cm x 45-50 (extendable up to 60-65 cm) 6. Wax spray (500 ml): - Drying/hardening time: up to 5 min - Operating temperature range: -15° C/ 0° C 7. Fixing spray (500 ml): - Colourless - Operation temperature range: -10° C/ +40° C - Drying/hardening time: up to 5 min 8. Talcum powder (300 g/bag) 9. Pig hair brush: - Wooden handle - Length of active part of brush: 3-5 cm 10. Plastic pipette with rubber bulb 1 pcs 11. Filter paper 5 sheets 12. Plastic spatula 13. Metal/wood "junior" hacksaw 14. Plumber wench 15 pcs 16. Pincers (min 10 cm long) 17. Carpenter's chisel (min 10 cm long, active part 3 cm) 1 pcs	Item 4			8 pcs
2. MIKROSIL Kit (brown and white) 3. Dental gypsum: - White powder - 1kg bag - Operating temperature range: -10° C/ +45°C - Hardens within 30 min 4. Rubber mixing container/bowl: - Diameter at the top 12-14 cm - Resistant to chemicals and petroleum based oils 5. Adjustable casting frame: - Made of lightweight metal or highly resistant plastic - Height of frame: 2-6 cm - Rectangular shape with a possibility for extension on the long side - Size 1 (WxL): 18-20 cm x 30-35 cm (extendable up to 45-50 cm) - Size 2 (WxL): 30-35 cm x 45-50 (extendable up to 60-65 cm) 6. Wax spray (500 ml): - Drying/hardening time: up to 5 min - Operating temperature range: -15° C/ 0°C 7. Fixing spray (500 ml): - Colourless - Operation temperature range: -10° C/ +40°C - Drying/hardening time: up to 5 min 8. Talcum powder (300 g/bag) 9. Pig hair brush: - Wooden handle - Length: 13-16 cm - Length of active part of brush: 3-5 cm 10. Plastic pipette with rubber bulb 1 pcs 11. Filter paper 5 sheets 12. Plastic spatula 13. Metal/wood "junior" hacksaw 1 pcs 14. Plumber wrench 15 pcs 16. Pincers (min 10 cm long) 17. Carpenter's chisel (min 10 cm long, active part 3 cm) 1 pcs 17. Carpenter's chisel (min 10 cm long, active part 3 cm)		Case (as required above in Section General B)		•
acch colour 3. Dental gypsum: - White powder - 1kg bag - Operating temperature range: -10° C/ +45°C - Hardens within 30 min 4. Rubber mixing container/bowl: - Diameter at the top 12-14 cm - Resistant to chemicals and petroleum based oils 5. Adjustable casting frame: - Made of lightweight metal or highly resistant plastic - Height of frame: 2-6 cm - Rectangular shape with a possibility for extension on the long side - Size 1 (WxL): 18-20 cm x 30-35 cm (extendable up to 45-50 cm) - Size 2 (WxL): 30-35 cm x 45-50 (extendable up to 60-65 cm) 6. Wax spray (500 ml): - Drying/hardening time: up to 5 min - Operating temperature range: -15° C/ 0°C 7. Fixing spray (500 ml): - Colourless - Operation temperature range: -10° C/ +40°C - Drying/hardening time: up to 5 min 8. Talcum powder (300 g/bag) 9. Pig hair brush: - Wooden handle - Length: 13-16 cm - Length of active part of brush: 3-5 cm 10. Plastic pipette with rubber bulb 1 pcs 11. Filter paper 5 sheets 12. Plastic spatula 1 pcs 13. Metal/wood "junior" hacksaw 1 pcs 14. Plumber wrench 15 Carpenter's chisel (min 10 cm long) 17. Carpenter's chisel (min 10 cm long, active part 3 cm) 1 pcs		· '	1	
acch colour 3. Dental gypsum: - White powder - 1kg bag - Operating temperature range: -10° C/ +45°C - Hardens within 30 min 4. Rubber mixing container/bowl: - Diameter at the top 12-14 cm - Resistant to chemicals and petroleum based oils 5. Adjustable casting frame: - Made of lightweight metal or highly resistant plastic - Height of frame: 2-6 cm - Rectangular shape with a possibility for extension on the long side - Size 1 (WxL): 18-20 cm x 30-35 cm (extendable up to 45-50 cm) - Size 2 (WxL): 30-35 cm x 45-50 (extendable up to 60-65 cm) 6. Wax spray (500 ml): - Drying/hardening time: up to 5 min - Operating temperature range: -15° C/ 0°C 7. Fixing spray (500 ml): - Colourless - Operation temperature range: -10° C/ +40°C - Drying/hardening time: up to 5 min 8. Talcum powder (300 g/bag) 9. Pig hair brush: - Wooden handle - Length: 13-16 cm - Length of active part of brush: 3-5 cm 10. Plastic pipette with rubber bulb 1 pcs 11. Filter paper 5 sheets 12. Plastic spatula 1 pcs 13. Metal/wood "junior" hacksaw 1 pcs 14. Plumber wrench 15 Carpenter's chisel (min 10 cm long) 17. Carpenter's chisel (min 10 cm long, active part 3 cm) 1 pcs	2.	MIKROSIL Kit (brown and white)	1 pcs for	
3. Dental gypsum: - White powder - 1kg bag - Operating temperature range: -10° C/ +45°C - Hardens within 30 min 4. Rubber mixing container/bowl: - Diameter at the top 12-14 cm - Resistant to chemicals and petroleum based oils 5. Adjustable casting frame: - Made of lightweight metal or highly resistant plastic - Height of frame: 2-6 cm - Rectangular shape with a possibility for extension on the long side - Size 1 (WxL): 18-20 cm x 30-35 cm (extendable up to 45-50 cm) - Size 2 (WxL): 30-35 cm x 45-50 (extendable up to 60-65 cm) 6. Wax spray (500 ml): - Drying/hardening time: up to 5 min - Operating temperature range: -15° C/ 0°C 7. Fixing spray (500 ml): - Colourless - Operation temperature range: -10° C/ +40°C - Drying/hardening time: up to 5 min 8. Talcum powder (300 g/bag) 9. Pig hair brush: - Wooden handle - Length: 13-16 cm - Length of active part of brush: 3-5 cm 10. Plastic pipette with rubber bulb 1 pcs 11. Filter paper 5 sheets 12. Plastic spatula 1 pcs 13. Metal/wood "junior" hacksaw 1 pcs 14. Plumber wrench 15. Hammer (250 gr) with wooden handle, min 20 cm long 17. Carpenter's chisel (min 10 cm long) 17. Carpenter's chisel (min 10 cm long, active part 3 cm)	_,			
- White powder - 1kg bag - Operating temperature range: -10° C/ +45°C - Hardens within 30 min 4. Rubber mixing container/bowl: - Diameter at the top 12-14 cm - Resistant to chemicals and petroleum based oils 5. Adjustable casting frame: - Made of lightweight metal or highly resistant plastic - Height of frame: 2-6 cm - Rectangular shape with a possibility for extension on the long side - Size 1 (WxL): 18-20 cm x 30-35 cm (extendable up to 45-50 cm) - Size 2 (WxL): 30-35 cm x 45-50 (extendable up to 60-65 cm) 6. Wax spray (500 ml): - Drying/hardening time: up to 5 min - Operating temperature range: -15° C/ 0°C 7. Fixing spray (500 ml): - Colourless - Operation temperature range: -10° C/ +40°C - Drying/hardening time: up to 5 min 8. Talcum powder (300 g/bag) - Pig hair brush: - Wooden handle - Length: 13-16 cm - Length of active part of brush: 3-5 cm 10. Plastic pipette with rubber bulb - 1 pcs - Plastic spatula - 1 pcs - 13. Metal/wood "junior" hacksaw - 1 pcs - 14. Plumber wrench - 1 pcs - 17. Carpenter's chisel (min 10 cm long) - 17. Carpenter's chisel (min 10 cm long) - 17. Carpenter's chisel (min 10 cm long, active part 3 cm)	3.	Dental gypsum:		
- 1kg bag - Operating temperature range: -10° C/ +45°C - Hardens within 30 min 4. Rubber mixing container/bowl: - Diameter at the top 12-14 cm - Resistant to chemicals and petroleum based oils 5. Adjustable casting frame: - Made of lightweight metal or highly resistant plastic - Height of frame: 2-6 cm - Rectangular shape with a possibility for extension on the long side - Size 1 (WxL): 18-20 cm x 30-35 cm (extendable up to 45-50 cm) - Size 2 (WxL): 30-35 cm x 45-50 (extendable up to 60-65 cm) 6. Wax spray (500 ml): - Drying/hardening time: up to 5 min - Operating temperature range: -15° C/ 0°C 7. Fixing spray (500 ml): - Colourless - Operation temperature range: -10° C/ +40°C - Drying/hardening time: up to 5 min 8. Talcum powder (300 g/bag) 9. Pig hair brush: - Wooden handle - Length: 13-16 cm - Length of active part of brush: 3-5 cm 10. Plastic pipette with rubber bulb 1 pcs 11. Filter paper 5 sheets 12. Plastic spatula 1 pcs 13. Metal/wood "junior" hacksaw 1 pcs 14. Plumber wrench 15. Hammer (250 gr) with wooden handle, min 20 cm long 17. Carpenter's chisel (min 10 cm long) 17. Carpenter's chisel (min 10 cm long, active part 3 cm)				
- Operating temperature range: -10° C/ +45°C - Hardens within 30 min 4. Rubber mixing container/bowl: - Diameter at the top 12-14 cm - Resistant to chemicals and petroleum based oils 5. Adjustable casting frame: - Made of lightweight metal or highly resistant plastic - Height of frame: 2-6 cm - Rectangular shape with a possibility for extension on the long side - Size 1 (WxL): 18-20 cm x 30-35 cm (extendable up to 45-50 cm) - Size 2 (WxL): 30-35 cm x 45-50 (extendable up to 60-65 cm) 6. Wax spray (500 ml): - Drying/hardening time: up to 5 min - Operating temperature range: -15° C/ 0°C 7. Fixing spray (500 ml): - Colourless - Operation temperature range: -10° C/ +40°C - Drying/hardening time: up to 5 min 8. Talcum powder (300 g/bag) 9. Pig hair brush: - Wooden handle - Length: 13-16 cm - Length of active part of brush: 3-5 cm 10. Plastic pipette with rubber bulb 1 pcs 11. Filter paper 5 sheets 12. Plastic spatula 1 pcs 14. Plumber wrench 15. Hammer (250 gr) with wooden handle, min 20 cm long 17. Carpenter's chisel (min 10 cm long, active part 3 cm) 1 pcs 17. Carpenter's chisel (min 10 cm long, active part 3 cm) 1 pcs				
- Hardens within 30 min 4. Rubber mixing container/bowl: - Diameter at the top 12-14 cm - Resistant to chemicals and petroleum based oils 5. Adjustable casting frame: - Made of lightweight metal or highly resistant plastic - Height of frame: 2-6 cm - Rectangular shape with a possibility for extension on the long side - Size 1 (WxL): 18-20 cm x 30-35 cm (extendable up to 45-50 cm) - Size 2 (WxL): 30-35 cm x 45-50 (extendable up to 60-65 cm) 6. Wax spray (500 ml): - Drying/hardening time: up to 5 min - Operating temperature range: -15° C/ 0°C 7. Fixing spray (500 ml): - Colourless - Operation temperature range: -10° C/ +40°C - Drying/hardening time: up to 5 min 8. Talcum powder (300 g/bag) - Pig hair brush: - Wooden handle - Length: 13-16 cm - Length of active part of brush: 3-5 cm 10. Plastic pipette with rubber bulb - Plastic spatula - 1 pcs - 13. Metal/wood "junior" hacksaw - 1 pcs - 14. Plumber wrench - 1 pcs - 15. Hammer (250 gr) with wooden handle, min 20 cm long - Pincers (min 10 cm long) - 17. Carpenter's chisel (min 10 cm long, active part 3 cm) - 1 pcs - 17. Carpenter's chisel (min 10 cm long, active part 3 cm) - 1 pcs - 17. Carpenter's chisel (min 10 cm long, active part 3 cm) - 1 pcs				
4. Rubber mixing container/bowl: - Diameter at the top 12-14 cm - Resistant to chemicals and petroleum based oils 5. Adjustable casting frame: - Made of lightweight metal or highly resistant plastic - Height of frame: 2-6 cm - Rectangular shape with a possibility for extension on the long side - Size 1 (WxL): 18-20 cm x 30-35 cm (extendable up to 45-50 cm) - Size 2 (WxL): 30-35 cm x 45-50 (extendable up to 60-65 cm) 6. Wax spray (500 ml): - Drying/hardening time: up to 5 min - Operating temperature range: -15° C/ 0°C 7. Fixing spray (500 ml): - Colourless - Operation temperature range: -10° C/ +40°C - Drying/hardening time: up to 5 min 8. Talcum powder (300 g/bag) 9. Pig hair brush: - Wooden handle - Length: 13-16 cm - Length of active part of brush: 3-5 cm 10. Plastic pipette with rubber bulb 1 pcs 11. Filter paper - Ssheets 12. Plastic spatula 13. Metal/wood "junior" hacksaw 1 pcs 14. Plumber wrench 15. Hammer (250 gr) with wooden handle, min 20 cm long 17. Carpenter's chisel (min 10 cm long) 17. Carpenter's chisel (min 10 cm long, active part 3 cm) 1 pcs		, , , , , , , , , , , , , , , , , , , ,		
- Diameter at the top 12-14 cm - Resistant to chemicals and petroleum based oils 5. Adjustable casting frame: - Made of lightweight metal or highly resistant plastic - Height of frame: 2-6 cm - Rectangular shape with a possibility for extension on the long side - Size 1 (WxL): 18-20 cm x 30-35 cm (extendable up to 45-50 cm) - Size 2 (WxL): 30-35 cm x 45-50 (extendable up to 60-65 cm) 6. Wax spray (500 ml): - Drying/hardening time: up to 5 min - Operating temperature range: -15° C/ 0°C 7. Fixing spray (500 ml): - Colourless - Operation temperature range: -10° C/ +40°C - Drying/hardening time: up to 5 min 8. Talcum powder (300 g/bag) 9. Pig hair brush: - Wooden handle - Length: 13-16 cm - Length of active part of brush: 3-5 cm 10. Plastic pipette with rubber bulb 1 pcs 11. Filter paper 5 sheets 12. Plastic spatula 1 pcs 13. Metal/wood "junior" hacksaw 1 pcs 14. Plumber wrench 15. Hammer (250 gr) with wooden handle, min 20 cm long 17. Carpenter's chisel (min 10 cm long) 17. Carpenter's chisel (min 10 cm long, active part 3 cm) 1 pcs	4		1 ncs	
- Resistant to chemicals and petroleum based oils 5. Adjustable casting frame: - Made of lightweight metal or highly resistant plastic - Height of frame: 2-6 cm - Rectangular shape with a possibility for extension on the long side - Size 1 (WxL): 18-20 cm x 30-35 cm (extendable up to 45-50 cm) - Size 2 (WxL): 30-35 cm x 45-50 (extendable up to 60-65 cm) 6. Wax spray (500 ml): - Drying/hardening time: up to 5 min - Operating temperature range: -15° C / 0°C 7. Fixing spray (500 ml): - Colourless - Operation temperature range: -10° C / +40°C - Drying/hardening time: up to 5 min 8. Talcum powder (300 g/bag) 9. Pig hair brush: - Wooden handle - Length: 13-16 cm - Length of active part of brush: 3-5 cm 10. Plastic pipette with rubber bulb 1 1 pcs 11. Filter paper 5 sheets 12. Plastic spatula 1 pcs 13. Metal/wood "junior" hacksaw 1 pcs 14. Plumber wrench 15. Hammer (250 gr) with wooden handle, min 20 cm long 17. Carpenter's chisel (min 10 cm long) 17. Carpenter's chisel (min 10 cm long, active part 3 cm) 1 pcs	٦.		i pcs	
5. Adjustable casting frame: - Made of lightweight metal or highly resistant plastic - Height of frame: 2-6 cm - Rectangular shape with a possibility for extension on the long side - Size 1 (WxL): 18-20 cm x 30-35 cm (extendable up to 45-50 cm) - Size 2 (WxL): 30-35 cm x 45-50 (extendable up to 60-65 cm) 6. Wax spray (500 ml): - Drying/hardening time: up to 5 min - Operating temperature range: -15° C/ 0°C 7. Fixing spray (500 ml): - Colourless - Operation temperature range: -10° C/ +40°C - Drying/hardening time: up to 5 min 8. Talcum powder (300 g/bag) 9. Pig hair brush: - Wooden handle - Length: 13-16 cm - Length of active part of brush: 3-5 cm 10. Plastic pipette with rubber bulb 1 pcs 11. Filter paper 5 sheets 12. Plastic spatula 1 pcs 13. Metal/wood "junior" hacksaw 1 pcs 14. Plumber wrench 1 pcs 15. Hammer (250 gr) with wooden handle, min 20 cm long 17. Carpenter's chisel (min 10 cm long) 17. Carpenter's chisel (min 10 cm long, active part 3 cm) 1 pcs				
- Made of lightweight metal or highly resistant plastic - Height of frame: 2-6 cm - Rectangular shape with a possibility for extension on the long side - Size 1 (WxL): 18-20 cm x 30-35 cm (extendable up to 45-50 cm) - Size 2 (WxL): 30-35 cm x 45-50 (extendable up to 60-65 cm) 6. Wax spray (500 ml): - Drying/hardening time: up to 5 min - Operating temperature range: -15° C/ 0°C 7. Fixing spray (500 ml): - Colourless - Operation temperature range: -10° C/ +40°C - Drying/hardening time: up to 5 min 8. Talcum powder (300 g/bag) 9. Pig hair brush: - Wooden handle - Length: 13-16 cm - Length of active part of brush: 3-5 cm 10. Plastic pipette with rubber bulb 1 pcs 11. Filter paper 5 sheets 12. Plastic spatula 1 pcs 13. Metal/wood "junior" hacksaw 1 pcs 14. Plumber wrench 1 pcs 15. Hammer (250 gr) with wooden handle, min 20 cm long 17. Carpenter's chisel (min 10 cm long), active part 3 cm) 1 pcs	E		1 cot	
- Height of frame: 2-6 cm - Rectangular shape with a possibility for extension on the long side - Size 1 (WxL): 18-20 cm x 30-35 cm (extendable up to 45-50 cm) - Size 2 (WxL): 30-35 cm x 45-50 (extendable up to 60-65 cm) 6. Wax spray (500 ml): - Drying/hardening time: up to 5 min - Operating temperature range: -15° C/ 0°C 7. Fixing spray (500 ml): - Colourless - Operation temperature range: -10° C/ +40°C - Drying/hardening time: up to 5 min 8. Talcum powder (300 g/bag) 9. Pig hair brush: - Wooden handle - Length: 13-16 cm - Length of active part of brush: 3-5 cm 10. Plastic pipette with rubber bulb 1 pcs 11. Filter paper 5 sheets 12. Plastic spatula 1 pcs 13. Metal/wood "junior" hacksaw 1 pcs 14. Plumber wrench 1 pcs 15. Hammer (250 gr) with wooden handle, min 20 cm long 17. Carpenter's chisel (min 10 cm long, active part 3 cm) 1 pcs	٥.		ı set	
- Rectangular shape with a possibility for extension on the long side - Size 1 (WxL): 18-20 cm x 30-35 cm (extendable up to 45-50 cm) - Size 2 (WxL): 30-35 cm x 45-50 (extendable up to 60-65 cm) 6. Wax spray (500 ml): - Drying/hardening time: up to 5 min - Operating temperature range: -15° C/ 0°C 7. Fixing spray (500 ml): - Colourless - Operation temperature range: -10° C/ +40°C - Drying/hardening time: up to 5 min 8. Talcum powder (300 g/bag) 2 bags 9. Pig hair brush: - Wooden handle - Length: 13-16 cm - Length of active part of brush: 3-5 cm 10. Plastic pipette with rubber bulb 1 pcs 11. Filter paper 5 sheets 12. Plastic spatula 1 pcs 13. Metal/wood "junior" hacksaw 1 pcs 14. Plumber wrench 1 pcs 15. Hammer (250 gr) with wooden handle, min 20 cm long 17. Carpenter's chisel (min 10 cm long) 17. Carpenter's chisel (min 10 cm long, active part 3 cm) 1 pcs				
long side - Size 1 (WxL): 18-20 cm x 30-35 cm (extendable up to 45-50 cm) - Size 2 (WxL): 30-35 cm x 45-50 (extendable up to 60-65 cm) 6. Wax spray (500 ml): - Drying/hardening time: up to 5 min - Operating temperature range: -15° C/ 0°C 7. Fixing spray (500 ml): - Colourless - Operation temperature range: -10° C/ +40°C - Drying/hardening time: up to 5 min 8. Talcum powder (300 g/bag) 2 bags 9. Pig hair brush: - Wooden handle - Length: 13-16 cm - Length of active part of brush: 3-5 cm 10. Plastic pipette with rubber bulb 1 pcs 11. Filter paper 5 sheets 12. Plastic spatula 1 pcs 13. Metal/wood "junior" hacksaw 1 pcs 14. Plumber wrench 1 pcs 15. Hammer (250 gr) with wooden handle, min 20 cm long 1 pcs 16. Pincers (min 10 cm long) 1 pcs 17. Carpenter's chisel (min 10 cm long, active part 3 cm) 1 pcs				
- Size 1 (WxL): 18-20 cm x 30-35 cm (extendable up to 45-50 cm) - Size 2 (WxL): 30-35 cm x 45-50 (extendable up to 60-65 cm) 6. Wax spray (500 ml): - Drying/hardening time: up to 5 min - Operating temperature range: -15° C/ 0°C 7. Fixing spray (500 ml): - Colourless - Operation temperature range: -10° C/ +40°C - Drying/hardening time: up to 5 min 8. Talcum powder (300 g/bag) 9. Pig hair brush: - Wooden handle - Length: 13-16 cm - Length of active part of brush: 3-5 cm 10. Plastic pipette with rubber bulb 1 pcs 11. Filter paper 5 sheets 12. Plastic spatula 1 pcs 13. Metal/wood "junior" hacksaw 14. Plumber wrench 15. Hammer (250 gr) with wooden handle, min 20 cm long 16. Pincers (min 10 cm long) 17. Carpenter's chisel (min 10 cm long, active part 3 cm) 1 pcs				
Cm)				
- Size 2 (WxL): 30-35 cm x 45-50 (extendable up to 60-65 cm) 6. Wax spray (500 ml): 1 pcs - Drying/hardening time: up to 5 min - Operating temperature range: -15° C/ 0°C 7. Fixing spray (500 ml): 1 pcs - Colourless - Operation temperature range: -10° C/ +40°C - Drying/hardening time: up to 5 min 8. Talcum powder (300 g/bag) 2 bags 9. Pig hair brush: 1 pcs - Wooden handle - Length: 13-16 cm - Length of active part of brush: 3-5 cm 10. Plastic pipette with rubber bulb 1 pcs 11. Filter paper 5 sheets 12. Plastic spatula 1 pcs 13. Metal/wood "junior" hacksaw 1 pcs 14. Plumber wrench 1 pcs 15. Hammer (250 gr) with wooden handle, min 20 cm long 1 pcs 16. Pincers (min 10 cm long) 1 pcs 17. Carpenter's chisel (min 10 cm long, active part 3 cm) 1 pcs		•		
6. Wax spray (500 ml): - Drying/hardening time: up to 5 min - Operating temperature range: -15° C/ 0°C 7. Fixing spray (500 ml): - Colourless - Operation temperature range: -10° C/ +40°C - Drying/hardening time: up to 5 min 8. Talcum powder (300 g/bag) 9. Pig hair brush: - Wooden handle - Length: 13-16 cm - Length of active part of brush: 3-5 cm 10. Plastic pipette with rubber bulb 1 pcs 11. Filter paper 12. Plastic spatula 13. Metal/wood "junior" hacksaw 14. Plumber wrench 15. Hammer (250 gr) with wooden handle, min 20 cm long 17. Carpenter's chisel (min 10 cm long) 17. Carpenter's chisel (min 10 cm long, active part 3 cm) 1 pcs				
- Drying/hardening time: up to 5 min - Operating temperature range: -15° C/ 0°C 7. Fixing spray (500 ml): - Colourless - Operation temperature range: -10° C/ +40°C - Drying/hardening time: up to 5 min 8. Talcum powder (300 g/bag) 2 bags 9. Pig hair brush: - Wooden handle - Length: 13-16 cm - Length of active part of brush: 3-5 cm 10. Plastic pipette with rubber bulb 1 pcs 11. Filter paper 5 sheets 12. Plastic spatula 1 pcs 13. Metal/wood "junior" hacksaw 1 pcs 14. Plumber wrench 1 pcs 15. Hammer (250 gr) with wooden handle, min 20 cm long 17. Carpenter's chisel (min 10 cm long) 1 pcs 17. Carpenter's chisel (min 10 cm long, active part 3 cm) 1 pcs				
- Operating temperature range: -15° C/ 0°C 7. Fixing spray (500 ml): - Colourless - Operation temperature range: -10° C/ +40°C - Drying/hardening time: up to 5 min 8. Talcum powder (300 g/bag) 9. Pig hair brush: - Wooden handle - Length: 13-16 cm - Length of active part of brush: 3-5 cm 10. Plastic pipette with rubber bulb 1 pcs 11. Filter paper 5 sheets 12. Plastic spatula 1 pcs 13. Metal/wood "junior" hacksaw 1 pcs 14. Plumber wrench 15. Hammer (250 gr) with wooden handle, min 20 cm long 16. Pincers (min 10 cm long) 17. Carpenter's chisel (min 10 cm long, active part 3 cm) 1 pcs	6.		I pcs	
7. Fixing spray (500 ml): - Colourless - Operation temperature range: -10° C/ +40°C - Drying/hardening time: up to 5 min 8. Talcum powder (300 g/bag) 9. Pig hair brush: - Wooden handle - Length: 13-16 cm - Length of active part of brush: 3-5 cm 10. Plastic pipette with rubber bulb 1 pcs 11. Filter paper 5 sheets 12. Plastic spatula 1 pcs 13. Metal/wood "junior" hacksaw 1 pcs 14. Plumber wrench 15. Hammer (250 gr) with wooden handle, min 20 cm long 16. Pincers (min 10 cm long) 17. Carpenter's chisel (min 10 cm long, active part 3 cm) 1 pcs				
- Colourless - Operation temperature range: -10° C/ +40°C - Drying/hardening time: up to 5 min 8. Talcum powder (300 g/bag) 2 bags 9. Pig hair brush: - Wooden handle - Length: 13-16 cm - Length of active part of brush: 3-5 cm 10. Plastic pipette with rubber bulb 1 pcs 11. Filter paper 5 sheets 12. Plastic spatula 1 pcs 13. Metal/wood "junior" hacksaw 1 pcs 14. Plumber wrench 1 pcs 15. Hammer (250 gr) with wooden handle, min 20 cm long 16. Pincers (min 10 cm long) 17. Carpenter's chisel (min 10 cm long, active part 3 cm) 1 pcs	_			
- Operation temperature range: -10° C/ +40°C - Drying/hardening time: up to 5 min 8. Talcum powder (300 g/bag) 9. Pig hair brush: - Wooden handle - Length: 13-16 cm - Length of active part of brush: 3-5 cm 10. Plastic pipette with rubber bulb 1 pcs 11. Filter paper 5 sheets 12. Plastic spatula 13. Metal/wood "junior" hacksaw 14. Plumber wrench 15. Hammer (250 gr) with wooden handle, min 20 cm long 16. Pincers (min 10 cm long) 17. Carpenter's chisel (min 10 cm long, active part 3 cm) 2 bags 2 bags 1 pcs	7.		1 pcs	
- Drying/hardening time: up to 5 min 8. Talcum powder (300 g/bag) 9. Pig hair brush: - Wooden handle - Length: 13-16 cm - Length of active part of brush: 3-5 cm 10. Plastic pipette with rubber bulb 1 pcs 11. Filter paper 5 sheets 12. Plastic spatula 1 pcs 13. Metal/wood "junior" hacksaw 1 pcs 14. Plumber wrench 1 pcs 15. Hammer (250 gr) with wooden handle, min 20 cm long 16. Pincers (min 10 cm long) 17. Carpenter's chisel (min 10 cm long, active part 3 cm) 1 pcs				
8. Talcum powder (300 g/bag) 9. Pig hair brush: - Wooden handle - Length: 13-16 cm - Length of active part of brush: 3-5 cm 10. Plastic pipette with rubber bulb 1 pcs 11. Filter paper 5 sheets 12. Plastic spatula 1 pcs 13. Metal/wood "junior" hacksaw 1 pcs 14. Plumber wrench 1 pcs 15. Hammer (250 gr) with wooden handle, min 20 cm long 16. Pincers (min 10 cm long) 17. Carpenter's chisel (min 10 cm long, active part 3 cm) 1 pcs				
9. Pig hair brush: - Wooden handle - Length: 13-16 cm - Length of active part of brush: 3-5 cm 10. Plastic pipette with rubber bulb 1 pcs 11. Filter paper 5 sheets 12. Plastic spatula 1 pcs 13. Metal/wood "junior" hacksaw 1 pcs 14. Plumber wrench 1 pcs 15. Hammer (250 gr) with wooden handle, min 20 cm long 16. Pincers (min 10 cm long) 17. Carpenter's chisel (min 10 cm long, active part 3 cm) 1 pcs				
- Wooden handle - Length: 13-16 cm - Length of active part of brush: 3-5 cm 10. Plastic pipette with rubber bulb 1 pcs 11. Filter paper 5 sheets 12. Plastic spatula 1 pcs 13. Metal/wood "junior" hacksaw 1 pcs 14. Plumber wrench 1 pcs 15. Hammer (250 gr) with wooden handle, min 20 cm long 16. Pincers (min 10 cm long) 17. Carpenter's chisel (min 10 cm long, active part 3 cm) 1 pcs				
- Length: 13-16 cm - Length of active part of brush: 3-5 cm 10. Plastic pipette with rubber bulb 1 pcs 11. Filter paper 5 sheets 12. Plastic spatula 1 pcs 13. Metal/wood "junior" hacksaw 1 pcs 14. Plumber wrench 1 pcs 15. Hammer (250 gr) with wooden handle, min 20 cm long 16. Pincers (min 10 cm long) 17. Carpenter's chisel (min 10 cm long, active part 3 cm) 1 pcs	9.		1 pcs	
- Length of active part of brush: 3-5 cm 10. Plastic pipette with rubber bulb 1 pcs 11. Filter paper 5 sheets 12. Plastic spatula 1 pcs 13. Metal/wood "junior" hacksaw 1 pcs 14. Plumber wrench 1 pcs 15. Hammer (250 gr) with wooden handle, min 20 cm long 16. Pincers (min 10 cm long) 17. Carpenter's chisel (min 10 cm long, active part 3 cm) 1 pcs				
10. Plastic pipette with rubber bulb 1 pcs 11. Filter paper 5 sheets 12. Plastic spatula 1 pcs 13. Metal/wood "junior" hacksaw 1 pcs 14. Plumber wrench 1 pcs 15. Hammer (250 gr) with wooden handle, min 20 cm long 16. Pincers (min 10 cm long) 17. Carpenter's chisel (min 10 cm long, active part 3 cm) 1 pcs				
11.Filter paper5 sheets12.Plastic spatula1 pcs13.Metal/wood "junior" hacksaw1 pcs14.Plumber wrench1 pcs15.Hammer (250 gr) with wooden handle, min 20 cm long1 pcs16.Pincers (min 10 cm long)1 pcs17.Carpenter's chisel (min 10 cm long, active part 3 cm)1 pcs				
12.Plastic spatula1 pcs13.Metal/wood "junior" hacksaw1 pcs14.Plumber wrench1 pcs15.Hammer (250 gr) with wooden handle, min 20 cm long1 pcs16.Pincers (min 10 cm long)1 pcs17.Carpenter's chisel (min 10 cm long, active part 3 cm)1 pcs	10.	Plastic pipette with rubber bulb	1 pcs	
13. Metal/wood "junior" hacksaw 14. Plumber wrench 15. Hammer (250 gr) with wooden handle, min 20 cm long 16. Pincers (min 10 cm long) 17. Carpenter's chisel (min 10 cm long, active part 3 cm) 1 pcs 1 pcs	11.	Filter paper	5 sheets	
13. Metal/wood "junior" hacksaw 1 pcs 14. Plumber wrench 15. Hammer (250 gr) with wooden handle, min 20 cm long 16. Pincers (min 10 cm long) 17. Carpenter's chisel (min 10 cm long, active part 3 cm) 1 pcs 1 pcs	12.	Plastic spatula	1 pcs	
14.Plumber wrench1 pcs15.Hammer (250 gr) with wooden handle, min 20 cm long1 pcs16.Pincers (min 10 cm long)1 pcs17.Carpenter's chisel (min 10 cm long, active part 3 cm)1 pcs	13.	•		
15. Hammer (250 gr) with wooden handle, min 20 cm long 1 pcs 16. Pincers (min 10 cm long) 1 pcs 17. Carpenter's chisel (min 10 cm long, active part 3 cm) 1 pcs				
16. Pincers (min 10 cm long) 1 pcs 17. Carpenter`s chisel (min 10 cm long, active part 3 cm) 1 pcs			· · · · · · · · · · · · · · · · · · ·	
17. Carpenter's chisel (min 10 cm long, active part 3 cm) 1 pcs			· ·	
18. Metal scissors (20 cm long)	18.	Metal scissors (20 cm long)	1 pcs	

19.	Metal tweezers (10-17 cm long):	1 pcs of	
	- Straight edge	each type	
	- Curved-point		
20.	Metal Kocher forceps (straight) (10-17 cm long)	1 pcs	
21.	Universal multi-tool with standard sheath (similar to Leatherman	1 pcs	
	Wave Multi-tool)	-	
22.	Silicone spray (500 ml), colourless	1 pcs	
Item 5	MICRO-PARTICLE EVIDENCE KIT	Quantity	8 pcs
1.	Case (as required above in Section General B)	1 pcs	
2.	Transparent lifting tape:	1 pcs for	
	- Length: min 9 m	each	
	- Width: min 3.5 cm, 5.5 cm, 10 cm	dimension	
3.	Waxed paper (A4), min 20 sheets per set	3 sets	
4.	Portable vacuum cleaner:	1 set	
	- Rechargeable battery		
	- Battery life (fully charged) – min 2 hours		
	- Power supply: 210-240 V AC		
	- Filter assembly		
	- Disposable polyester micro-filters – 100 pcs		
	- Lockable plastic case		
Item 6	CRIME LIGHT KIT (similar to Crime Lite 82S)	Quantity	3 pcs
1.	Case (as offered by the manufacturer for the configuration of the	1 pcs	
	crime light kit requested below)		
2.	Light sources:	1 pcs of	
	- 16 (4x4) light-emitting diodes	each	
	- Forced air cooling with built-in protection against		
	overheating		
	- Rechargeable batteries		
	- Battery life (fully charged) – up to 3 hours		
	- Power supply 210-240 V AC		
	- Removable hook on the strap and hand strap		
	- Wavelengths:		
	White 400-700 nm		
	 UV 350-380 nm, including protection glasses (UV 100% 		
	protection, 1% transmission coefficient at 406 nm)		
	• Violet 395-425 nm;		
	 Blue 420-470 nm; 		
	 Combined Green-Blue 450-510 nm; 		
	• Green 490-560 nm;		
	 Orange 570-610 nm; 		
	• Red 600-650 nm		
3.	Antiglare viewing goggles:	1 pcs of	
	- Schott GG455, wavelength 435 nm;	each	
	- Schott GG495 wavelength 476 nm;		
	- Schott OG550, wavelength 529 nm;		
	- Schott OG590, wavelength 571 nm;		
	- Schott RG 645, wavelength 624 nm;		
	- Additional coating to suppress auto-fluorescent emissions		
	from the Schott glass itself		
4.	Antiglare camera filters with dichroic film (62 mm):	1 pcs of	
	- Schott GG455 wavelength 435 nm;	each	
	- Schott GG495 wavelength 408 and 476 nm;		
	- Schott OG550 wavelength 529 and 624nm;		
	- Schott OG590 wavelength 571 nm		
	- Additional coating to suppress auto-fluorescent emissions		
	from the Schott glass itself		
5.	Accessories:	1 set	
	- Carrying bag for filters – 1 pcs		
	- Rechargeable batteries – 3 pcs		
	- Battery charger – 1 pcs	I	

	Adapter for betteries 1		
	- Adapter for batteries – 1		
	 AC adapter for light source – 1 pcs 530nm and 550nm antiglare light filters for a photo camera 		
	lens – 1 set		
	- Tripod – 1 pcs		
Item 7	- User guide/manual (preferably in Romanian or Russian) ELECTROSTATIC DUST PRINT LIFTER KIT (similar to Sirchie	Overetite:	0
item /	ESP900)	Quantity	8 pcs
1.	- Electrostatic Voltage Control – 1 pcs	1 set	
	- Ground Plane, nickel-plated steel (10.2cm x 15.2cm) – 1 pcs		
	- Ground Plane Polycarbonate Insulating Sheet (12.7cm x		
	17.8cm) – 1 pcs		
	- Insulated Roller – 1 pcs		
	- 9V Alkaline Battery – 2 pcs		
	- Metalized Lifting Mats in Protective Tube – 1 set of 5 pcs		
	- Lifting Mats 2'x3' – 2 sets of 10 pcs each		
	- Lifting Material 12" x 25' roll – 2 pcs		
	,		
	- Carrying case		
t 0	- User guide/manual BULLET TRAJECTORY KIT	Overetite:	2
tem 8 1.	High impact carrying case with foam inserts	Quantity 1 pcs	3 pcs
2.	Ballistic angle finder with a tripod mount and possibility to attach	1 pcs	
۷.	laser pointers	i pcs	
3.	Ballistic laser pointer (red), class Illa with 3 batteries	1 set	
		1 set	
<u>4.</u> 5.	Laser pointer (green), 532 nm, 2000 mW, 5 spare heads, 2 batteries		
Э.	Bullet penetration rods:	1 set	
	- One pointed end and one female threaded end		
	- Diameter 1: 5 mm – 4 pcs		
	- Diameter 2: 7.5-8 mm – 4 pcs		
	- Length: 45 cm		
6.	Multi-coloured rods:	1 set	
	- Male and female threaded ends		
	- Green – 3 pcs		
	- Red – 3 pcs		
	- Yellow – 3 pcs		
	- Diameter 1: 5 mm – 9 pcs (by 3 of each colour)		
	- Diameter 2: 7.5-8 mm – 9 pcs (by 3 of each colour)		
	- Length: 45 cm		
7.	Rod connectors	4 pcs	
8.	Laser connectors	8 pcs	
9.	Stringing tips	4 pcs	
10.	Bullet tips	4 pcs	
11.	Centring cones	8 pcs	
12.	Rubber O-rings	8 pcs	
13.	Universal tripod mount	1 pcs	
14.	Photo laser smoke	2 pcs	·
15.	Photographic-type tripod (height - min 120 cm)	1 pcs	
16.	Colored trajectory string (orange) (100 m)	1 pcs	
ltem 9	BIOLOGICAL TRACES/PARTICLES KIT	Quantity	8 pcs
1.	Case (as required above in Section General B)	1 pcs	
2.	Unpowdered sterile medical gloves (sizes M and L)	10 pairs of	
		each size	
3.	Forensic sterile cotton swab with plastic tip protector	10 pcs	
4.	Cardboard box, adapted to the dimensions of the swab to	10 pcs	
	individually store and transport the collected samples		
	DNA controlled absorbent cotton tipped swab	50 pcs	·
5.			
5. 6.	Surgical scalpel handle (metal)	1 pcs	
	Surgical scalpel handle (metal) Disposable sterile scalpel blades (packed separately) compatible with surgical scalpel handle	1 pcs 10 pcs	

		1 45 1	
8.	Sterile syringes with needles, 5 ml	15 pcs	
9.	Sterile gauze pads (10x10 cm) (5 pcs per pack)	5 packs	
10.	Sterile water (10 ml)	1 pcs	
11.	Solution for sterilization of instruments (100 ml) and container:	1 pcs	
	- 90 ml of 10% sodium hypochlorite solution		
	- 10 ml of 98% ethanol		
12.	Evidence envelopes with printed text (see Annex to Technical	20 pcs of	
	Specifications):	each	
	- White transparent paper	dimension	
	· · · ·	diffictision	
	- Dimensions:		
	• 9 x 17 cm		
	• 16 x 23 cm		
	• 10 x 15 cm		
13.	Paper bags (80 x 100 cm) with printed text (see Annex to Technical	10 pcs	
	Specifications)	'	
14.	Writable stickers	20 pcs	
15.	Sterile cotton swabs	50 pcs	
16.	Disposable plastic tweezers	10 pcs	
			0
Item 10	CRIME SCENE SKETCH KIT	Quantity	8 pcs
1.	Pad of Graph Paper (50 Sheets)	1 set	
2.	Plastic ruler (30 cm)	1 pcs	
3.	Clutch/mechanical sketch pencil	1 pcs	
4.	Traffic Template	1 pcs	
5.	Lavatory Planning Template	1 pcs	
6.	House Furnishings Template	1 pcs	
7.	Store Layout Template	1 pcs	
8.	Office Plan Template	1 pcs	
9.	Universal Compass	1 pcs	
	•	1 pcs	
10.	Metal measuring tape (15 m)		
11.	Set of Professional Drawing Instruments	1 pcs	
11. 12.	Set of Professional Drawing Instruments Triangle ruler (30°/60°/90°) (transparent plastic)	1 pcs 1 pcs	
11. 12. 13.	Set of Professional Drawing Instruments Triangle ruler (30°/60°/90°) (transparent plastic) Triangle ruler (45°/45°/90°) (transparent plastic)	1 pcs 1 pcs 1 pcs	
11. 12. 13. 14.	Set of Professional Drawing Instruments Triangle ruler (30°/60°/90°) (transparent plastic) Triangle ruler (45°/45°/90°) (transparent plastic) Sketching and Detail Drawing of the Crime Scene Booklet	1 pcs 1 pcs 1 pcs 1 pcs	
11. 12. 13. 14. 15.	Set of Professional Drawing Instruments Triangle ruler (30°/60°/90°) (transparent plastic) Triangle ruler (45°/45°/90°) (transparent plastic) Sketching and Detail Drawing of the Crime Scene Booklet Carrying case with handle	1 pcs 1 pcs 1 pcs 1 pcs 1 pcs	
11. 12. 13. 14.	Set of Professional Drawing Instruments Triangle ruler (30°/60°/90°) (transparent plastic) Triangle ruler (45°/45°/90°) (transparent plastic) Sketching and Detail Drawing of the Crime Scene Booklet	1 pcs 1 pcs 1 pcs 1 pcs	1 pcs
11. 12. 13. 14. 15.	Set of Professional Drawing Instruments Triangle ruler (30°/60°/90°) (transparent plastic) Triangle ruler (45°/45°/90°) (transparent plastic) Sketching and Detail Drawing of the Crime Scene Booklet Carrying case with handle	1 pcs 1 pcs 1 pcs 1 pcs 1 pcs	1 pcs
11. 12. 13. 14. 15. Item 11	Set of Professional Drawing Instruments Triangle ruler (30°/60°/90°) (transparent plastic) Triangle ruler (45°/45°/90°) (transparent plastic) Sketching and Detail Drawing of the Crime Scene Booklet Carrying case with handle PORTABLE CYANOACRYLATE FUMING SYSTEM - Fuming area (100 m³)	1 pcs 1 pcs 1 pcs 1 pcs 1 pcs 1 pcs Quantity	1 pcs
11. 12. 13. 14. 15. Item 11	Set of Professional Drawing Instruments Triangle ruler (30°/60°/90°) (transparent plastic) Triangle ruler (45°/45°/90°) (transparent plastic) Sketching and Detail Drawing of the Crime Scene Booklet Carrying case with handle PORTABLE CYANOACRYLATE FUMING SYSTEM - Fuming area (100 m³) - Power supply: 210-240 V AC	1 pcs 1 pcs 1 pcs 1 pcs 1 pcs 1 pcs Quantity 1 pcs	1 pcs
11. 12. 13. 14. 15. Item 11 1.	Set of Professional Drawing Instruments Triangle ruler (30°/60°/90°) (transparent plastic) Triangle ruler (45°/45°/90°) (transparent plastic) Sketching and Detail Drawing of the Crime Scene Booklet Carrying case with handle PORTABLE CYANOACRYLATE FUMING SYSTEM - Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW)	1 pcs 1 pcs 1 pcs 1 pcs 1 pcs 1 pcs Quantity 1 pcs	1 pcs
11. 12. 13. 14. 15. Item 11 1.	Set of Professional Drawing Instruments Triangle ruler (30°/60°/90°) (transparent plastic) Triangle ruler (45°/45°/90°) (transparent plastic) Sketching and Detail Drawing of the Crime Scene Booklet Carrying case with handle PORTABLE CYANOACRYLATE FUMING SYSTEM - Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW) Cyanoacrylate evaporator with dispersing fan	1 pcs 2 pcs	1 pcs
11. 12. 13. 14. 15. Item 11 1. 2. 3. 4.	Set of Professional Drawing Instruments Triangle ruler (30°/60°/90°) (transparent plastic) Triangle ruler (45°/45°/90°) (transparent plastic) Sketching and Detail Drawing of the Crime Scene Booklet Carrying case with handle PORTABLE CYANOACRYLATE FUMING SYSTEM - Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW) Cyanoacrylate evaporator with dispersing fan Cyanoacrylate (25 g/bottle)	1 pcs 2 pcs 40 pcs	1 pcs
11. 12. 13. 14. 15. Item 11 1. 2. 3. 4. 5.	Set of Professional Drawing Instruments Triangle ruler (30°/60°/90°) (transparent plastic) Triangle ruler (45°/45°/90°) (transparent plastic) Sketching and Detail Drawing of the Crime Scene Booklet Carrying case with handle PORTABLE CYANOACRYLATE FUMING SYSTEM - Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW) Cyanoacrylate evaporator with dispersing fan Cyanoacrylate (25 g/bottle) Activated carbon filter unit (with 2 filters) (min 50 cleaning cycles)	1 pcs 2 pcs 40 pcs 1 pcs	1 pcs
11. 12. 13. 14. 15. Item 11 1. 2. 3. 4. 5. 6.	Set of Professional Drawing Instruments Triangle ruler (30°/60°/90°) (transparent plastic) Triangle ruler (45°/45°/90°) (transparent plastic) Sketching and Detail Drawing of the Crime Scene Booklet Carrying case with handle PORTABLE CYANOACRYLATE FUMING SYSTEM - Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW) Cyanoacrylate evaporator with dispersing fan Cyanoacrylate (25 g/bottle) Activated carbon filter unit (with 2 filters) (min 50 cleaning cycles) Thermometer (°C)	1 pcs 2 pcs 40 pcs 1 pcs 1 pcs	1 pcs
11. 12. 13. 14. 15. Item 11 1. 2. 3. 4. 5.	Set of Professional Drawing Instruments Triangle ruler (30°/60°/90°) (transparent plastic) Triangle ruler (45°/45°/90°) (transparent plastic) Sketching and Detail Drawing of the Crime Scene Booklet Carrying case with handle PORTABLE CYANOACRYLATE FUMING SYSTEM - Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW) Cyanoacrylate evaporator with dispersing fan Cyanoacrylate (25 g/bottle) Activated carbon filter unit (with 2 filters) (min 50 cleaning cycles)	1 pcs 2 pcs 40 pcs 1 pcs 1 pcs 1 pcs	1 pcs
11. 12. 13. 14. 15. Item 11 1. 2. 3. 4. 5. 6.	Set of Professional Drawing Instruments Triangle ruler (30°/60°/90°) (transparent plastic) Triangle ruler (45°/45°/90°) (transparent plastic) Sketching and Detail Drawing of the Crime Scene Booklet Carrying case with handle PORTABLE CYANOACRYLATE FUMING SYSTEM - Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW) Cyanoacrylate evaporator with dispersing fan Cyanoacrylate (25 g/bottle) Activated carbon filter unit (with 2 filters) (min 50 cleaning cycles) Thermometer (°C)	1 pcs 2 pcs 40 pcs 1 pcs 1 pcs 1 pcs 1 pcs	1 pcs
11. 12. 13. 14. 15. Item 11 1. 2. 3. 4. 5. 6. 7.	Set of Professional Drawing Instruments Triangle ruler (30°/60°/90°) (transparent plastic) Triangle ruler (45°/45°/90°) (transparent plastic) Sketching and Detail Drawing of the Crime Scene Booklet Carrying case with handle PORTABLE CYANOACRYLATE FUMING SYSTEM - Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW) Cyanoacrylate evaporator with dispersing fan Cyanoacrylate (25 g/bottle) Activated carbon filter unit (with 2 filters) (min 50 cleaning cycles) Thermometer (°C) Fingerprint lifters (size: 5 x 10 cm and 10 x 15 cm)	1 pcs 2 pcs 40 pcs 1 pcs 1 pcs 1 pcs 1 pcs 40 pcs 1 pcs 1 pcs 1 pcs 1 pcs 1 pcs	1 pcs
11. 12. 13. 14. 15. Item 11 1. 2. 3. 4. 5. 6. 7.	Set of Professional Drawing Instruments Triangle ruler (30°/60°/90°) (transparent plastic) Triangle ruler (45°/45°/90°) (transparent plastic) Sketching and Detail Drawing of the Crime Scene Booklet Carrying case with handle PORTABLE CYANOACRYLATE FUMING SYSTEM - Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW) Cyanoacrylate evaporator with dispersing fan Cyanoacrylate (25 g/bottle) Activated carbon filter unit (with 2 filters) (min 50 cleaning cycles) Thermometer (°C) Fingerprint lifters (size: 5 x 10 cm and 10 x 15 cm)	1 pcs 2 pcs 40 pcs 1 pcs 1 pcs 1 pcs 2 pcs 40 pcs 1 pcs 1 pcs 2 pcs 40 pcs 1 pcs 1 pcs 2 pcs 2 pcs 40 pcs 1 pcs	1 pcs
11. 12. 13. 14. 15. Item 11 1. 2. 3. 4. 5. 6. 7.	Set of Professional Drawing Instruments Triangle ruler (30°/60°/90°) (transparent plastic) Triangle ruler (45°/45°/90°) (transparent plastic) Sketching and Detail Drawing of the Crime Scene Booklet Carrying case with handle PORTABLE CYANOACRYLATE FUMING SYSTEM - Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW) Cyanoacrylate evaporator with dispersing fan Cyanoacrylate (25 g/bottle) Activated carbon filter unit (with 2 filters) (min 50 cleaning cycles) Thermometer (°C) Fingerprint lifters (size: 5 x 10 cm and 10 x 15 cm) Face mask with carbon filter Spare carbon filter for face mask	1 pcs 2 pcs 40 pcs 1 pcs 1 pcs 2 pcs 40 pcs 1 pcs 2 pcs 40 pcs 1 pcs 1 pcs 1 pcs 1 pcs 2 pcs 40 pcs 1	1 pcs
11. 12. 13. 14. 15. Item 11 1. 2. 3. 4. 5. 6. 7.	Set of Professional Drawing Instruments Triangle ruler (30°/60°/90°) (transparent plastic) Triangle ruler (45°/45°/90°) (transparent plastic) Sketching and Detail Drawing of the Crime Scene Booklet Carrying case with handle PORTABLE CYANOACRYLATE FUMING SYSTEM - Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW) Cyanoacrylate evaporator with dispersing fan Cyanoacrylate (25 g/bottle) Activated carbon filter unit (with 2 filters) (min 50 cleaning cycles) Thermometer (°C) Fingerprint lifters (size: 5 x 10 cm and 10 x 15 cm) Face mask with carbon filter Spare carbon filter for face mask Power supply cable 210-240 V AC (min 10 m)	1 pcs 2 pcs 40 pcs 1 pcs 1 pcs 1 pcs 2 pcs 40 pcs 1 pcs 1 pcs 2 pcs 40 pcs 1 pcs 1 pcs 2 pcs 2 pcs 40 pcs 1 pcs	1 pcs
11. 12. 13. 14. 15. Item 11 1. 2. 3. 4. 5. 6. 7.	Set of Professional Drawing Instruments Triangle ruler (30°/60°/90°) (transparent plastic) Triangle ruler (45°/45°/90°) (transparent plastic) Sketching and Detail Drawing of the Crime Scene Booklet Carrying case with handle PORTABLE CYANOACRYLATE FUMING SYSTEM - Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW) Cyanoacrylate evaporator with dispersing fan Cyanoacrylate (25 g/bottle) Activated carbon filter unit (with 2 filters) (min 50 cleaning cycles) Thermometer (°C) Fingerprint lifters (size: 5 x 10 cm and 10 x 15 cm) Face mask with carbon filter Spare carbon filter for face mask	1 pcs 2 pcs 40 pcs 1 pcs 1 pcs 2 pcs 40 pcs 1 pcs 2 pcs 40 pcs 1 pcs 1 pcs 1 pcs 1 pcs 2 pcs 40 pcs 1	1 pcs
11. 12. 13. 14. 15. Item 11 1. 2. 3. 4. 5. 6. 7.	Set of Professional Drawing Instruments Triangle ruler (30°/60°/90°) (transparent plastic) Triangle ruler (45°/45°/90°) (transparent plastic) Sketching and Detail Drawing of the Crime Scene Booklet Carrying case with handle PORTABLE CYANOACRYLATE FUMING SYSTEM - Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW) Cyanoacrylate evaporator with dispersing fan Cyanoacrylate (25 g/bottle) Activated carbon filter unit (with 2 filters) (min 50 cleaning cycles) Thermometer (°C) Fingerprint lifters (size: 5 x 10 cm and 10 x 15 cm) Face mask with carbon filter Spare carbon filter for face mask Power supply cable 210-240 V AC (min 10 m) Storage cases for the system`s subassemblies	1 pcs 2 pcs 40 pcs 1 pcs 1 pcs 2 pcs 40 pcs 1 pcs	1 pcs
11. 12. 13. 14. 15. Item 11 1. 2. 3. 4. 5. 6. 7.	Set of Professional Drawing Instruments Triangle ruler (30°/60°/90°) (transparent plastic) Triangle ruler (45°/45°/90°) (transparent plastic) Sketching and Detail Drawing of the Crime Scene Booklet Carrying case with handle PORTABLE CYANOACRYLATE FUMING SYSTEM - Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW) Cyanoacrylate evaporator with dispersing fan Cyanoacrylate (25 g/bottle) Activated carbon filter unit (with 2 filters) (min 50 cleaning cycles) Thermometer (°C) Fingerprint lifters (size: 5 x 10 cm and 10 x 15 cm) Face mask with carbon filter Spare carbon filter for face mask Power supply cable 210-240 V AC (min 10 m) Storage cases for the system`s subassemblies Fuming tent:	1 pcs 2 pcs 40 pcs 1 pcs 1 pcs 2 pcs 40 pcs 1 pcs 2 pcs 40 pcs 1 pcs	1 pcs
11. 12. 13. 14. 15. Item 11 1. 2. 3. 4. 5. 6. 7.	Set of Professional Drawing Instruments Triangle ruler (30°/60°/90°) (transparent plastic) Triangle ruler (45°/45°/90°) (transparent plastic) Sketching and Detail Drawing of the Crime Scene Booklet Carrying case with handle PORTABLE CYANOACRYLATE FUMING SYSTEM - Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW) Cyanoacrylate evaporator with dispersing fan Cyanoacrylate (25 g/bottle) Activated carbon filter unit (with 2 filters) (min 50 cleaning cycles) Thermometer (°C) Fingerprint lifters (size: 5 x 10 cm and 10 x 15 cm) Face mask with carbon filter Spare carbon filter for face mask Power supply cable 210-240 V AC (min 10 m) Storage cases for the system's subassemblies Fuming tent: - Heavy duty	1 pcs 2 pcs 40 pcs 1 pcs 1 pcs 2 pcs 40 pcs 1 pcs	1 pcs
11. 12. 13. 14. 15. Item 11 1. 2. 3. 4. 5. 6. 7.	Set of Professional Drawing Instruments Triangle ruler (30°/60°/90°) (transparent plastic) Triangle ruler (45°/45°/90°) (transparent plastic) Sketching and Detail Drawing of the Crime Scene Booklet Carrying case with handle PORTABLE CYANOACRYLATE FUMING SYSTEM - Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW) Cyanoacrylate evaporator with dispersing fan Cyanoacrylate (25 g/bottle) Activated carbon filter unit (with 2 filters) (min 50 cleaning cycles) Thermometer (°C) Fingerprint lifters (size: 5 x 10 cm and 10 x 15 cm) Face mask with carbon filter Spare carbon filter for face mask Power supply cable 210-240 V AC (min 10 m) Storage cases for the system`s subassemblies Fuming tent: - Heavy duty - Waterproof	1 pcs 2 pcs 40 pcs 1 pcs 1 pcs 2 pcs 40 pcs 1 pcs	1 pcs
11. 12. 13. 14. 15. Item 11 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	Set of Professional Drawing Instruments Triangle ruler (30°/60°/90°) (transparent plastic) Triangle ruler (45°/45°/90°) (transparent plastic) Sketching and Detail Drawing of the Crime Scene Booklet Carrying case with handle PORTABLE CYANOACRYLATE FUMING SYSTEM - Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW) Cyanoacrylate evaporator with dispersing fan Cyanoacrylate (25 g/bottle) Activated carbon filter unit (with 2 filters) (min 50 cleaning cycles) Thermometer (°C) Fingerprint lifters (size: 5 x 10 cm and 10 x 15 cm) Face mask with carbon filter Spare carbon filter for face mask Power supply cable 210-240 V AC (min 10 m) Storage cases for the system`s subassemblies Fuming tent: - Heavy duty - Waterproof - Dimensions (WxLxH): 6 m x 3 m x 2 m	1 pcs 2 pcs 40 pcs 1 pcs	1 pcs
11. 12. 13. 14. 15. Item 11 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	Set of Professional Drawing Instruments Triangle ruler (30°/60°/90°) (transparent plastic) Triangle ruler (45°/45°/90°) (transparent plastic) Sketching and Detail Drawing of the Crime Scene Booklet Carrying case with handle PORTABLE CYANOACRYLATE FUMING SYSTEM - Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW) Cyanoacrylate evaporator with dispersing fan Cyanoacrylate (25 g/bottle) Activated carbon filter unit (with 2 filters) (min 50 cleaning cycles) Thermometer (°C) Fingerprint lifters (size: 5 x 10 cm and 10 x 15 cm) Face mask with carbon filter Spare carbon filter for face mask Power supply cable 210-240 V AC (min 10 m) Storage cases for the system's subassemblies Fuming tent: - Heavy duty - Waterproof - Dimensions (WxLxH): 6 m x 3 m x 2 m Medical gloves (size L) (100 pcs)	1 pcs 2 pcs 40 pcs 1 pcs	1 pcs
11. 12. 13. 14. 15. Item 11 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	Set of Professional Drawing Instruments Triangle ruler (30°/60°/90°) (transparent plastic) Triangle ruler (45°/45°/90°) (transparent plastic) Sketching and Detail Drawing of the Crime Scene Booklet Carrying case with handle PORTABLE CYANOACRYLATE FUMING SYSTEM - Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW) Cyanoacrylate evaporator with dispersing fan Cyanoacrylate (25 g/bottle) Activated carbon filter unit (with 2 filters) (min 50 cleaning cycles) Thermometer (°C) Fingerprint lifters (size: 5 x 10 cm and 10 x 15 cm) Face mask with carbon filter Spare carbon filter for face mask Power supply cable 210-240 V AC (min 10 m) Storage cases for the system`s subassemblies Fuming tent: - Heavy duty - Waterproof - Dimensions (WxLxH): 6 m x 3 m x 2 m Medical gloves (size L) (100 pcs) User guide/manual (preferably in Romanian or Russian)	1 pcs 2 pcs 40 pcs 1 pcs	
11. 12. 13. 14. 15. Item 11 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	Set of Professional Drawing Instruments Triangle ruler (30°/60°/90°) (transparent plastic) Triangle ruler (45°/45°/90°) (transparent plastic) Sketching and Detail Drawing of the Crime Scene Booklet Carrying case with handle PORTABLE CYANOACRYLATE FUMING SYSTEM - Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW) Cyanoacrylate evaporator with dispersing fan Cyanoacrylate (25 g/bottle) Activated carbon filter unit (with 2 filters) (min 50 cleaning cycles) Thermometer (°C) Fingerprint lifters (size: 5 x 10 cm and 10 x 15 cm) Face mask with carbon filter Spare carbon filter for face mask Power supply cable 210-240 V AC (min 10 m) Storage cases for the system's subassemblies Fuming tent: - Heavy duty - Waterproof - Dimensions (WxLxH): 6 m x 3 m x 2 m Medical gloves (size L) (100 pcs) User guide/manual (preferably in Romanian or Russian) DIGITAL MEASURING WHEEL	1 pcs 2 pcs 40 pcs 1 pcs	1 pcs
11. 12. 13. 14. 15. Item 11 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	Set of Professional Drawing Instruments Triangle ruler (30°/60°/90°) (transparent plastic) Triangle ruler (45°/45°/90°) (transparent plastic) Sketching and Detail Drawing of the Crime Scene Booklet Carrying case with handle PORTABLE CYANOACRYLATE FUMING SYSTEM - Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW) Cyanoacrylate evaporator with dispersing fan Cyanoacrylate (25 g/bottle) Activated carbon filter unit (with 2 filters) (min 50 cleaning cycles) Thermometer (°C) Fingerprint lifters (size: 5 x 10 cm and 10 x 15 cm) Face mask with carbon filter Spare carbon filter for face mask Power supply cable 210-240 V AC (min 10 m) Storage cases for the system`s subassemblies Fuming tent: - Heavy duty - Waterproof - Dimensions (WxLxH): 6 m x 3 m x 2 m Medical gloves (size L) (100 pcs) User guide/manual (preferably in Romanian or Russian)	1 pcs 2 pcs 40 pcs 1 pcs	
11. 12. 13. 14. 15. Item 11 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	Set of Professional Drawing Instruments Triangle ruler (30°/60°/90°) (transparent plastic) Triangle ruler (45°/45°/90°) (transparent plastic) Sketching and Detail Drawing of the Crime Scene Booklet Carrying case with handle PORTABLE CYANOACRYLATE FUMING SYSTEM - Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW) Cyanoacrylate evaporator with dispersing fan Cyanoacrylate (25 g/bottle) Activated carbon filter unit (with 2 filters) (min 50 cleaning cycles) Thermometer (°C) Fingerprint lifters (size: 5 x 10 cm and 10 x 15 cm) Face mask with carbon filter Spare carbon filter for face mask Power supply cable 210-240 V AC (min 10 m) Storage cases for the system's subassemblies Fuming tent: - Heavy duty - Waterproof - Dimensions (WxLxH): 6 m x 3 m x 2 m Medical gloves (size L) (100 pcs) User guide/manual (preferably in Romanian or Russian) DIGITAL MEASURING WHEEL	1 pcs 2 pcs 40 pcs 1 pcs	
11. 12. 13. 14. 15. Item 11 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	Set of Professional Drawing Instruments Triangle ruler (30°/60°/90°) (transparent plastic) Triangle ruler (45°/45°/90°) (transparent plastic) Sketching and Detail Drawing of the Crime Scene Booklet Carrying case with handle PORTABLE CYANOACRYLATE FUMING SYSTEM - Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW) Cyanoacrylate evaporator with dispersing fan Cyanoacrylate (25 g/bottle) Activated carbon filter unit (with 2 filters) (min 50 cleaning cycles) Thermometer (°C) Fingerprint lifters (size: 5 x 10 cm and 10 x 15 cm) Face mask with carbon filter Spare carbon filter for face mask Power supply cable 210-240 V AC (min 10 m) Storage cases for the system's subassemblies Fuming tent: - Heavy duty - Waterproof - Dimensions (WxLxH): 6 m x 3 m x 2 m Medical gloves (size L) (100 pcs) User guide/manual (preferably in Romanian or Russian) DIGITAL MEASURING WHEEL - Backlit LCD display	1 pcs 2 pcs 40 pcs 1 pcs	
11. 12. 13. 14. 15. Item 11 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	Set of Professional Drawing Instruments Triangle ruler (30°/60°/90°) (transparent plastic) Triangle ruler (45°/45°/90°) (transparent plastic) Sketching and Detail Drawing of the Crime Scene Booklet Carrying case with handle PORTABLE CYANOACRYLATE FUMING SYSTEM - Fuming area (100 m³) - Power supply: 210-240 V AC Humidifier (min 2.3 kW) Cyanoacrylate evaporator with dispersing fan Cyanoacrylate (25 g/bottle) Activated carbon filter unit (with 2 filters) (min 50 cleaning cycles) Thermometer (°C) Fingerprint lifters (size: 5 x 10 cm and 10 x 15 cm) Face mask with carbon filter Spare carbon filter for face mask Power supply cable 210-240 V AC (min 10 m) Storage cases for the system's subassemblies Fuming tent: - Heavy duty - Waterproof - Dimensions (WxLxH): 6 m x 3 m x 2 m Medical gloves (size L) (100 pcs) User guide/manual (preferably in Romanian or Russian) DIGITAL MEASURING WHEEL - Backlit LCD display - Metric counter (meter, centimetre, millimetre) up to 9999.99	1 pcs 2 pcs 40 pcs 1 pcs	

	Mh a d alice conference 1 as		
	- Wheel circumference: 1 m		
	- Power: 2 AA batteries		
	- Memorize last 5 measurements		
	- Metal frame		
	- Foldable/collapsible handle		
1	- Carrying case		
Item 13	METAL DETECTION SET	Quantity	3 pcs
1.	Metal detector sweeper:	1 pcs	
	- Graphic target ID cursor		
	- Accept/reject discrimination		
	- Target ID legend		
	- Depth indicator		
	- Sensitivity adjustments (min 8 levels)		
	- Audio tone ID levels (min 3)		
	- Electronic pinpointing		
	- Frequency: 6.5 kHz		
	- LCD display		
	- Adjustable arm cuff with strap		
	- Headphone jack		
	- Submersible search coil		
	- Rechargeable battery pack		
	- Battery life (fully charged): min 24 hours		
	- Length: 1.00-1.30 m		
	- Weight: up to 1.5 kg		
	- Operating temperature range: -15° C/ +40°C		
2.	Stereo headphones	1 pcs	
3.	Search coil cover (suitable to the proposed model)	1 pcs	
4.	Carrying case/bag	1 pcs	
Item 14	MAGNETIC RAKE	Quantity	3 pcs
	- Telescopic handle (up to 120 cm in unfolded position)		
	- Rotative head		
	- Width of head: 45 cm		
Itama 15	Width of head: 45 cmNumber of spikes: 20	Overstitus	3 2 2 2
Item 15	 Width of head: 45 cm Number of spikes: 20 STEREOMICROSCOPE	Quantity	3 pcs
Item 15	 Width of head: 45 cm Number of spikes: 20 STEREOMICROSCOPE Illumination: white LED or halogen 20W with light intensity 	Quantity 1 set	3 pcs
	 Width of head: 45 cm Number of spikes: 20 STEREOMICROSCOPE Illumination: white LED or halogen 20W with light intensity control 		3 pcs
	 Width of head: 45 cm Number of spikes: 20 STEREOMICROSCOPE Illumination: white LED or halogen 20W with light intensity control Head: trinocular inclined 45° and 360° rotatable 		3 pcs
	 Width of head: 45 cm Number of spikes: 20 STEREOMICROSCOPE Illumination: white LED or halogen 20W with light intensity control Head: trinocular inclined 45° and 360° rotatable Eyepieces: WF10x/20mm (standard) 		3 pcs
	 Width of head: 45 cm Number of spikes: 20 STEREOMICROSCOPE Illumination: white LED or halogen 20W with light intensity control Head: trinocular inclined 45° and 360° rotatable Eyepieces: WF10x/20mm (standard) Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 		3 pcs
	 Width of head: 45 cm Number of spikes: 20 STEREOMICROSCOPE Illumination: white LED or halogen 20W with light intensity control Head: trinocular inclined 45° and 360° rotatable Eyepieces: WF10x/20mm (standard) Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) 		3 pcs
	 Width of head: 45 cm Number of spikes: 20 STEREOMICROSCOPE Illumination: white LED or halogen 20W with light intensity control Head: trinocular inclined 45° and 360° rotatable Eyepieces: WF10x/20mm (standard) Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) Stereo zoom: 0.7x – 4.5x 		3 pcs
	 Width of head: 45 cm Number of spikes: 20 STEREOMICROSCOPE Illumination: white LED or halogen 20W with light intensity control Head: trinocular inclined 45° and 360° rotatable Eyepieces: WF10x/20mm (standard) Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) Stereo zoom: 0.7x – 4.5x Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 		3 pcs
	 Width of head: 45 cm Number of spikes: 20 STEREOMICROSCOPE Illumination: white LED or halogen 20W with light intensity control Head: trinocular inclined 45° and 360° rotatable Eyepieces: WF10x/20mm (standard) Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) Stereo zoom: 0.7x – 4.5x Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) 		3 pcs
1.	 Width of head: 45 cm Number of spikes: 20 STEREOMICROSCOPE Illumination: white LED or halogen 20W with light intensity control Head: trinocular inclined 45° and 360° rotatable Eyepieces: WF10x/20mm (standard) Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) Stereo zoom: 0.7x – 4.5x Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) Interpupillary adjustment: 50-75 mm 	1 set	3 pcs
	 Width of head: 45 cm Number of spikes: 20 STEREOMICROSCOPE Illumination: white LED or halogen 20W with light intensity control Head: trinocular inclined 45° and 360° rotatable Eyepieces: WF10x/20mm (standard) Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) Stereo zoom: 0.7x – 4.5x Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) Interpupillary adjustment: 50-75 mm Dust cover	1 set	3 pcs
2.	 Width of head: 45 cm Number of spikes: 20 STEREOMICROSCOPE Illumination: white LED or halogen 20W with light intensity control Head: trinocular inclined 45° and 360° rotatable Eyepieces: WF10x/20mm (standard) Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) Stereo zoom: 0.7x – 4.5x Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) Interpupillary adjustment: 50-75 mm Dust cover Digital camera:	1 set	3 pcs
2.	 Width of head: 45 cm Number of spikes: 20 STEREOMICROSCOPE Illumination: white LED or halogen 20W with light intensity control Head: trinocular inclined 45° and 360° rotatable Eyepieces: WF10x/20mm (standard) Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) Stereo zoom: 0.7x – 4.5x Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) Interpupillary adjustment: 50-75 mm Dust cover Digital camera: At least 5 Megapixel, 	1 set	3 pcs
2.	 Width of head: 45 cm Number of spikes: 20 STEREOMICROSCOPE Illumination: white LED or halogen 20W with light intensity control Head: trinocular inclined 45° and 360° rotatable Eyepieces: WF10x/20mm (standard) Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) Stereo zoom: 0.7x – 4.5x Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) Interpupillary adjustment: 50-75 mm Dust cover Digital camera:	1 set	3 pcs
2.	 Width of head: 45 cm Number of spikes: 20 STEREOMICROSCOPE Illumination: white LED or halogen 20W with light intensity control Head: trinocular inclined 45° and 360° rotatable Eyepieces: WF10x/20mm (standard) Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) Stereo zoom: 0.7x – 4.5x Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) Interpupillary adjustment: 50-75 mm Dust cover Digital camera: At least 5 Megapixel, C-mount type with all needed accessories for connection to 	1 set	3 pcs
2.	 Width of head: 45 cm Number of spikes: 20 STEREOMICROSCOPE Illumination: white LED or halogen 20W with light intensity control Head: trinocular inclined 45° and 360° rotatable Eyepieces: WF10x/20mm (standard) Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) Stereo zoom: 0.7x – 4.5x Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) Interpupillary adjustment: 50-75 mm Dust cover Digital camera: At least 5 Megapixel, C-mount type with all needed accessories for connection to the microscope and to the PC/laptop, 	1 set	3 pcs
2.	 Width of head: 45 cm Number of spikes: 20 STEREOMICROSCOPE Illumination: white LED or halogen 20W with light intensity control Head: trinocular inclined 45° and 360° rotatable Eyepieces: WF10x/20mm (standard) Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) Stereo zoom: 0.7x – 4.5x Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) Interpupillary adjustment: 50-75 mm Dust cover Digital camera: At least 5 Megapixel, C-mount type with all needed accessories for connection to the microscope and to the PC/laptop, Software 	1 set	3 pcs
2. 3.	 Width of head: 45 cm Number of spikes: 20 STEREOMICROSCOPE Illumination: white LED or halogen 20W with light intensity control Head: trinocular inclined 45° and 360° rotatable Eyepieces: WF10x/20mm (standard) Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) Stereo zoom: 0.7x – 4.5x Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) Interpupillary adjustment: 50-75 mm Dust cover Digital camera: At least 5 Megapixel, C-mount type with all needed accessories for connection to the microscope and to the PC/laptop, Software Live view possibility 	1 pcs 1 pcs 1 pcs	
2. 3.	 Width of head: 45 cm Number of spikes: 20 STEREOMICROSCOPE Illumination: white LED or halogen 20W with light intensity control Head: trinocular inclined 45° and 360° rotatable Eyepieces: WF10x/20mm (standard) Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) Stereo zoom: 0.7x – 4.5x Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) Interpupillary adjustment: 50-75 mm Dust cover Digital camera: At least 5 Megapixel, C-mount type with all needed accessories for connection to the microscope and to the PC/laptop, Software Live view possibility LASER RANGEFINDER 	1 pcs 1 pcs 1 pcs	
2. 3.	 Width of head: 45 cm Number of spikes: 20 STEREOMICROSCOPE Illumination: white LED or halogen 20W with light intensity control Head: trinocular inclined 45° and 360° rotatable Eyepieces: WF10x/20mm (standard) Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) Stereo zoom: 0.7x – 4.5x Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1 pcs) Interpupillary adjustment: 50-75 mm Dust cover Digital camera: At least 5 Megapixel, C-mount type with all needed accessories for connection to the microscope and to the PC/laptop, Software Live view possibility LASER RANGEFINDER Laser beam, class II 	1 pcs 1 pcs 1 pcs	
2. 3.	 Width of head: 45 cm Number of spikes: 20 STEREOMICROSCOPE Illumination: white LED or halogen 20W with light intensity control Head: trinocular inclined 45° and 360° rotatable Eyepieces: WF10x/20mm (standard) Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) Stereo zoom: 0.7x - 4.5x Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) Interpupillary adjustment: 50-75 mm Dust cover Digital camera: At least 5 Megapixel, C-mount type with all needed accessories for connection to the microscope and to the PC/laptop, Software Live view possibility LASER RANGEFINDER Laser beam, class II Optical device to follow laser beam on long distances 	1 pcs 1 pcs 1 pcs	
2. 3.	 Width of head: 45 cm Number of spikes: 20 STEREOMICROSCOPE Illumination: white LED or halogen 20W with light intensity control Head: trinocular inclined 45° and 360° rotatable Eyepieces: WF10x/20mm (standard) Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) Stereo zoom: 0.7x – 4.5x Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) Interpupillary adjustment: 50-75 mm Dust cover Digital camera: At least 5 Megapixel, C-mount type with all needed accessories for connection to the microscope and to the PC/laptop, Software Live view possibility LASER RANGEFINDER Laser beam, class II Optical device to follow laser beam on long distances Measuring range: 0.05 m up to 200 m 	1 pcs 1 pcs 1 pcs	
2. 3.	 Width of head: 45 cm Number of spikes: 20 STEREOMICROSCOPE Illumination: white LED or halogen 20W with light intensity control Head: trinocular inclined 45° and 360° rotatable Eyepieces: WF10x/20mm (standard) Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) Stereo zoom: 0.7x – 4.5x Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) Interpupillary adjustment: 50-75 mm Dust cover Digital camera: At least 5 Megapixel, C-mount type with all needed accessories for connection to the microscope and to the PC/laptop, Software Live view possibility LASER RANGEFINDER Laser beam, class II Optical device to follow laser beam on long distances Measuring range: 0.05 m up to 200 m Accuracy: +/- 2 mm 	1 pcs 1 pcs 1 pcs	
2. 3.	 Width of head: 45 cm Number of spikes: 20 STEREOMICROSCOPE Illumination: white LED or halogen 20W with light intensity control Head: trinocular inclined 45° and 360° rotatable Eyepieces: WF10x/20mm (standard) Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) Stereo zoom: 0.7x – 4.5x Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) Interpupillary adjustment: 50-75 mm Dust cover Digital camera: At least 5 Megapixel, C-mount type with all needed accessories for connection to the microscope and to the PC/laptop, Software Live view possibility LASER RANGEFINDER Laser beam, class II Optical device to follow laser beam on long distances Measuring range: 0.05 m up to 200 m Accuracy: +/- 2 mm Backlit display 	1 pcs 1 pcs 1 pcs	
2. 3.	- Width of head: 45 cm - Number of spikes: 20 STEREOMICROSCOPE - Illumination: white LED or halogen 20W with light intensity control - Head: trinocular inclined 45° and 360° rotatable - Eyepieces: WF10x/20mm (standard) - Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) - Stereo zoom: 0.7x – 4.5x - Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) - Interpupillary adjustment: 50-75 mm Dust cover Digital camera: - At least 5 Megapixel, - C-mount type with all needed accessories for connection to the microscope and to the PC/laptop, - Software - Live view possibility LASER RANGEFINDER - Laser beam, class II - Optical device to follow laser beam on long distances - Measuring range: 0.05 m up to 200 m - Accuracy: +/- 2 mm - Backlit display - Tripod mounting possibility	1 pcs 1 pcs 1 pcs	

	- Continuous measurements function		
	- Metrological certification		
Item 17	CYANOACRYLATE FUMING CHAMBER	Quantity	2 pcs
	- Freestanding unit		
	- External dimensions (WxLxH): 75 cm x 75 cm x 210 cm		
	- Power supply: 210-240V AC		
	- Automatic control		
	- Carbon air filter		
	 One full set of replacement carbon filters 		
	- Vapour proof light		
	- Hanging rods and clips		
	- Fan for even distribution of fumes		
	- Start-up kit		

UNITATEA DE POLIȚIE:
NUMĂR DOSAR:
DATA EFECTUĂRII CERCETĂRII CÎMPULUI INFRACȚIUNII:
NUMĂR AMBALAJ:
NATURA INFRACȚIUNII (OMOR, VIOL, TÎLHĂRIE, ETC.):
NUMELE VICTIMEI:
NUMELE SUSPECTULUI:
LOCALIZAREA URMEI BIOLOGICE RECOLTATE:
APARTENENȚA PROBEI LITIGIU (PERSOANA DE LA CARE A FOST RIDICATĂ):
NATURA PROBEI LITIGIU (ÎMBRĂCĂMINTE, OBIECTE, SUPORTURI URME MATERIE):
PROBA A FOST RIDICATĂ DE:

Section 3b: Related Services

Further to the Schedule of Requirements in the preceding Table, Bidders are requested to take note of the following additional requirements, conditions, and related services pertaining to the fulfilment of the requirements:

Delivery Term				₩ DAD
	□ FCA	\square CPT	☐ CIP	⊠ DAP
[INCOTERMS 2010]				
Exact Address of	10, Putnei Str., (Chisinau, Re	public of Moldova	
Delivery/Installation Location	Forensic Unit of	f General Po	lice Inspectorate	
Mode of Transport Preferred	⊠ AIR	\boxtimes SEA	\boxtimes LAND	⊠OTHER
Delivery Date	Maximum 60 ca	alendar days	s after receipt of Pu	rchase Order
Customs, if needed, clearing shall be	□UNDP	\boxtimes 9	Supplier	☐Freight Forwarder
done by:				5
Inspection upon delivery	Inspection of ed	quipment ai	nd kits good function	oning
Technical Support Requirements	Please refer to S	Section 3a: S	Schedule of Require	ements
Payment Terms	⋈ 100% within	30 days up	on UNDP's accepta	nce of the goods delivered
	as specified and	d receipt of i	invoice	_
Conditions for Release of Payment		pon arrival a	at destination	
	⊠ Written Acce	eptance of G	Goods based on full	compliance with ITB
	requirements			
After-sale services required		Parts and L	abour for minimum	n period of two (2) years
All documentations, including		☐ French		nanian and/or Russian
catalogs, instructions and operating				
manuals, shall be in this language				

Section 4: Bid Submission Form²

(This should be written in the Letterhead of the Bidder. Except for indicated fields, no changes may be made in this template.)

[insert: Location] [insert: Date]

To: [insert: Name and Address of UNDP focal point]

Dear Sir/Madam:

We, the undersigned, hereby offer to supply the goods and related services required for [insert: title of goods and services required as per ITB] in accordance with your Invitation to Bid dated [insert Bid date]. We are hereby submitting our Bid, which includes the Technical Bid and Price Schedule.

We hereby declare that:

- a) All the information and statements made in this Bid are true and we accept that any misrepresentation contained in it may lead to our disqualification;
- b) We are currently not on the removed or suspended vendor list of the UN or other such lists of other UN agencies, nor are we associated with, any company or individual appearing on the 1267/1989 list of the UN Security Council;
- c) We have no outstanding bankruptcy or pending litigation or any legal action that could impair our operation as a going concern; and
- d) We do not employ, nor anticipate employing, any person who is or was recently employed by the UN or UNDP.

We confirm that we have read, understood and hereby fully accept the Schedule of Requirements and Technical Specifications describing the duties and responsibilities required of us in this ITB, and the General Terms and Conditions of UNDP's Standard Contract for this ITB.

We agree to abide by this Bid for [insert: period of validity as indicated in Data Sheet].

We undertake, if our Bid is accepted, to initiate the supply of goods and provision of related services not later than the date indicated in the Data Sheet.

We fully understand and recognize that UNDP is not bound to accept this Bid that we shall bear all costs associated with its preparation and submission, and that UNDP will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the evaluation.

We remain,		
Yours sincerely,		
Authorized Signature [In Name and Title of Signat	-	
Name of Firm:	_	
Contact Details:	_	
[Please	mark this letter w	ith your corporate seal, if available]

² No deletion or modification may be made in this form. Any such deletion or modification may lead to the rejection of the Bid.

Section 5: Documents Establishing the Eligibility and Qualifications of the Bidder

Bidder Information Form³

Date: [insert date (as day, month and year) of Bid Submission]

ITB No.: [insert number of bidding process]

Page ______ of _____ pages

I name]

1. Bidder's Legal Name: [insert Bidder's legal name]					
2. In case of Joint Venture (JV), legal name of each party: [insert legal name of each party in JV]					
3. Actual or intended Country/ies of	Registration/Operation: [insert acto	ual or intended Country of Registration]			
4. Year of Registration in its Location: [insert Bidder's year of registration]					
5. Countries of Operation	6. No. of staff in each Country	7. Years of Operation in each Country			
8. Legal Address/es in Country/ies of registration]	8. Legal Address/es in Country/ies of Registration/Operation: [insert Bidder's legal address in country of registration]				
9. Value and Description of Top three	e (3) Biggest Contract for the past fi	ve (5) years			
10. Latest Credit Rating (Score and Sc	ource, if any)				
11. Brief description of litigation history (disputes, arbitration, claims, etc.), indicating current status and outcomes, if already resolved.					
12. Bidder's Authorized Representative Information					
Name: [insert Authorized Representative's name] Address: [insert Authorized Representative's address] Telephone/Fax numbers: [insert Authorized Representative's telephone/fax numbers] Email Address: [insert Authorized Representative's email address]					
13. Are you in the UNPD List 1267.1989 or UN Ineligibility List? ☐ YES or ☐ NO					
14. Attached are copies of original documents of:					
☐ All eligibility document requirements listed in the Data Sheet					
☐ If Joint Venture/Consortium – copy of the Memorandum of Understanding/Agreement or Letter of Intent to form a JV/Consortium, or Registration of JV/Consortium, if registered					
☐ If case of Government corporation or Government-owned/controlled entity, documents establishing legal and financial autonomy and compliance with commercial law.					

³ The Bidder shall fill in this Form in accordance with the instructions. Apart from providing additional information, no alterations to its format shall be permitted and no substitutions shall be accepted.

Joint Venture Partner Information Form (if Registered)⁴

Date: [insert date (as day, month and year) of Bid Submission]
ITB No.: [insert number of bidding process]

Page _____ of ____ pages

1. Bidder's Legal Name: [insert Bidder's legal name]				
2. JV's Party legal name: [insert JV's Party legal name]				
3. JV's Party Country of Registration	n: [insert JV's Party country of registr	ation]		
4. Year of Registration: [insert Party	's year of registration]			
5. Countries of Operation	6. No. of staff in each Country	7. Years of Operation in each Country		
8. Legal Address/es in Country/ies of Registration/Operation: [insert Party's legal address in country of registration]				
9. Value and Description of Top thre	e (3) Biggest Contract for the past five	e (5) years		
10. Latest Credit Rating (if any)				
11. Brief description of litigation hist	ory (disputes, arbitration, claims, etc.), indicating current status and		
outcomes, if already resolved.				
13. JV's Party Authorized Representative Information				
Name: [insert name of JV's Party au	thorized representative]			
Address: [insert address of JV's Part	•			
Telephone/Fax numbers: [insert telephone/fax numbers of JV's Party authorized representative] Email Address: [insert email address of JV's Party authorized representative]				
14. Attached are copies of original documents of: [check the box(es) of the attached original documents]				
☐ All eligibility document requirements listed in the Data Sheet				
☐ Articles of Incorporation or Registration of firm named in 2.				
☐ In case of government owned entity, documents establishing legal and financial autonomy and compliance				
with commercial law.				

⁴ The Bidder shall fill in this Form in accordance with the instructions. Apart from providing additional information, no alterations to its format shall be permitted and no substitutions shall be accepted.

Section 6: Technical Bid Form⁵

INSERT TITLE OF THE ITB			
Name of Bidding Organization / Firm:			
Country of Registration:			
Name of Contact Person for this Bid:			
Address:			
Phone / Fax:			
Email:			
	·		

SECTION 1: EXPERTISE OF FIRM/ ORGANISATION

This section should fully explain the Bidder's resources in terms of personnel and facilities necessary for the performance of this requirement.

- 1.1 Brief Description of Bidder as an Entity: Provide a brief description of the organization / firm submitting the Bid, its legal mandates/authorized business activities, the year and country of incorporation, and approximate annual budget, etc. Include reference to reputation, or any history of litigation and arbitration in which the organisation / firm has been involved that could adversely affect or impact the delivery of goods and/or performance of related services, indicating the status/result of such litigation/arbitration.
- <u>1.2. Financial Capacity:</u> Based on the latest Audited Financial Statement (Income Statement and Balance Sheet) describe the financial capacity (liquidity, stand-by credit lines, etc.) of the bidder to engage into the contract. Include any indication of credit rating, industry rating, etc.
- 1.3. Track Record and Experiences: Provide the following information regarding corporate experience within at least the last five (5) years which are related or relevant to those required for this Contract.

	1	(Name, Phone, Email)

SECTION 2 - SCOPE OF SUPPLY, TECHNICAL SPECIFICATIONS, AND RELATED SERVICES

This section should demonstrate the Bidder's responsiveness to the specification by identifying the specific components proposed, addressing the requirements, as specified, point by point; providing a detailed description of the essential performance characteristics proposed; and demonstrating how the proposed bid meets or exceeds the specifications.

⁵ Technical Bids not submitted in this format may be rejected.

2.1. Scope of Supply: Please provide a detailed description of the goods to be supplied, indicating clearly how they comply with the technical specifications required by the ITB (see below table); describe how the organisation/firm will supply the goods and any related services, keeping in mind the appropriateness to local conditions and project environment.

Item No.	Description/ Specification of Goods	Source/ Manufacturer	Country of Origin	Qty	Quality Certificate/ Export Licences, etc. (indicate all that applies and if attached)

A supporting document with full details may be annexed to this section

- <u>2.2. Technical Quality Assurance Mechanisms</u>: The bid shall also include details of the Bidder's internal technical and quality assurance review mechanisms, all the appropriate quality certificates, export licenses and other documents attesting to the superiority of the quality of the goods and technologies to be supplied.
- <u>2.3.</u> Reporting and Monitoring: Please provide a brief description of the mechanisms proposed for this project for reporting to the UNDP and partners, including a reporting schedule.
- <u>2.4. Subcontracting</u>: Explain whether any work would be subcontracted, to whom, how much percentage of the work, the rationale for such, and the roles of the proposed sub-contractors. Special attention should be given to providing a clear picture of the role of each entity and how everyone will function as a team.
- <u>2.5. Risks / Mitigation Measures</u>: Please describe the potential risks for the implementation of this project that may impact achievement and timely completion of expected results as well as their quality. Describe measures that will be put in place to mitigate these risks.
- <u>2.6 Implementation Timelines:</u> The Bidder shall submit a Gantt Chart or Project Schedule indicating the detailed sequence of activities that will be undertaken and their corresponding timing.
- 2.7. Partnerships (Optional): Explain any partnerships with local, international or other organizations that are planned for the implementation of the project. Special attention should be given to providing a clear picture of the role of each entity and how everyone will function as a team. Letters of commitment from partners and an indication of whether some or all have successfully worked together on other previous projects is encouraged.
- <u>2.8. Anti-Corruption Strategy (Optional)</u>: Define the anti-corruption strategy that will be applied in this project to prevent the misuse of funds. Describe the financial controls that will be put in place.
- <u>2.9 Statement of Full Disclosure</u>: This is intended to disclose any potential conflict in accordance with the definition of "conflict" under Section 4 of this document, if any.
- 2.10 Other: Any other comments or information regarding the bid and its implementation.

SECTION 3: PERSONNEL

- <u>3.1 Management Structure</u>: Describe the overall management approach toward planning and implementing the contract. Include an organization chart for the management of the contract, if awarded.
- 3.2 Staff Time Allocation: Provide a spreadsheet will be included to show the activities of each personnel involved in the implementation of the contract. Where the expertise of the personnel is critical to the success of the contract, UNDP will not allow substitution of personnel whose qualifications had been reviewed and accepted during the bid evaluation. (If substitution of such a personnel is unavoidable, substitution or replacement will be subject to the approval of UNDP. No increase in costs will be considered as a result of any substitution).
- 3.3 Qualifications of Key Personnel. Provide the CVs for key personnel (Team Leader, Managerial and general staff) that will be provided to support the implementation of this project. CVs should demonstrate qualifications in area of expertise relevant to the Contract. Please use the format below:

Name:				
Role in Contract Implementation:				
Nationality:				
Contact information:				
Countries of Relevant Work Expe	rience:			
Language Skills:				
Education and other Qualification	ns:			
Summary of Experience: Highlight	ght experience	in the region and on simila	r projects.	
Relevant Experience (From most	recent):			
Period: From – To	Name of acti	ivity/ Project/ funding	Job Title and Activities	
	organisation	, if applicable:	undertaken/Description of	
			actual role performed:	
e.g. June 2010-January 2011				
Etc.				
Etc.				
References (minimum of 3): Name				
Designation				
Organization				
Contact Information – Address; Phone; Email; etc.			mail; etc.	
Declaration:				
I confirm my intention to serve in the stated position and present availability to serve for the term of the proposed contract. I also understand that any wilful misstatement described above may lead to my disqualification, before or during my engagement.				
	•		S	

Technical Responsiveness Table

Bidders shall provide all the applicable data of the equipment offered, failing to do so may result in the bid being rejected. Corresponding documentation shall form part of the bidder's offer.

	Minimum requirements/specifications	Yes/No (Please provide details/description of offered feature)
General	A. The crime scene kits described below shall correspond to the applicable standards of business/industry and comply with safety and environment requirements.	,
	B. The crime scene kit cases shall be of the same type and comply with the following requirements:	
	- ABS - Black colour	
	- Anticorrosive hinges	
	- Two latches	
	 Folding front handle Dimensions (LxWxH): 45 cm x 36 cm x sufficient to 	
	contain all of the items	
	- Support at least 10 kg;	
	- Padding: foam insert or elastic straps	
	C. Warranty period – minimum two (2) years	
Item 1	CRIME SCENE MARKING KIT	
1.	Case (as required above in Section General B)	
2.	Fiberglass reel tape	
	- Yellow fiberglass;	
	- Length - min. 30 m;	
	- Width - 1.5-2 cm;	
	- Black millimetre and centimetre markings;	
	 Flexible, resistant to moisture, inelastic, non-electrically conductive, resistant to physical actions of twisting, 	
	bending and breaking;	
	- Versatile end hook	
	- Rewind crank	
3.	Metal measuring tape	
	- Anticorrosive finish;	
	- Yellow colour;	
	- Length – 5 m;	
	- Width – 1.5-2 cm;	
	- Black millimetre and centimetre markings;	
	- Flexible, resistant to moisture, inelastic, non-electrically	
	conductive, resistant to physical actions of twisting, bending and breaking;	
	- Versatile end hook	
	- Locking mechanism	
4.	Wooden folding ruler	
	- Alternative black/white metric marking	
	- Length – 5 m;	
	- Thickness – 2.5-4.5 mm	
	- Width – 1.5-2 cm	
	- Joints with stops	
5.	Laser rangefinder:	
	- Laser beam, class II	

	- Optical device to follow laser beam on long distances	
	- Measuring range: 0.05 m up to 200 m	
	- Accuracy: +/- 2 mm	
	- Backlit display	
	 Tripod mounting possibility 	
	- Metric units	
	 Possibility to memorize the last 10 measurements 	
	- Continuous measurements function	
	- Metrological certification	
6.	A-Frame evidence marking tents:	
	- Letters: A to G	
	- Numbers: 1 to 20	
	 Yellow colour with black printing 	
	- Square or rectangular shape of sides	
	- Dimensions: 7-10 cm	
	- Carrying case/bag	
7.	Evidence marking flags:	
	- Metallic pole	
	- Height: 30 cm	
	- Colour: red (10 pcs), yellow (10 pcs), green (10 pcs)	
	- Carrying case/bag	
8.	Photo evidence tape:	
٥.	· ·	
	- Adhesive tape	
	- Width: 10-15 mm	
	- Length: 3 m with 0-30 cm repeat	
	 Metric (millimetres and centimetres) black marking on 	
	white matte finish	
9.	Photo evidence scales:	
	 Metric (centimetres and millimetres) marking 	
	 White background with black marking 	
	- Plastic, matt finish	
	- Length – 15 cm	
10.	Reflective chalk (white, red, yellow)	
11.	Permanent markers and water-based markers (red, black, blue)	
12.	Clutch/mechanical pencil with red, black, blue leads (1 set of	
	leads of each colour)	
13.	Fluorescent pencils for forensic marking (red)	
	That escent penchs for foreits that king (rea)	
1/1	Stickors (rall of min EO nos):	
14.	Stickers (roll of min 50 pcs):	
14.	- Red and green	
14.	Red and greenWidth – 10 cm	
	 Red and green Width – 10 cm Length – 1.5 cm 	
Item 2	- Red and green - Width – 10 cm - Length – 1.5 cm UNIVERSAL FORENSIC KIT	
Item 2 1.	- Red and green - Width – 10 cm - Length – 1.5 cm UNIVERSAL FORENSIC KIT Case (as required above in Section General B)	
Item 2	- Red and green - Width – 10 cm - Length – 1.5 cm UNIVERSAL FORENSIC KIT Case (as required above in Section General B) Fingerprint ink pad:	
Item 2 1.	- Red and green - Width – 10 cm - Length – 1.5 cm UNIVERSAL FORENSIC KIT Case (as required above in Section General B) Fingerprint ink pad: - Plastic case	
Item 2 1.	- Red and green - Width – 10 cm - Length – 1.5 cm UNIVERSAL FORENSIC KIT Case (as required above in Section General B) Fingerprint ink pad: - Plastic case - Snap lock (or similar) lid	
1. 2.	- Red and green - Width – 10 cm - Length – 1.5 cm UNIVERSAL FORENSIC KIT Case (as required above in Section General B) Fingerprint ink pad: - Plastic case - Snap lock (or similar) lid - Minimum active surface – 12 cm x 6 cm	
Item 2 1.	- Red and green - Width – 10 cm - Length – 1.5 cm UNIVERSAL FORENSIC KIT Case (as required above in Section General B) Fingerprint ink pad: - Plastic case - Snap lock (or similar) lid - Minimum active surface – 12 cm x 6 cm Fingerprint ink roller	
1. 2.	- Red and green - Width – 10 cm - Length – 1.5 cm UNIVERSAL FORENSIC KIT Case (as required above in Section General B) Fingerprint ink pad: - Plastic case - Snap lock (or similar) lid - Minimum active surface – 12 cm x 6 cm Fingerprint ink roller - Made of rubber	
1. 2.	- Red and green - Width – 10 cm - Length – 1.5 cm UNIVERSAL FORENSIC KIT Case (as required above in Section General B) Fingerprint ink pad: - Plastic case - Snap lock (or similar) lid - Minimum active surface – 12 cm x 6 cm Fingerprint ink roller - Made of rubber - Width: 5-7 cm	
1. 2.	- Red and green - Width – 10 cm - Length – 1.5 cm UNIVERSAL FORENSIC KIT Case (as required above in Section General B) Fingerprint ink pad: - Plastic case - Snap lock (or similar) lid - Minimum active surface – 12 cm x 6 cm Fingerprint ink roller - Made of rubber	
1. 2.	- Red and green - Width – 10 cm - Length – 1.5 cm UNIVERSAL FORENSIC KIT Case (as required above in Section General B) Fingerprint ink pad: - Plastic case - Snap lock (or similar) lid - Minimum active surface – 12 cm x 6 cm Fingerprint ink roller - Made of rubber - Width: 5-7 cm	
1. 2. 3.	- Red and green - Width – 10 cm - Length – 1.5 cm UNIVERSAL FORENSIC KIT Case (as required above in Section General B) Fingerprint ink pad: - Plastic case - Snap lock (or similar) lid - Minimum active surface – 12 cm x 6 cm Fingerprint ink roller - Made of rubber - Width: 5-7 cm - Handle bracket	
1. 2. 3. 4.	- Red and green - Width – 10 cm - Length – 1.5 cm UNIVERSAL FORENSIC KIT Case (as required above in Section General B) Fingerprint ink pad: - Plastic case - Snap lock (or similar) lid - Minimum active surface – 12 cm x 6 cm Fingerprint ink roller - Made of rubber - Width: 5-7 cm - Handle bracket Black fingerprint ink (min 100 ml) Ink cleaning solution (min 100 ml)	
1. 2. 3. 4. 5.	- Red and green - Width – 10 cm - Length – 1.5 cm UNIVERSAL FORENSIC KIT Case (as required above in Section General B) Fingerprint ink pad: - Plastic case - Snap lock (or similar) lid - Minimum active surface – 12 cm x 6 cm Fingerprint ink roller - Made of rubber - Width: 5-7 cm - Handle bracket Black fingerprint ink (min 100 ml) Ink cleaning solution (min 100 ml) Gelatin lifters for fingerprints (size 5 x 10 cm):	
1. 2. 3. 4. 5.	- Red and green - Width – 10 cm - Length – 1.5 cm UNIVERSAL FORENSIC KIT Case (as required above in Section General B) Fingerprint ink pad: - Plastic case - Snap lock (or similar) lid - Minimum active surface – 12 cm x 6 cm Fingerprint ink roller - Made of rubber - Width: 5-7 cm - Handle bracket Black fingerprint ink (min 100 ml) Ink cleaning solution (min 100 ml) Gelatin lifters for fingerprints (size 5 x 10 cm): - Black	
1. 2. 3. 4. 5.	- Red and green - Width – 10 cm - Length – 1.5 cm UNIVERSAL FORENSIC KIT Case (as required above in Section General B) Fingerprint ink pad: - Plastic case - Snap lock (or similar) lid - Minimum active surface – 12 cm x 6 cm Fingerprint ink roller - Made of rubber - Width: 5-7 cm - Handle bracket Black fingerprint ink (min 100 ml) Ink cleaning solution (min 100 ml) Gelatin lifters for fingerprints (size 5 x 10 cm): - Black - White	
1. 2. 3. 4. 5.	- Red and green - Width – 10 cm - Length – 1.5 cm UNIVERSAL FORENSIC KIT Case (as required above in Section General B) Fingerprint ink pad: - Plastic case - Snap lock (or similar) lid - Minimum active surface – 12 cm x 6 cm Fingerprint ink roller - Made of rubber - Width: 5-7 cm - Handle bracket Black fingerprint ink (min 100 ml) Ink cleaning solution (min 100 ml) Gelatin lifters for fingerprints (size 5 x 10 cm): - Black	

	DI I	T
	- Black	
	- White	
	- Transparent	
8.	Fingerprint powders for spray brush:	
	- Coin Box/Galvanic Replacement Powder – 30 ml	
	- Silk Black Replacement Powder – 30 ml	
	- Indestructible White Replacement Powder – 30 ml	
	- Silver/Red Replacement Powder – 30 ml	
	- Silver/Grey Replacement Powder – 30 ml	
	- Storage box	
9.	Latent print powders:	
	- Colour: yellow fluorescent, black and silver	
	 Application by powdering or by using special brushes Fluorescent powder to be visible under UV light 	
	- Operating temperature range: -10° C/ +45°C	
	- Storage box	
10.	Magnetic latent print powders:	
10.	- Black	
	- Double contrast	
	- Fluorescent orange	
	- Fluorescent green	
	- Fluorescent red	
	- Storage box	
11.	Antistatic spray brush:	
	- Transparent plastic container	
	- Detachable Marabou feather (1 white and 1 black)	
	brush head	
	- Detachable rubber squeeze bulb	
	- Length of active part of brush – at least 8 cm	
	- Protective container and cap	
12.	Standard fiberglass brush:	
	- Length of active part of brush – at least 5 cm	
	- Protective container and cap	
13.	Magnetic powder applicator with protective container	
14.	Squirrel or Camel hair brush (type 1)	
	- Uncut hair	
	- Semicircle	
	- Wooden handle – 14 cm long	
	 Length of active part of brush – at least 3 cm 	
	- Protective container and cap	
15.	Squirrel or Camel hair brush (type 2)	
	- Uncut hair	
	- Semicircle	
	- Wooden handle – 19 cm long	
	 Length of active part of brush – at least 3 cm 	
	- Protective container and cap	
16.	Digital caliper:	
	- Stainless steel	
	- Length – 20 cm	
17.	Stainless steel scissors:	
	- Rounded tips	
	- Length – 12-16 cm	
18.	Metallic mirror:	
	- Rectangular shape	
10	- Dimensions: 7-9 cm x 6-8 cm	
19.	Silicone casting kit:	
	- Liquid silicone rubber – 1 tube of min 150 g	

	- 1 vial of catalyst – quantity sufficient for the liquid	
	silicone rubber quantity	
	- Plastic spatula – 1 pcs	
	- Silicone compound to be of light colour, waterproof and	
	able to return to original shape after deformation	
	- Silicone compound hardens within 10 minutes	
20.	Silicone rubber spray (1 tube of min 150 ml)	
21.	Modelling clay (monochrome bars, at least 30 g/bar)	
22.	Round magnet with handle (diameter: 22-25 mm)	
23.	Flat tip tweezers (type 1)	
	- Stainless steel	
	- Length – 11-13 cm	
24.	Flat tip tweezers (type 2)	
	- Stainless steel	
	- Length – 23-26 cm	
25.	Sharp tip tweezers:	
	- Stainless steel	
	- Length – 8-10 cm	
26.	Surgical scalpel handle (plastic)	
27.	Disposable sterile scalpel blades (packed separately), compatible	
	with the surgical scalpel handle	
28.	Metal measuring tape:	
20.	- Anticorrosive finish	
	- Yellow colour	
	- Length – 5 m	
	- Width – 1.5-2 cm	
	- Black millimetre and centimetre markings	
	- Versatile end hook	
	- Locking mechanism	
29.	Thin sterile surgical gloves (size M)	
30.	Thick rubber gloves	
31.	Zip-lock plastic bags:	
31.	- Dimensions: 17-20 cm x 47-50 cm	
22	Sterile plastic bags:	
32.	- Dimensions: 13-16 cm x 40-45 cm	
22		
33.	Transparent evidence collection plastic tubes with cap:	
	- Diameter: 1 cm	
	- Length: 15-18 cm	
34.	Stickers with figures 0 to 9 (6 pcs per A4 sheet, one sheet for	
	each figure)	
35.	Stickers with printed arrows:	
	- Black marking on white background	
	- Length: 30-40 mm	
	- Width: 10-20 mm	
36.	Universal plier:	
	- Anticorrosive finish	
	- Insulated handles	
37.	Fixing spray:	
	- 1 tube of 100 ml	
	- Colourless	
	 Operation temperature range: -10° C/ +40°C 	
	- Drying/hardening time: up to 5 min	
38.	Plastic mixing container/bowl, diameter at the top 12-14 cm	
39.	Permanent red marker	
40.	Flashlight:	
	- UV LED technology	
	- Wave length: 395 nm (+/- 5 nm)	
<u> </u>		

	T	T
	- Dimensions: diameter – up to 4 cm, length – up to 16	
	cm	
	- Rechargeable battery	
	 Battery life (fully charged): at least 2 hours 	
	- Battery charger	
	- Body: metal or highly resistant plastic	
41.	Magnifying glass:	
41.	- Diameter: 75 mm	
	- 3.5 x magnification	
42.	Universal multi-tool with standard sheath (similar to Leatherman	
	Wave Multi-tool)	
43.	Phillips screwdriver with magnetized tip (length 15-17 cm)	
44.	Flat-head screwdriver with magnetized tip (length 18-20 cm)	
45.	Voltage tester screwdriver (min 250 V AC)	
46.	Diamond-tipped glass cutter	
47.	Reflective chalk (white, red, yellow)	
Item 3	LATENT PRINT FIELD KIT	
1.	Case (as required above in Section General B)	
2.	Fingerprint latent powders:	
	- Colour	
	• black – 200 ml;	
	• grey – 100 ml;	
	 white – 100 ml; 	
	 red – 100 ml; 	
	 dual purpose white – 100 ml; 	
	dual purpose black – 100 ml;	
	• coin box/galvanic – 100 ml;	
	 light adhesive-side powder – 100 ml; 	
	 dark adhesive-side powder – 100 ml; 	
	 yellow fluorescent – 100 ml; 	
	 green fluorescent – 100 ml; 	
	• red fluorescent – 100 ml;	
	pink fluorescent – 100 ml	
	· ·	
	- Application by powdering or by using special brushes	
	 Fluorescent powder to be visible under UV light 	
	 Operating temperature range: -10° C/ +45°C 	
	- Storage box	
3.	Fingerprints magnetic powders:	
	- Colour:	
	midnight black – 100 ml	
	indestructible white – 100 ml	
	• red – 100 ml	
	 dual-colour, Silver/Black – 100 ml 	
	 dual-colour, Silver/Grey – 100 ml 	
	 dual-colour, Silver/Red – 100 ml 	
	 yellow fluorescent – 100 ml 	
	green fluorescent – 100 ml	
	• red fluorescent – 100 ml	
	- Storage box	
4.	Antistatic spray brush:	
	- Transparent plastic container	
	- Detachable Marabou feathers (1 white and 1 black)	
	brush head	
	- Detachable rubber squeeze bulb	
	- Length of active part of brush – at least 8 cm	
	- Protective container and cap	
-	·	
5.	Marabou feather brush:	

		1
	- Unshorn	
	- Semicircle	
	- Wooden handle – 14-19 cm long	
	 Length of active part of brush – at least 3-4 cm Protective container and cap 	
6.	Squirrel or Camel hair brush	
0.	- Uncut hair	
	- Semicircle	
	- Wooden handle – 14-19 cm long	
	- Length of active part of brush – at least 3-4 cm	
	- Protective container and cap	
7.	Standard fiberglass brush:	
/.	- Length of active part of brush – at least 5 cm	
	- Protective container and cap	
8.	Magnetic powder applicator with protective container	
9.	Small Particle Reagents for:	
J.	- Light-coloured surfaces – 500 ml	
	- Dark-coloured surfaces – 500 ml	
	Each container shall be provided with a dispenser spray head	
10.	Gelatin lifters for fingerprints (size 5 x 10 cm):	
	- Black	
	- White	
	- Transparent	
11.	Gelatin lifters for fingerprints (size 13 x 18 cm):	
	- Black	
	- White	
	- Transparent	
12.	Fingerprint lifters (size 10 x 15 cm)	
	- Black	
	- White	
	- Transparent	
13.	Fingerprint lifters (size 5 x 10 cm)	
	- Black	
	- White	
	- Transparent	
14.	Photo evidence tape:	
	- Adhesive tape	
	- Width: 10-15 mm	
	- Length: 20 m with 0-30 cm repeat	
	 Metric (millimetres and centimetres) black marking on white matte finish 	
15.	Fingerprint ink pad:	
15.	- Plastic case	
	- Snap lock (or similar) lid	
	- Minimum active surface – 12 cm x 6 cm	
16.	Fingerprint ink roller:	
10.	- Made of rubber	
	- Width: 5-7 cm	
	- Handle bracket	
17.	Black fingerprint ink (min 100 ml)	
18.	Ink cleaning solution (min 100 ml)	
19.	HEMIDENT reactive (for identification of blood stains)	
20.	Stainless steel scissors (length 15-18 cm)	
21.	Flat tip tweezers (type 1):	
	- Stainless steel	
	- Length – 11-13 cm	
22.	Flat tip tweezers (type 2):	
	- stainless steel	

		- Length – 23-26 cm	
	23.	Sharp tip tweezers:	
		- Stainless steel	
		- Length – 8-10 cm	
	24.	Glass cutter	
	25.	Magnifying glass:	
		- Diameter – 75 mm	
		- 3.5 x magnification	
	26.	Metal measuring tape:	
		- Anticorrosive finish	
		- Yellow colour	
		- Length: 3 m	
		- Width: 1.5-2 cm	
		- Black millimetre and centimetre markings - Versatile end hook	
		- Locking mechanism	
		- Metrological certification	
	27.	Hand ink cleaning solution (250 ml)	
	28.	Flashlight:	
		- UV LED technology	
		- Wave length: 395 nm (+/- 5 nm)	
		- Dimensions: diameter – up to 4 cm, length – up to 16	
		cm	
		- Rechargeable battery	
		- Battery life (fully charged): at least 2 hours	
		Battery chargerBody: metal or highly resistant plastic	
	29.	Transparent lifting tape:	
		- Length: min 9 m	
		- Width: min 3.5 cm, 5.5 cm, 10 cm	
	30.	Ninhydrin spray (min 100 ml)	
	31.	1,8 Diazafluoren 9 One (DFO) solution (120 ml)	
	32.	Gentian violet (25 g)	
Item 4		TRACE EVIDENCE KIT	
	1.	Case (as required above in Section General B)	
	2.	MIKROSIL Kit (brown and white)	
	3.	Dental gypsum:	
		- White powder	
		- 1kg bag	
		- Operating temperature range: -10° C/ +45°C	
		- Hardens within 30 min	
	4.	Rubber mixing container/bowl: - Diameter at the top 12-14 cm	
		- Resistant to chemicals and petroleum based oils	
	5.	Adjustable casting frame:	
	٥.	- Made of lightweight metal or highly resistant plastic	
		- Height of frame: 2-6 cm	
		- Rectangular shape with a possibility for extension on	
		the long side	
		- Size 1 (WxL): 18-20 cm x 30-35 cm (extendable up to 45-	
		50 cm)	
		- Size 2 (WxL): 30-35 cm x 45-50 (extendable up to 60-65	
	6	Cm)	
	6.	Wax spray (500 ml): - Drying/hardening time: up to 5 min	
1		- Drying/hardening time: up to 5 min - Operating temperature range: -15° C/ 0°C	
	7.	Fixing spray (500 ml):	

	- Colourless	
	- Operation temperature range: -10° C/ +40°C	
	- Drying/hardening time: up to 5 min	
8.	Talcum powder (300 g/bag)	
9.	Pig hair brush: - Wooden handle	
	- Length: 13-16 cm	
10	- Length of active part of brush: 3-5 cm	
10.	Plastic pipette with rubber bulb	
11.	Filter paper	
12.	Plastic spatula	
13.	Metal/wood "junior" hacksaw	
14.	Plumber wrench	
15.	Hammer (250 gr) with wooden handle, min 20 cm long	
16.	Pincers (min 10 cm long)	
17.	Carpenter's chisel (min 10 cm long, active part 3 cm)	
18.	Metal snips/shears (straight pattern) (20 cm long)	
19.	Metal tweezers (10-17 cm long):	
	- Straight edge	
	- Curved-point	
20.	Metal Kocher forceps (straight) (10-17 cm long)	
21.	Universal multi-tool with standard sheath (similar to Leatherman	
	Wave Multi-tool)	
22.	Silicone spray (500 ml), colourless	
Item 5	MICRO-PARTICLE EVIDENCE KIT	
1.	Case (as required above in Section General B)	
2.	Transparent lifting tape:	
	- Length: min 9 m	
	- Width: min 3.5 cm, 5.5 cm, 10 cm	
3.	Waxed paper (A4), min 20 sheets per set	
4.	Portable vacuum cleaner:	
	- Rechargeable battery	
	- Battery life (fully charged) – min 2 hours	
	- Power supply: 210-240 V AC	
	- Filter assembly	
	- Disposable polyester micro-filters – 100 pcs	
	- Lockable plastic case	
Item 6	CRIME LIGHT KIT (similar to Crime Lite 825)	
1.	Case (as offered by the manufacturer for the configuration of the	
	crime light kit requested below)	
2.	Light sources:	
	- 16 (4x4) light-emitting diodes	
	- Forced air cooling with built-in protection against	
	overheating	
	- Rechargeable batteries	
	- Battery life (fully charged) – up to 3 hours	
	- Power supply 210-240 V AC	
	- Removable hook on the strap and hand strap	
	- Wavelengths:	
	• White 400-700 nm	
	UV 350-380 nm, including protection glasses (UV	
	100% protection, 1% transmission coefficient at	
	406 nm)	
	• Violet 395-425 nm;	
	• Blue 420-470 nm;	
	 Combined Green-Blue 450-510 nm; 	
	• Green 490-560 nm;	

Schott G6455, wavelength 435 nm; Schott G6455, wavelength 476 nm; Schott O6550, wavelength 571 nm; Schott O6550, wavelength 571 nm; Schott O6550, wavelength 571 nm; Schott O6550, wavelength 624 nm; Additional coating to suppress auto-fluorescent emissions from the Schott glass itself 4. Antiglare camera filters with dichroic film (62 mm): Schott G6455 wavelength 435 nm; Schott G6455 wavelength 435 nm; Schott G6455 wavelength 435 nm; Schott O6550 wavelength 435 nm; Schott O6550 wavelength 529 and 624nm; Schott O6550 wavelength 529 and 624nm; Schott O6550 wavelength 571 nm Additional coating to suppress auto-fluorescent emissions from the Schott glass itself 5. Accessories: Carrying bag for filters – 1 pcs Rechargeable batteries – 3 pcs Battery charger – 1 pcs Adapter for batteries – 1 Ac adapter for light source – 1 pcs S300m and 550m antiglare light filters for a photo camera lens – 1 set Tripod – 1 pcs User guide/manual (preferably in Romanian or Russian) Item 7 ELECTROSTATIC DUST PRINT LIFTER KIT (similar to Sirchie ESP900) Electrostatic Voltage Control – 1 pcs Ground Plane, nickel-plated steel (10.2cm x 15.2cm) – 1 pcs Ground Plane Polycarbonate Insulating Sheet (12.7cm x 17.8cm) – 1 pcs Insulated Roller – 1 pcs 9 W Alkaline Battery – 2 pcs Metalized Lifting Mats in Protective Tube – 1 set of 5 pcs Lifting Material 12" x 50" roll – 2 pcs Static Discharge Cable – 1 pcs Carrying case		Orange 570-610 nm;	
3. Antiglare viewing goggles: - Schott G6455, wavelength 435 nm; - Schott G6455, wavelength 476 nm; - Schott G0550, wavelength 529 nm; - Schott G0590, wavelength 529 nm; - Schott G0590, wavelength 571 nm; - Schott G645, wavelength 624 nm; - Additional coating to suppress auto-fluorescent emissions from the Schott glass itself 4. Antiglare camera filters with dichroit film (62 mm): - Schott G6455 wavelength 435 nm; - Schott G6495 wavelength 408 and 476 nm; - Schott G6590 wavelength 429 and 624nm; - Schott O6590 wavelength 529 and 624nm; - Schott O6590 wavelength 571 nm - Additional coating to suppress auto-fluorescent emissions from the Schott glass itself 5. Accessories: - Carrying bag for filters – 1 pcs - Rechargeable batteries – 3 pcs - Battery charger – 1 pcs - Adapter for batteries – 1 - AC adapter for light source – 1 pcs - S30nm and 550nm antiglare light filters for a photo camera lens – 1 set - Tripod – 1 pcs - User guide/manual (preferably in Romanian or Russian) Item 7 ELECTROSTATIC DUST PRINT LIFTER KIT (similar to Sirchie ESP900) - Electrostatic Voltage Control – 1 pcs - Ground Plane, nickel-plated steel (10.2cm x 15.2cm) – 1 pcs - Ground Plane Polycarbonate Insulating Sheet (12.7cm x 17.8cm) – 1 pcs - Insulated Roller – 1 pcs - 9 W Alkaline Battery – 2 pcs - Metalized Lifting Mats in Protective Tube – 1 set of 5 pcs - Lifting Mats 2'x3' – 2 sets of 10 pcs each - Lifting Material 12" x 50' roll – 2 pcs - Static Discharge Cable – 1 pcs - Carrying case			
- Schott GG455, wavelength 435 nm; - Schott GG549 wavelength 476 nm; - Schott GG50, wavelength 529 nm; - Schott GG50, wavelength 529 nm; - Schott GG50, wavelength 571 nm; - Schott GG50, wavelength 521 nm; - Additional coating to suppress auto-fluorescent emissions from the Schott glass itself 4. Antiglare camera filters with dichroic film (62 mm): - Schott GG459 wavelength 435 nm; - Schott GG550 wavelength 435 nm; - Schott GG550 wavelength 498 and 476 nm; - Schott GG550 wavelength 572 nm de 624nm; - Schott GG550 wavelength 573 nm - Additional coating to suppress auto-fluorescent emissions from the Schott glass itself 5. Accessories: - Carrying bag for filters – 1 pcs - Rechargeable batteries – 3 pcs - Battery charger – 1 pcs - Adapter for batteries – 1 - AC adapter for light source – 1 pcs - S30nm and 550nm antiglare light filters for a photo camera lens – 1 set - Tripod – 1 pcs - User guide/manual (preferably in Romanian or Russian) Item 7 ELECTROSTATIC DUST PRINT LIFTER KIT (similar to Sirchie ESP900) - Electrostatic Voltage Control – 1 pcs - Ground Plane, nickel-plated steel (10.2cm x 15.2cm) – 1 pcs - Ground Plane Polycarbonate Insulating Sheet (12.7cm x 17.8cm) – 1 pcs - Insulated Roller – 1 pcs - 9 W Alkaline Battery – 2 pcs - Metalized Lifting Mats in Protective Tube – 1 set of 5 pcs - Lifting Material 12" x 50' roll – 2 pcs - Static Discharge Cable – 1 pcs - Carrying case	3		
- Schott GG495 wavelength 476 nm; - Schott OG550, wavelength 529 nm; - Schott OG590, wavelength 571 nm; - Schott RG 645, wavelength 624 nm; - Additional coating to suppress auto-fluorescent emissions from the Schott glass itself 4. Antiglare camera filters with dichroic film (62 mm): - Schott GG455 wavelength 4835 mm; - Schott GG455 wavelength 4836 nm; - Schott OG590 wavelength 529 and 624nm; - Schott OG590 wavelength 571 nm - Additional coating to suppress auto-fluorescent emissions from the Schott glass itself 5. Accessories: - Carrying bag for filters – 1 pcs - Rechargeable batteries – 3 pcs - Battery charger – 1 pcs - Adapter for batteries – 1 - AC adapter for light source – 1 pcs - 530nm and 550nm antiglare light filters for a photo camera lens – 1 set - Tripod – 1 pcs - User guide/manual (preferably in Romanian or Russian) Item 7 ELECTROSTATIC DUST PRINT LIFTER KIT (similar to Sirchie ESP900) - Electrostatic Voltage Control – 1 pcs - Ground Plane, nickel-plated steel (10.2cm x 15.2cm) – 1 pcs - Ground Plane Polycarbonate Insulating Sheet (12.7cm x 17.8cm) – 1 pcs - Insulated Roller – 1 pcs - 9 V Alkaline Battery – 2 pcs - Metalized Lifting Mats in Protective Tube – 1 set of 5 pcs - Lifting Mats 2'x3' – 2 sets of 10 pcs each - Lifting Material 12" x 50' roll – 2 pcs - Static Discharge Cable – 1 pcs - Carrying case	3.		
- Schott OG550, wavelength 529 nm; - Schott NG 645, wavelength 571 nm; - Schott RG 645, wavelength 624 nm; - Additional coating to suppress auto-fluorescent emissions from the Schott glass itself 4. Antiglare camera filters with dichroic film (62 mm): - Schott GG455 wavelength 435 nm; - Schott GG455 wavelength 435 nm; - Schott OG550 wavelength 529 and 624nm; - Schott OG550 wavelength 571 nm - Additional coating to suppress auto-fluorescent emissions from the Schott glass itself 5. Accessories: - Carrying bag for filters – 1 pcs - Rechargeable batteries – 3 pcs - Battery charger – 1 pcs - Adapter for batteries – 1 - AC adapter for light source – 1 pcs - S30nm and 550nm antiglare light filters for a photo camera lens – 1 set - Tripod – 1 pcs - User guide/manual (preferably in Romanian or Russian) Item 7 ELECTROSTATIC DUST PRINT LIFTER KIT (similar to Sirchie ESP900) - Electrostatic Voltage Control – 1 pcs - Ground Plane, nickel-plated steel (10.2cm x 15.2cm) – 1 pcs - Ground Plane Polycarbonate Insulating Sheet (12.7cm x 17.8cm) – 1 pcs - Insulated Roller – 1 pcs - 9		=	
- Schott NG6590, wavelength 571 nm; - Schott RG 645, wavelength 624 nm; - Additional coating to suppress auto-fluorescent emissions from the Schott glass itself 4. Antiglare camera filters with dichroic film (62 mm): - Schott GG495 wavelength 435 nm; - Schott GG495 wavelength 408 and 476 nm; - Schott OG550 wavelength 529 and 624nm; - Schott OG590 wavelength 571 nm - Additional coating to suppress auto-fluorescent emissions from the Schott glass itself 5. Accessories: - Carrying bag for filters – 1 pcs - Rechargeable batteries – 3 pcs - Battery charger – 1 pcs - Adapter for batteries – 1 - AC adapter for light source – 1 pcs - 530nm and 550nm antiglare light filters for a photo camera lens – 1 set - Tripod – 1 pcs - User guide/manual (preferably in Romanian or Russian) Item 7 ELECTROSTATIC DUST PRINT LIFTER KIT (similar to Sirchie ESP900) - Electrostatic Voltage Control – 1 pcs - Ground Plane, nickel-plated steel (10.2cm x 15.2cm) – 1 pcs - Ground Plane Polycarbonate Insulating Sheet (12.7cm x 17.8cm) – 1 pcs - Insulated Roller – 1 pcs - 9 V Alkaline Battery – 2 pcs - Metalized Lifting Mats in Protective Tube – 1 set of 5 pcs - Lifting Mats 2'x3' – 2 sets of 10 pcs each - Lifting Material 12" x 50' roll – 2 pcs - Static Discharge Cable – 1 pcs - Carrying case		_	
- Schott RG 645, wavelength 624 nm; - Additional coating to suppress auto-fluorescent emissions from the Schott glass itself 4. Antiglare camera filters with dichroic film (62 mm): - Schott GG495 wavelength 435 mm; - Schott GG495 wavelength 488 and 476 nm; - Schott GG550 wavelength 529 and 624nm; - Schott GG550 wavelength 571 nm - Additional coating to suppress auto-fluorescent emissions from the Schott glass itself 5. Accessories: - Carrying bag for filters – 1 pcs - Rechargeable batteries – 3 pcs - Battery charger – 1 pcs - Adapter for batteries – 1 - AC adapter for light source – 1 pcs - S30nm and 550nm antiglare light filters for a photo camera lens – 1 set - Tripod – 1 pcs - User guide/manual (preferably in Romanian or Russian) Item 7 ELECTROSTATIC DUST PRINT LIFTER KIT (similar to Sirchie ESP900) - Electrostatic Voltage Control – 1 pcs - Ground Plane Polycarbonate Insulating Sheet (12.7cm x 17.8cm) – 1 pcs - Insulated Roller – 1 pcs - Metalized Lifting Mats in Protective Tube – 1 set of 5 pcs - Lifting Mats 2'x3' – 2 sets of 10 pcs each - Lifting Mats 2'x3' – 2 sets of 10 pcs each - Lifting Material 12" x 50' roll – 2 pcs - Static Discharge Cable – 1 pcs - Carrying case		=	
- Additional coating to suppress auto-fluorescent emissions from the Schott glass itself 4. Antiglare camera filters with dichroic film (62 mm): - Schott GG455 wavelength 435 mm; - Schott GG455 wavelength 428 and 476 nm; - Schott GG590 wavelength 529 and 624nm; - Schott OG550 wavelength 571 nm - Additional coating to suppress auto-fluorescent emissions from the Schott glass itself 5. Accessories: - Carrying bag for filters – 1 pcs - Rechargeable batteries – 3 pcs - Battery charger – 1 pcs - Adapter for batteries – 1 - AC adapter for light source – 1 pcs - 530nm and 550nm antiglare light filters for a photo camera lens – 1 set - Tripod – 1 pcs - User guide/manual (preferably in Romanian or Russian) Item 7 ELECTROSTATIC DUST PRINT LIFTER KIT (similar to Sirchie ESP900) - Electrostatic Voltage Control – 1 pcs - Ground Plane Polycarbonate Insulating Sheet (12.7cm x 17.8cm) – 1 pcs - Insulated Roller – 1 pcs - 9 V Alkaline Battery – 2 pcs - Metalized Lifting Mats in Protective Tube – 1 set of 5 pcs - Lifting Mats 2'x3' – 2 sets of 10 pcs each - Lifting Material 12" x 50' roll – 2 pcs - Static Discharge Cable – 1 pcs - Carrying case		_	
emissions from the Schott glass itself 4. Antiglare camera filters with dichroic film (62 mm): - Schott GG455 wavelength 435 mm; - Schott GG495 wavelength 438 nm; - Schott OG550 wavelength 529 and 624nm; - Schott OG590 wavelength 571 nm - Additional coating to suppress auto-fluorescent emissions from the Schott glass itself 5. Accessories: - Carrying bag for filters – 1 pcs - Rechargeable batteries – 3 pcs - Battery charger – 1 pcs - Adapter for batteries – 1 - AC adapter for light source – 1 pcs - 530nm and 550nm antiglare light filters for a photo camera lens – 1 set - Tripod – 1 pcs - User guide/manual (preferably in Romanian or Russian) Item 7 ELECTROSTATIC DUST PRINT LIFTER KIT (similar to Sirchie ESP900) - Electrostatic Voltage Control – 1 pcs - Ground Plane, nickel-plated steel (10.2cm x 15.2cm) – 1 pcs - Ground Plane Polycarbonate Insulating Sheet (12.7cm x 17.8cm) – 1 pcs - Insulated Roller – 1 pcs - 9V Alkaline Battery – 2 pcs - Metalized Lifting Mats in Protective Tube – 1 set of 5 pcs - Lifting Mats 2'x3' – 2 sets of 10 pcs each - Lifting Material 12" x 50' roll – 2 pcs - Static Discharge Cable – 1 pcs - Carrying case		_	
4. Antiglare camera filters with dichroic film (62 mm): - Schott GG455 wavelength 435 mm; - Schott GG495 wavelength 408 and 476 nm; - Schott OG550 wavelength 529 and 624nm; - Schott OG590 wavelength 571 nm - Additional coating to suppress auto-fluorescent emissions from the Schott glass itself 5. Accessories: - Carrying bag for filters – 1 pcs - Rechargeable batteries – 3 pcs - Battery charger – 1 pcs - Adapter for batteries – 1 - AC adapter for light source – 1 pcs - S30nm and 550nm antiglare light filters for a photo camera lens – 1 set - Tripod – 1 pcs - User guide/manual (preferably in Romanian or Russian) Item 7 ELECTROSTATIC DUST PRINT LIFTER KIT (similar to Sirchie ESP900) - Electrostatic Voltage Control – 1 pcs - Ground Plane, nickel-plated steel (10.2cm x 15.2cm) – 1 pcs - Ground Plane Polycarbonate Insulating Sheet (12.7cm x 17.8cm) – 1 pcs - Insulated Roller – 1 pcs - Insulated Roller – 1 pcs - Wetalized Lifting Mats in Protective Tube – 1 set of 5 pcs - Lifting Mats 2'x3' – 2 sets of 10 pcs each - Lifting Mats 2'x3' – 2 sets of 10 pcs each - Lifting Mats 2'x3' – 2 sets of 10 pcs each - Lifting Mats 2'x3' – 2 sets of 10 pcs - Carrying case			
- Schott GG455 wavelength 435 nm; - Schott GG495 wavelength 408 and 476 nm; - Schott OG550 wavelength 529 and 624nm; - Schott OG590 wavelength 571 nm - Additional coating to suppress auto-fluorescent emissions from the Schott glass itself 5. Accessories: - Carrying bag for filters – 1 pcs - Rechargeable batteries – 3 pcs - Battery charger – 1 pcs - Adapter for batteries – 1 - AC adapter for light source – 1 pcs - S30nm and 550nm antiglare light filters for a photo camera lens – 1 set - Tripod – 1 pcs - User guide/manual (preferably in Romanian or Russian) Item 7 ELECTROSTATIC DUST PRINT LIFTER KIT (similar to Sirchie ESP900) - Electrostatic Voltage Control – 1 pcs - Ground Plane, nickel-plated steel (10.2cm x 15.2cm) – 1 pcs - Ground Plane Polycarbonate Insulating Sheet (12.7cm x 17.8cm) – 1 pcs - Insulated Roller – 1 pcs - 9V Alkaline Battery – 2 pcs - Metalized Lifting Mats in Protective Tube – 1 set of 5 pcs - Lifting Mats 2'x3' – 2 sets of 10 pcs each - Lifting Mats 2'x3' – 2 sets of 10 pcs each - Lifting Mats 2'x3' – 2 sets of 10 pcs each - Lifting Mats 2'x3' – 2 sets of 10 pcs each - Lifting Material 12" x 50' roll – 2 pcs - Static Discharge Cable – 1 pcs - Carrying case	4.		
- Schott OG550 wavelength 529 and 624nm; - Schott OG590 wavelength 571 nm - Additional coating to suppress auto-fluorescent emissions from the Schott glass itself 5. Accessories: - Carrying bag for filters – 1 pcs - Rechargeable batteries – 3 pcs - Battery charger – 1 pcs - Adapter for batteries – 1 - AC adapter for light source – 1 pcs - 530nm and 550nm antiglare light filters for a photo camera lens – 1 set - Tripod – 1 pcs - User guide/manual (preferably in Romanian or Russian) Item 7 ELECTROSTATIC DUST PRINT LIFTER KIT (similar to Sirchie ESP900) - Electrostatic Voltage Control – 1 pcs - Ground Plane, nickel-plated steel (10.2cm x 15.2cm) – 1 pcs - Ground Plane Polycarbonate Insulating Sheet (12.7cm x 17.8cm) – 1 pcs - Insulated Roller – 1 pcs - 9 V Alkaline Battery – 2 pcs - Metalized Lifting Mats in Protective Tube – 1 set of 5 pcs - Lifting Mats 2'x3' – 2 sets of 10 pcs each - Lifting Material 12" x 50' roll – 2 pcs - Static Discharge Cable – 1 pcs - Carrying case			
- Schott OG590 wavelength 571 nm - Additional coating to suppress auto-fluorescent emissions from the Schott glass itself 5. Accessories: - Carrying bag for filters – 1 pcs - Rechargeable batteries – 3 pcs - Battery charger – 1 pcs - Adapter for batteries – 1 - AC adapter for light source – 1 pcs - 530nm and 550nm antiglare light filters for a photo camera lens – 1 set - Tripod – 1 pcs - User guide/manual (preferably in Romanian or Russian) Item 7 ELECTROSTATIC DUST PRINT LIFTER KIT (similar to Sirchie ESP900) - Electrostatic Voltage Control – 1 pcs - Ground Plane, nickel-plated steel (10.2cm x 15.2cm) – 1 pcs - Ground Plane Polycarbonate Insulating Sheet (12.7cm x 17.8cm) – 1 pcs - Insulated Roller – 1 pcs - 9V Alkaline Battery – 2 pcs - Metalized Lifting Mats in Protective Tube – 1 set of 5 pcs - Lifting Material 12" x 50' roll – 2 pcs - Static Discharge Cable – 1 pcs - Static Discharge Cable – 1 pcs - Carrying case		- Schott GG495 wavelength 408 and 476 nm;	
- Additional coating to suppress auto-fluorescent emissions from the Schott glass itself 5. Accessories: - Carrying bag for filters – 1 pcs - Rechargeable batteries – 3 pcs - Battery charger – 1 pcs - Adapter for batteries – 1 - AC adapter for light source – 1 pcs - 530nm and 550nm antiglare light filters for a photo camera lens – 1 set - Tripod – 1 pcs - User guide/manual (preferably in Romanian or Russian) Item 7 ELECTROSTATIC DUST PRINT LIFTER KIT (similar to Sirchie ESP900) - Electrostatic Voltage Control – 1 pcs - Ground Plane, nickel-plated steel (10.2cm x 15.2cm) – 1 pcs - Ground Plane Polycarbonate Insulating Sheet (12.7cm x 17.8cm) – 1 pcs - Insulated Roller – 1 pcs - 9V Alkaline Battery – 2 pcs - Metalized Lifting Mats in Protective Tube – 1 set of 5 pcs - Lifting Material 12" x 50' roll – 2 pcs - Static Discharge Cable – 1 pcs - Carrying case		- Schott OG550 wavelength 529 and 624nm;	
emissions from the Schott glass itself 5. Accessories: - Carrying bag for filters – 1 pcs - Rechargeable batteries – 3 pcs - Battery charger – 1 pcs - Adapter for batteries – 1 - AC adapter for light source – 1 pcs - 530nm and 550nm antiglare light filters for a photo camera lens – 1 set - Tripod – 1 pcs - User guide/manual (preferably in Romanian or Russian) Item 7 ELECTROSTATIC DUST PRINT LIFTER KIT (similar to Sirchie ESP900) - Electrostatic Voltage Control – 1 pcs - Ground Plane, nickel-plated steel (10.2cm x 15.2cm) – 1 pcs - Ground Plane Polycarbonate Insulating Sheet (12.7cm x 17.8cm) – 1 pcs - Insulated Roller – 1 pcs - 9V Alkaline Battery – 2 pcs - Metalized Lifting Mats in Protective Tube – 1 set of 5 pcs - Lifting Material 12" x 50" roll – 2 pcs - Static Discharge Cable – 1 pcs - Static Discharge Cable – 1 pcs - Carrying case		- Schott OG590 wavelength 571 nm	
5. Accessories: - Carrying bag for filters – 1 pcs - Rechargeable batteries – 3 pcs - Battery charger – 1 pcs - Adapter for batteries – 1 - AC adapter for light source – 1 pcs - 530nm and 550nm antiglare light filters for a photo camera lens – 1 set - Tripod – 1 pcs - User guide/manual (preferably in Romanian or Russian) Item 7 ELECTROSTATIC DUST PRINT LIFTER KIT (similar to Sirchie ESP900) - Electrostatic Voltage Control – 1 pcs - Ground Plane, nickel-plated steel (10.2cm x 15.2cm) – 1 pcs - Ground Plane Polycarbonate Insulating Sheet (12.7cm x 17.8cm) – 1 pcs - Insulated Roller – 1 pcs - 9V Alkaline Battery – 2 pcs - Metalized Lifting Mats in Protective Tube – 1 set of 5 pcs - Lifting Mats 2'x3' – 2 sets of 10 pcs each - Lifting Material 12" x 50' roll – 2 pcs - Static Discharge Cable – 1 pcs - Carrying case		 Additional coating to suppress auto-fluorescent 	
- Carrying bag for filters – 1 pcs - Rechargeable batteries – 3 pcs - Battery charger – 1 pcs - Adapter for batteries – 1 - AC adapter for light source – 1 pcs - 530nm and 550nm antiglare light filters for a photo camera lens – 1 set - Tripod – 1 pcs - User guide/manual (preferably in Romanian or Russian) Item 7 ELECTROSTATIC DUST PRINT LIFTER KIT (similar to Sirchie ESP900) - Electrostatic Voltage Control – 1 pcs - Ground Plane, nickel-plated steel (10.2cm x 15.2cm) – 1 pcs - Ground Plane Polycarbonate Insulating Sheet (12.7cm x 17.8cm) – 1 pcs - Insulated Roller – 1 pcs - 9V Alkaline Battery – 2 pcs - Metalized Lifting Mats in Protective Tube – 1 set of 5 pcs - Lifting Mats 2'x3' – 2 sets of 10 pcs each - Lifting Material 12" x 50' roll – 2 pcs - Static Discharge Cable – 1 pcs - Carrying case		emissions from the Schott glass itself	
- Rechargeable batteries – 3 pcs - Battery charger – 1 pcs - Adapter for batteries – 1 - AC adapter for light source – 1 pcs - 530nm and 550nm antiglare light filters for a photo camera lens – 1 set - Tripod – 1 pcs - User guide/manual (preferably in Romanian or Russian) Item 7 ELECTROSTATIC DUST PRINT LIFTER KIT (similar to Sirchie ESP900) - Electrostatic Voltage Control – 1 pcs - Ground Plane, nickel-plated steel (10.2cm x 15.2cm) – 1 pcs - Ground Plane Polycarbonate Insulating Sheet (12.7cm x 17.8cm) – 1 pcs - Insulated Roller – 1 pcs - 9V Alkaline Battery – 2 pcs - Metalized Lifting Mats in Protective Tube – 1 set of 5 pcs - Lifting Mats 2'x3' – 2 sets of 10 pcs each - Lifting Material 12" x 50' roll – 2 pcs - Static Discharge Cable – 1 pcs - Carrying case	5.	Accessories:	
- Battery charger – 1 pcs - Adapter for batteries – 1 - AC adapter for light source – 1 pcs - 530nm and 550nm antiglare light filters for a photo camera lens – 1 set - Tripod – 1 pcs - User guide/manual (preferably in Romanian or Russian) Item 7 ELECTROSTATIC DUST PRINT LIFTER KIT (similar to Sirchie ESP900) - Electrostatic Voltage Control – 1 pcs - Ground Plane, nickel-plated steel (10.2cm x 15.2cm) – 1 pcs - Ground Plane Polycarbonate Insulating Sheet (12.7cm x 17.8cm) – 1 pcs - Insulated Roller – 1 pcs - 9V Alkaline Battery – 2 pcs - Metalized Lifting Mats in Protective Tube – 1 set of 5 pcs - Lifting Mats 2'x3' – 2 sets of 10 pcs each - Lifting Material 12" x 50' roll – 2 pcs - Static Discharge Cable – 1 pcs - Carrying case		 Carrying bag for filters – 1 pcs 	
- Adapter for batteries – 1 - AC adapter for light source – 1 pcs - 530nm and 550nm antiglare light filters for a photo camera lens – 1 set - Tripod – 1 pcs - User guide/manual (preferably in Romanian or Russian) Item 7 ELECTROSTATIC DUST PRINT LIFTER KIT (similar to Sirchie ESP900) - Electrostatic Voltage Control – 1 pcs - Ground Plane, nickel-plated steel (10.2cm x 15.2cm) – 1 pcs - Ground Plane Polycarbonate Insulating Sheet (12.7cm x 17.8cm) – 1 pcs - Insulated Roller – 1 pcs - 9 V Alkaline Battery – 2 pcs - Metalized Lifting Mats in Protective Tube – 1 set of 5 pcs - Lifting Mats 2'x3' – 2 sets of 10 pcs each - Lifting Material 12" x 50' roll – 2 pcs - Static Discharge Cable – 1 pcs - Carrying case		 Rechargeable batteries – 3 pcs 	
- AC adapter for light source – 1 pcs - 530nm and 550nm antiglare light filters for a photo camera lens – 1 set - Tripod – 1 pcs - User guide/manual (preferably in Romanian or Russian) Item 7 ELECTROSTATIC DUST PRINT LIFTER KIT (similar to Sirchie ESP900) - Electrostatic Voltage Control – 1 pcs - Ground Plane, nickel-plated steel (10.2cm x 15.2cm) – 1 pcs - Ground Plane Polycarbonate Insulating Sheet (12.7cm x 17.8cm) – 1 pcs - Insulated Roller – 1 pcs - 9V Alkaline Battery – 2 pcs - Metalized Lifting Mats in Protective Tube – 1 set of 5 pcs - Lifting Mats 2'x3' – 2 sets of 10 pcs each - Lifting Material 12" x 50' roll – 2 pcs - Static Discharge Cable – 1 pcs - Carrying case		- Battery charger – 1 pcs	
- 530nm and 550nm antiglare light filters for a photo camera lens – 1 set - Tripod – 1 pcs - User guide/manual (preferably in Romanian or Russian) Item 7 ELECTROSTATIC DUST PRINT LIFTER KIT (similar to Sirchie ESP900) - Electrostatic Voltage Control – 1 pcs - Ground Plane, nickel-plated steel (10.2cm x 15.2cm) – 1 pcs - Ground Plane Polycarbonate Insulating Sheet (12.7cm x 17.8cm) – 1 pcs - Insulated Roller – 1 pcs - 9V Alkaline Battery – 2 pcs - Metalized Lifting Mats in Protective Tube – 1 set of 5 pcs - Lifting Mats 2'x3' – 2 sets of 10 pcs each - Lifting Material 12" x 50' roll – 2 pcs - Static Discharge Cable – 1 pcs - Carrying case			
camera lens – 1 set Tripod – 1 pcs User guide/manual (preferably in Romanian or Russian) Item 7 ELECTROSTATIC DUST PRINT LIFTER KIT (similar to Sirchie ESP900) Electrostatic Voltage Control – 1 pcs Ground Plane, nickel-plated steel (10.2cm x 15.2cm) – 1 pcs Ground Plane Polycarbonate Insulating Sheet (12.7cm x 17.8cm) – 1 pcs Insulated Roller – 1 pcs Sy Alkaline Battery – 2 pcs Metalized Lifting Mats in Protective Tube – 1 set of 5 pcs Lifting Mats 2'x3' – 2 sets of 10 pcs each Lifting Material 12" x 50' roll – 2 pcs Static Discharge Cable – 1 pcs Carrying case			
- Tripod – 1 pcs - User guide/manual (preferably in Romanian or Russian) Item 7 ELECTROSTATIC DUST PRINT LIFTER KIT (similar to Sirchie ESP900) - Electrostatic Voltage Control – 1 pcs - Ground Plane, nickel-plated steel (10.2cm x 15.2cm) – 1 pcs - Ground Plane Polycarbonate Insulating Sheet (12.7cm x 17.8cm) – 1 pcs - Insulated Roller – 1 pcs - 9V Alkaline Battery – 2 pcs - Metalized Lifting Mats in Protective Tube – 1 set of 5 pcs - Lifting Mats 2'x3' – 2 sets of 10 pcs each - Lifting Material 12" x 50' roll – 2 pcs - Static Discharge Cable – 1 pcs - Carrying case			
- User guide/manual (preferably in Romanian or Russian) Item 7			
ELECTROSTATIC DUST PRINT LIFTER KIT (similar to Sirchie ESP900)			
ESP900) - Electrostatic Voltage Control – 1 pcs - Ground Plane, nickel-plated steel (10.2cm x 15.2cm) – 1 pcs - Ground Plane Polycarbonate Insulating Sheet (12.7cm x 17.8cm) – 1 pcs - Insulated Roller – 1 pcs - 9V Alkaline Battery – 2 pcs - Metalized Lifting Mats in Protective Tube – 1 set of 5 pcs - Lifting Mats 2'x3' – 2 sets of 10 pcs each - Lifting Material 12" x 50' roll – 2 pcs - Static Discharge Cable – 1 pcs - Carrying case			
 Electrostatic Voltage Control – 1 pcs Ground Plane, nickel-plated steel (10.2cm x 15.2cm) – 1 pcs Ground Plane Polycarbonate Insulating Sheet (12.7cm x 17.8cm) – 1 pcs Insulated Roller – 1 pcs 9V Alkaline Battery – 2 pcs Metalized Lifting Mats in Protective Tube – 1 set of 5 pcs Lifting Mats 2'x3' – 2 sets of 10 pcs each Lifting Material 12" x 50' roll – 2 pcs Static Discharge Cable – 1 pcs Carrying case 	Item 7	· ·	
 Ground Plane, nickel-plated steel (10.2cm x 15.2cm) – 1 pcs Ground Plane Polycarbonate Insulating Sheet (12.7cm x 17.8cm) – 1 pcs Insulated Roller – 1 pcs 9V Alkaline Battery – 2 pcs Metalized Lifting Mats in Protective Tube – 1 set of 5 pcs Lifting Mats 2'x3' – 2 sets of 10 pcs each Lifting Material 12" x 50' roll – 2 pcs Static Discharge Cable – 1 pcs Carrying case 			
pcs - Ground Plane Polycarbonate Insulating Sheet (12.7cm x 17.8cm) – 1 pcs - Insulated Roller – 1 pcs - 9V Alkaline Battery – 2 pcs - Metalized Lifting Mats in Protective Tube – 1 set of 5 pcs - Lifting Mats 2'x3' – 2 sets of 10 pcs each - Lifting Material 12" x 50' roll – 2 pcs - Static Discharge Cable – 1 pcs - Carrying case			
 Ground Plane Polycarbonate Insulating Sheet (12.7cm x 17.8cm) – 1 pcs Insulated Roller – 1 pcs 9V Alkaline Battery – 2 pcs Metalized Lifting Mats in Protective Tube – 1 set of 5 pcs Lifting Mats 2'x3' – 2 sets of 10 pcs each Lifting Material 12" x 50' roll – 2 pcs Static Discharge Cable – 1 pcs Carrying case 			
17.8cm) – 1 pcs Insulated Roller – 1 pcs 9V Alkaline Battery – 2 pcs Metalized Lifting Mats in Protective Tube – 1 set of 5 pcs Lifting Mats 2'x3' – 2 sets of 10 pcs each Lifting Material 12" x 50' roll – 2 pcs Static Discharge Cable – 1 pcs Carrying case		·	
 Insulated Roller – 1 pcs 9V Alkaline Battery – 2 pcs Metalized Lifting Mats in Protective Tube – 1 set of 5 pcs Lifting Mats 2'x3' – 2 sets of 10 pcs each Lifting Material 12" x 50' roll – 2 pcs Static Discharge Cable – 1 pcs Carrying case 			
 9V Alkaline Battery – 2 pcs Metalized Lifting Mats in Protective Tube – 1 set of 5 pcs Lifting Mats 2'x3' – 2 sets of 10 pcs each Lifting Material 12" x 50' roll – 2 pcs Static Discharge Cable – 1 pcs Carrying case 			
 Metalized Lifting Mats in Protective Tube – 1 set of 5 pcs Lifting Mats 2'x3' – 2 sets of 10 pcs each Lifting Material 12" x 50' roll – 2 pcs Static Discharge Cable – 1 pcs Carrying case 		·	
pcs - Lifting Mats 2'x3' – 2 sets of 10 pcs each - Lifting Material 12" x 50' roll – 2 pcs - Static Discharge Cable – 1 pcs - Carrying case			
 Lifting Mats 2'x3' - 2 sets of 10 pcs each Lifting Material 12" x 50' roll - 2 pcs Static Discharge Cable - 1 pcs Carrying case 		-	
 Lifting Material 12" x 50' roll – 2 pcs Static Discharge Cable – 1 pcs Carrying case 		·	
- Static Discharge Cable – 1 pcs - Carrying case		· · · · · · · · · · · · · · · · · · ·	
- Carrying case		-	
• -		· ·	
Item 8 BULLET TRAJECTORY KIT	Item 8	BULLET TRAJECTORY KIT	
High impact carrying case with foam inserts	1.	High impact carrying case with foam inserts	
2. Ballistic angle finder with a tripod mount and possibility to attach	2.	Ballistic angle finder with a tripod mount and possibility to attach	
laser pointers		laser pointers	
3. Ballistic laser pointer (red), class Illa with 3 batteries	3.	Ballistic laser pointer (red), class IIIa with 3 batteries	
4. Laser pointer (green), 532 nm, 2000 mW, 5 spare heads, 2	4.	Laser pointer (green), 532 nm, 2000 mW, 5 spare heads, 2	
batteries		batteries	
5. Bullet penetration rods:	5.	Bullet penetration rods:	
- One pointed end and one female threaded end		- One pointed end and one female threaded end	
- Diameter 1: 5 mm – 4 pcs		- Diameter 1: 5 mm – 4 pcs	
- Diameter 2: 7.5-8 mm – 4 pcs		- Diameter 2: 7.5-8 mm – 4 pcs	
- Length: 45 cm		- Length: 45 cm	
6. Multi-coloured rods:	6.		
- Male and female threaded ends			1
- Green – 3 pcs			

		T 7
	- Red – 3 pcs	
	- Yellow – 3 pcs	
	- Diameter 1: 5 mm – 9 pcs (by 3 of each colour)	
	- Diameter 2: 7.5-8 mm – 9 pcs (by 3 of each colour)	
	- Length: 45 cm	<u> </u>
7.	Rod connectors	
8.	Laser connectors	
9.	Stringing tips	
10.	Bullet tips	
11.	Centring cones	
12.	Rubber O-rings	
13.	Universal tripod mount	
14.	Photo laser smoke	
15.	Photographic-type tripod (height - min 120 cm)	_
16.	Colored trajectory string (orange) (100 m)	
Item 9	BIOLOGICAL TRACES/PARTICLES KIT	
1.	Case (as required above in Section General B)	
2.	Unpowdered sterile medical gloves (sizes M and L)	
3.	Forensic sterile cotton swab with plastic tip protector	
4.	Cardboard box, adapted to the dimensions of the swab to	
	individually store and transport the collected samples	
5.	DNA controlled absorbent cotton tipped swab	
6.	Surgical scalpel handle (metal)	
7.	Disposable sterile scalpel blades (packed separately) compatible	
	with surgical scalpel handle	
8.	Sterile syringes with needles, 5 ml	
9.	Sterile gauze pads (10x10 cm) (5 pcs per pack)	
10.	Sterile water (10 ml)	
11.	Solution for sterilization of instruments (100 ml) and container:	
	- 90 ml of 10% sodium hypochlorite solution	
	- 10 ml of 98% ethanol	
12.	Evidence envelopes with printed text (see Annex to Technical	
	Specifications):	
	- White transparent paper	
	- Dimensions:	
	• 9 x 17 cm	
	• 16 x 23 cm	
	• 10 x 15 cm	
13.	Paper bags (80 x 100 cm) with printed text (see Annex to	
	Technical Specifications)	
14.	Writable stickers	
15.	Sterile cotton swabs	<u> </u>
16.	Disposable plastic tweezers	
Item 10	CRIME SCENE SKETCH KIT	
1.	Pad of Graph Paper (50 Sheets)	
2.	Plastic ruler (30 cm)	1
3.	Clutch/mechanical sketch pencil	
4.	Traffic Template	-
5.	Lavatory Planning Template	4
6.	House Furnishings Template	4
7.	Store Layout Template	<u> </u>
8.	Office Plan Template	1
9.	Universal Compass	1
10.	Metal measuring tape (15 m)	1
11.	Set of Professional Drawing Instruments	1
12.	Triangle ruler (30°/60°/90°) (transparent plastic)	1
13.	Triangle ruler (45°/45°/90°) (transparent plastic)	

14.	Sketching and Detail Drawing of the Crime Scene Booklet	
15.	Carrying case with handle	
Item 11	PORTABLE CYANOACRYLATE FUMING SYSTEM	
1.	- Fuming area (100 m³)	
	- Power supply: 210-240 V AC	
2.	Humidifier (min 2.3 kW)	
3.	Cyanoacrylate evaporator with dispersing fan	
4.	Cyanoacrylate (25 g/bottle)	
5.	Activated carbon filter unit (with 2 filters) (min 50 cleaning	
	cycles)	
6.	Thermometer (°C)	
7.	Fingerprint lifters (size: 5 x 10 cm and 10 x 15 cm)	
8.	Face mask with carbon filter	
9.	Spare carbon filter for face mask	
10.	Power supply cable 210-240 V AC (min 10 m)	
11. 12.	Storage cases for the system's subassemblies	
12.	Fuming tent: - Heavy duty	
	- Waterproof	
	- Dimensions (WxLxH): 6 m x 3 m x 2 m	
13.	Medical gloves (size L) (100 pcs)	
14.	User guide/manual (preferably in Romanian or Russian)	
Item 12	DIGITAL MEASURING WHEEL	
	- Backlit LCD display	
	- Metric counter (meter, centimetre, millimetre) up to	
	9999.99 m	
	- Accuracy: 10 cm/ 100 m	
	- Wheel circumference: 1 m	
	- Power: 2 AA batteries	
	- Memorize last 5 measurements	
	- Metal frame	
	- Foldable/collapsible handle	
	- Carrying case	
Item 13	METAL DETECTION SET	
1.	Metal detector sweeper: - Graphic target ID cursor	
	- Accept/reject discrimination	
	- Target ID legend	
	- Depth indicator	
	- Sensitivity adjustments (min 8 levels)	
	- Audio tone ID levels (min 3)	
	- Electronic pinpointing	
	- Frequency: 6.5 kHz	
	- LCD display	
	- Adjustable arm cuff with strap	
	- Headphone jack	
	- Submersible search coil	
	- Rechargeable battery pack	
	- Battery life (fully charged): min 24 hours	
	- Length: 1.00-1.30 m	
	- Weight: up to 1.5 kg	
2.	- Operating temperature range: -15° C/ +40°C Stereo headphones	
3.	Search coil cover (suitable to the proposed model)	
3. 4.	Carrying case/bag	
1tem 14	MAGNETIC RAKE	
ICCIII 14	- Telescopic handle (up to 120 cm in unfolded position)	
	- Rotative head	
L	Notative nead	Page 50 of 59

	- Width of head: 45 cm	
	- Number of spikes: 20	
Item 15	STEREOMICROSCOPE	
1.	 Illumination: white LED or halogen 20W with light intensity control Head: trinocular inclined 45° and 360° rotatable Eyepieces: WF10x/20mm (standard) Additional eyepiece: WF15x (1 pcs), WF20x (1 pcs), WF25x (1 pcs) Stereo zoom: 0.7x – 4.5x Additional objectives: 0.5x (1 pcs), 0.75x (1 pcs), 1.5x (1 pcs), 2x (1pcs) 	
2.	- Interpupillary adjustment: 50-75 mm Dust cover	
3.	Digital camera: - At least 5 Megapixel, - C-mount type with all needed accessories for connection to the microscope and to the PC/laptop, - Software - Live view possibility	
Item 16	LASER RANGEFINDER	
	 Laser beam, class II Optical device to follow laser beam on long distances Measuring range: 0.05 m up to 200 m Accuracy: +/- 2 mm Backlit display Tripod mounting possibility Metric units Possibility to memorize the last 10 measurements Continuous measurements function Metrological certification 	
Item 17	CYANOACRYLATE FUMING CHAMBER	
	 Freestanding unit External dimensions (WxLxH): 75 cm x 75 cm x 210 cm Power supply: 210-240V AC Automatic control Carbon air filter One full set of replacement carbon filters Vapour proof light Hanging rods and clips Fan for even distribution of fumes Start-up kit 	

Section 7: Price Schedule Form⁶

The Bidder is required to prepare the Price Schedule as indicated in the Instruction to Bidders.

The Price Schedule must provide a detailed cost breakdown of all goods and related services to be provided, from unit price to Lot prices. Separate figures must be provided for each functional grouping or category, if any.

Any estimates for cost-reimbursable items, such as travel of experts and out-of-pocket expenses, should be listed separately.

The format shown on the following pages is suggested for use as a guide in preparing the Price Schedule. The format includes specific expenditures, which may or may not be required or applicable but are indicated to serve as examples.

A. Cost Breakdown per Deliverable Items

No.	Deliverables	Short	Quantity	Price per unit,	Sub-total, USD
		Description (Brand name,		USD	
		model)			
1	Crime scene marking kit	,			
2	Universal forensic kit				
3	Latent print field kit				
4	Trace evidence kit				
5	Micro-particle evidence kit				
6	Crime light kit (similar to Crime Lite 82S)				
7	Electrostatic dust print lifter kit (similar to Sirchie ESP900)				
8	Bullet trajectory kit				
9	Biological traces/particles kit				
10	Crime scene sketch kit				
11	Portable cyanoacrylate fuming system				
12	Digital measuring wheel				
13	Metal detection set				
14	Magnetic rake				
15	Stereomicroscope				
16	Laser Rangefinder				
17	Cyanoacrylate fuming chamber				
	Delivery charges (DAP Chisinau, INCOTERMS 2010), including insurance				
	Other costs (please indicate)				
	GRAND TOTAL				

⁶ No deletion or modification may be made in this form. Any such deletion or modification may lead to the rejection of the Bid.

Section 8: FORM FOR BID SECURITY

(This must be finalized using the official letterhead of the Issuing Bank. Except for indicated fields, no changes may be made in this template.)

To: UNDP

[insert contact information as provided in Data Sheet]

WHEREAS [name and address of Contractor] (hereinafter called "the Bidder") has submitted a Bid to UNDP dated [insert date], to deliver goods and execute related services for [indicate ITB title] (hereinafter called "the Bid"):

AND WHEREAS it has been stipulated by you that the Bidder shall furnish you with a Bank Guarantee by a recognized bank for the sum specified therein as security in the event that the Bidder:

- a) Fails to sign the Contract after UNDP has awarded it;
- b) Withdraws its Bid after the date of the opening of the Bid;
- c) Fails to comply with UNDP's variation of requirement, as per ITB Section F.35; or
- d) Fails to furnish Performance Security, insurances, or other documents that UNDP may require as a condition to rendering the contract effective.

AND WHEREAS we have agreed to give the Bidder such this Bank Guarantee:

NOW THEREFORE we hereby affirm that we are the Guarantor and responsible to you, on behalf of the Bidder, up to a total of [amount of guarantee] [in words and numbers], such sum being payable in the types and proportions of currencies in which the Price Bid is payable, and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the limits of [amount of guarantee as aforesaid] without your needing to prove or to show grounds or reasons for your demand for the sum specified therein.

This guarantee shall be valid until a date 30 days after the date of validity of the bids.

SIGNATURE AND SEAL OF THE GUARANTOR BANK

Date:		
Name of Bank:		
Address:		

Section 9: FORM FOR PERFORMANCE SECURITY⁷

(This must be finalized using the official letterhead of the Issuing Bank. Except for indicated fields, no changes may be made in this template.)

To: UNDP

[insert contact information as provided in Data Sheet]

WHEREAS [name and address of Contractor] (hereinafter called "the Contractor") has undertaken, in pursuance of Contract No. [insert contract no.] dated [insert date], to deliver the goods and execute related services [insert relevant text] (hereinafter called "the Contract"):

AND WHEREAS it has been stipulated by you in the said Contract that the Contractor shall furnish you with a Bank Guarantee by a recognized bank for the sum specified therein as security for compliance with his obligations in accordance with the Contract;

AND WHEREAS we have agreed to give the Contractor such a Bank Guarantee:

NOW THEREFORE we hereby affirm that we are the Guarantor and responsible to you, on behalf of the Contractor, up to a total of [amount of guarantee] [in words and numbers], such sum being payable in the types and proportions of currencies in which the Contract Price is payable, and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the limits of [amount of guarantee as aforesaid] without your needing to prove or to show grounds or reasons for your demand for the sum specified therein.

This guarantee shall be valid until a date 30 days from the date of issue by UNDP of a certificate of satisfactory performance and full completion of services by the Contractor.

SIGNATURE AND SEAL OF THE GUARANTOR BANK

Date:		
Name of Bank:		
Address:		

⁷ If the RFP requires the submission of a Performance Security, which shall be made a condition to the signing and effectivity of the contract, the Performance Security that the Bidder's Bank will issue shall use the contents of this template

Section 10: Form for Advanced Payment Guarantee⁸

(This must be finalized using the official letterhead of the Issuing Bank. Except for indicated fields, no changes may be made in this template.)

		[Bank's Name, and Address of Issuing Branch or Office]					
	Beneficiary: [Name and Address of UNDP]						
Date:	NCC DAVBACNIT CLIA	ADANTEE No.					
ADVA	NCE PAYMENT GUA	AKANTEE NO.:					
We ha	ve been informed	that [name of Company] (hereinafter called "the Contractor") has enter	red into				
		number of the contract] dated [insert: date] with you, for the provision of					
		ments] (hereinafter called "the Contract").	. ,				
•	,	· ·					
Furthe	rmore, we underst	and that, according to the conditions of the Contract, an advance paymen	nt in the				
sum o	f [amount in words]] ([amount in figures]) is to be made against an advance payment guarantee	Э.				
		ntractor, we [name of Bank] hereby irrevocably undertake to pay you any					
	_	otal an amount of [amount in words] ([amount in figures])9 upon receipt by	•				
-		ing accompanied by a written statement stating that the Contractor is in br contract because the Contractor has used the advance payment for purpose					
	_	e goods and related services under the Contract.	es other				
tilali t	Swara providing the	e goods and related services under the contract.					
It is a	condition for any	claim and payment under this guarantee to be made that the advance p	ayment				
referre	ed to above must ha	ave been received by the Contractor on its account number a	t [name				
and ac	ldress of Bank].						
		of this guarantee shall be progressively reduced by the amount of the a					
-		Contractor as indicated in copies of certified monthly statements which					
-	_	parantee shall expire, at the latest, upon our receipt of the monthly p	-				
	_	the Contractor has made full repayment of the amount of the advance pa, 2, 20 whichever is earlier. Consequently, any demand for p	-				
		st be received by us at this office on or before that date.	ayment				
unacı	tino guarantee mas	it be received by as at this office off of before that date.					
This g	uarantee is subject	to the Uniform Rules for Demand Guarantees, ICC Publication No. 458.					
	[-:	-					
1	[signature(s)]						
Note:	All italicized text	is for indicative purposes only to assist in preparing this form and shall be	deleted				
	from the final pro						

⁸ This Guarantee shall be required if the Contractor will require advanced payment of more than 20% of the contract amount, or if the absolute amount of the advanced payment required will exceed the amount of USD 30,000, or its equivalent if the price offer is not in USD, using the exchange rate stated in the Data Sheet. The Contractor's Bank must issue the Guarantee using the contents of this template.

⁹ The Guarantor Bank shall insert an amount representing the amount of the advanced payment and denominated either in the currency/ies of the advanced payment as specified in the Contract.

Section 11: General Terms and Conditions for Goods

1. ACCEPTANCE OF THE PURCHASE ORDER

This Purchase Order may only be accepted by the Supplier's signing and returning an acknowledgement copy of it or by timely delivery of the goods in accordance with the terms of this Purchase Order, as herein specified. Acceptance of this Purchase Order shall effect a contract between the Parties under which the rights and obligations of the Parties shall be governed solely by the terms and conditions of this Purchase Order, including these General Conditions. No additional or inconsistent provisions proposed by the Supplier shall bind UNDP unless agreed to in writing by a duly authorized official of UNDP.

2. PAYMENT

- 2.1 UNDP shall, on fulfillment of the Delivery Terms, unless otherwise provided in this Purchase Order, make payment within 30 days of receipt of the Supplier's invoice for the goods and copies of the shipping documents specified in this Purchase Order.
- 2.2 Payment against the invoice referred to above will reflect any discount shown under the payment terms of this Purchase Order, provided payment is made within the period required by such payment terms.
- 2.3 Unless authorized by UNDP, the Supplier shall submit one invoice in respect of this Purchase Order, and such invoice must indicate the Purchase Order's identification number.
- 2.4 The prices shown in this Purchase Order may not be increased except by express written agreement of UNDP.

3. TAX EXEMPTION

- 3.1 Section 7 of the Convention on the Privileges and Immunities of the United Nations provides, inter alia, that the United Nations, including its subsidiary organs, is exempt from all direct taxes, except charges for utilities services, and is exempt from customs duties and charges of a similar nature in respect of articles imported or exported for its official use. In the event any governmental authority refuses to recognize UNDP's exemption from such taxes, duties or charges, the Supplier shall immediately consult with UNDP to determine a mutually acceptable procedure.
- 3.2 Accordingly, the Supplier authorizes UNDP to deduct from the Supplier's invoice any amount representing such taxes, duties or charges, unless the Supplier has consulted with UNDP before the payment thereof and UNDP has, in each instance, specifically authorized the Supplier to pay such taxes, duties or charges under protest. In that event, the Supplier shall provide UNDP with written evidence that payment of such taxes, duties or charges has been made and appropriately authorized.

4. RISK OF LOSS

Risk of loss, damage to or destruction of the goods shall be governed in accordance with Incoterms 2010, unless otherwise agreed upon by the Parties on the front side of this Purchase Order.

5. EXPORT LICENCES

Notwithstanding any INCOTERM 2010 used in this Purchase Order, the Supplier shall obtain any export licences required for the goods.

6. FITNESS OF GOODS/PACKAGING

The Supplier warrants that the goods, including packaging, conform to the specifications for the goods ordered under this Purchase Order and are fit for the purposes for which such goods are ordinarily used and for purposes expressly made known to the Supplier by UNDP, and are free from defects in workmanship and materials. The Supplier also warrants that the goods are contained or packaged adequately to protect the goods.

7. INSPECTION

- 7.1 UNDP shall have a reasonable time after delivery of the goods to inspect them and to reject and refuse acceptance of goods not conforming to this Purchase Order; payment for goods pursuant to this Purchase Order shall not be deemed an acceptance of the goods.
- 7.2 Inspection prior to shipment does not relieve the Supplier from any of its contractual obligations.

8. INTELLECTUAL PROPERTY INFRINGEMENT

The Supplier warrants that the use or supply by UNDP of the goods sold under this Purchase Order does not infringe any patent, design, trade-name or trade-mark. In addition, the Supplier shall, pursuant to this warranty, indemnify, defend and hold UNDP and the United Nations harmless from any actions or claims brought against UNDP or the United Nations pertaining to the alleged infringement of a patent, design, trade-name or trade-mark arising in connection with the goods sold under this Purchase Order.

9. RIGHTS OF UNDP

In case of failure by the Supplier to fulfil its obligations under the terms and conditions of this Purchase Order, including but not limited to failure to obtain necessary export licenses, or to make delivery of all or part of the goods by the agreed delivery date or dates, UNDP may, after giving the Supplier reasonable notice to perform and without prejudice to any other rights or remedies, exercise one or more of the following rights:

- 9.1 Procure all or part of the goods from other sources, in which event UNDP may hold the Supplier responsible for any excess cost occasioned thereby.
- 9.2 Refuse to accept delivery of all or part of the goods.
- 9.3 Cancel this Purchase Order without any liability for termination charges or any other liability of any kind of UNDP.

10. LATE DELIVERY

Without limiting any other rights or obligations of the parties hereunder, if the Supplier will be unable to deliver the goods by the delivery date(s) stipulated in this Purchase Order, the Supplier shall (i) immediately consult with UNDP to determine the most expeditious means for delivering the goods and (ii) use an expedited means of delivery, at the Supplier's cost (unless the delay is due to Force Majeure), if reasonably so requested by UNDP.

11. ASSIGNMENT AND INSOLVENCY

- 11.1. The Supplier shall not, except after obtaining the written consent of UNDP, assign, transfer, pledge or make other disposition of this Purchase Order, or any part thereof, or any of the Supplier's rights or obligations under this Purchase Order.
- 11.2. Should the Supplier become insolvent or should control of the Supplier change by virtue of insolvency, UNDP may, without prejudice to any other rights or remedies, immediately terminate this Purchase Order by giving the Supplier written notice of termination.

12. USE OF UNDP OR UNITED NATIONS NAME OR EMBLEM

The Supplier shall not use the name, emblem or official seal of UNDP or the United Nations for any purpose.

13. PROHIBITION ON ADVERTISING

The Supplier shall not advertise or otherwise make public that it is furnishing goods or services to UNDP without specific permission of UNDP in each instance.

14. CHILD LABOUR

The Supplier represents and warrants that neither it nor any of its affiliates is engaged in any practice inconsistent with the rights set forth in the Convention on the Rights of the Child, including Article 32 thereof, which, inter alia, requires that a child shall be protected from performing any work that is likely to be hazardous or to interfere with the child's education, or to be harmful to the child's health or physical, mental, spiritual, moral or social development.

Any breach of this representation and warranty shall entitle UNDP to terminate this Purchase Order immediately upon notice to the Supplier, without any liability for termination charges or any other liability of any kind of UNDP.

15. MINES

The Supplier represents and warrants that neither it nor any of its affiliates is actively and directly engaged in patent activities, development, assembly, production, trade or manufacture of mines or in such activities in respect of components primarily utilized in the manufacture of Mines. The term "Mines" means those devices defined in Article 2, Paragraphs 1, 4 and 5 of Protocol II annexed to the Convention on Prohibitions and Restrictions on the Use of Certain Conventional Weapons Which May Be Deemed to Be Excessively Injurious or to Have Indiscriminate Effects of

Any breach of this representation and warranty shall entitle UNDP to terminate this Purchase Order immediately upon notice to the Supplier, without any liability for termination charges or any other liability of any kind of UNDP.

16. SETTLEMENT OF DISPUTES

16.1 Amicable Settlement. The Parties shall use their best efforts to settle amicably any dispute, controversy or claim arising out of, or relating to this Purchase Order or the breach, termination or invalidity thereof. Where the Parties wish to seek such an amicable settlement through conciliation, the conciliation shall take place in accordance with the UNCITRAL Conciliation Rules then obtaining, or according to such other procedure as may be agreed between the Parties.

16.2 Arbitration. Unless, any such dispute, controversy or claim between the Parties arising out of or relating to this Purchase Order or the breach, termination or invalidity thereof is settled amicably under the preceding paragraph of this Section within sixty (60) days after receipt by one Party of the other Party's request for such amicable settlement, such dispute, controversy or claim shall be referred by either Party to arbitration in accordance with the UNCITRAL Arbitration Rules then obtaining, including its provisions on applicable law. The arbitral tribunal shall have no authority to award punitive damages. The Parties shall be bound by any arbitration award rendered as a result of such arbitration as the final adjudication of any such controversy, claim or dispute.

17. PRIVILEGES AND IMMUNITIES

Nothing in or related to these General Terms and Conditions or this Purchase Order shall be deemed a waiver of any of the privileges and immunities of the United Nations, including its subsidiary organs.

18. SEXUAL EXPLOITATION:

18.1 The Contractor shall take all appropriate measures to prevent sexual exploitation or abuse of anyone by it or by any of its employees or any other persons who may be engaged by the Contractor to perform any services under the Contract. For these purposes, sexual activity with any person less than eighteen years of age, regardless of any laws relating to consent, shall constitute the sexual exploitation and abuse of such person. In addition, the Contractor shall refrain from, and shall take all appropriate measures to prohibit its employees or other persons engaged by it from, exchanging any money, goods, services, offers of employment or other things of value, for sexual favors or activities, or from engaging in any sexual activities that are exploitive or degrading to any person. The Contractor acknowledges and agrees that the provisions hereof constitute an essential term of the Contract and that any breach of this representation and warranty shall entitle UNDP to terminate the Contract immediately upon notice to the Contractor, without any liability for termination charges or any other liability of any kind.

18.2 UNDP shall not apply the foregoing standard relating to age in any case in which the Contractor's personnel or any other person who may be engaged by the Contractor to perform any services under the Contract is married to the person less than the age of eighteen years with whom sexual activity has occurred and in which such marriage is recognized as valid under the laws of the country of citizenship of such Contractor's personnel or such other person who may be engaged by the Contractor to perform any services under the Contract.

19. OFFICIALS NOT TO BENEFIT:

The Contractor warrants that no official of UNDP or the United Nations has received or will be offered by the Contractor any direct or indirect benefit arising from this Contract or the award thereof. The Contractor agrees that breach of this provision is a breach of an essential term of this Contract.

20. AUTHORITY TO MODIFY:

Pursuant to the Financial Regulations and Rules of UNDP, only the UNDP Authorized Official possess the authority to agree on behalf of UNDP to any modification of or change in this Agreement, to a waiver of any of its provisions or to any additional contractual relationship of any kind with the Contractor. Accordingly, no modification or change in this Contract shall be valid and enforceable against UNDP unless provided by an amendment to this Agreement signed by the Contractor and jointly by the UNDP Authorized Official.